


2009 AP<sup>®</sup> CALCULUS AB FREE-RESPONSE QUESTIONS



Graph of  $f'$

6. The derivative of a function  $f$  is defined by  $f'(x) = \begin{cases} g(x) & \text{for } -4 \leq x \leq 0 \\ 5e^{-x/3} - 3 & \text{for } 0 < x \leq 4 \end{cases}$ .

The graph of the continuous function  $f'$ , shown in the figure above, has  $x$ -intercepts at  $x = -2$  and  $x = 3\ln\left(\frac{5}{3}\right)$ . The graph of  $g$  on  $-4 \leq x \leq 0$  is a semicircle, and  $f(0) = 5$ .

- (a) For  $-4 < x < 4$ , find all values of  $x$  at which the graph of  $f$  has a point of inflection. Justify your answer.
- (b) Find  $f(-4)$  and  $f(4)$ .
- (c) For  $-4 \leq x \leq 4$ , find the value of  $x$  at which  $f$  has an absolute maximum. Justify your answer.

**WRITE ALL WORK IN THE PINK EXAM BOOKLET.**

**END OF EXAM**

**AP<sup>®</sup> CALCULUS AB**  
**2009 SCORING GUIDELINES**

**Question 6**


The derivative of a function  $f$  is defined by

$$f'(x) = \begin{cases} g(x) & \text{for } -4 \leq x \leq 0 \\ 5e^{-x/3} - 3 & \text{for } 0 < x \leq 4 \end{cases}.$$

The graph of the continuous function  $f'$ , shown in the figure above, has

$x$ -intercepts at  $x = -2$  and  $x = 3\ln\left(\frac{5}{3}\right)$ . The graph of  $g$  on  $-4 \leq x \leq 0$

is a semicircle, and  $f(0) = 5$ .



Graph of  $f'$

- (a) For  $-4 < x < 4$ , find all values of  $x$  at which the graph of  $f$  has a point of inflection. Justify your answer.
- (b) Find  $f(-4)$  and  $f(4)$ .
- (c) For  $-4 \leq x \leq 4$ , find the value of  $x$  at which  $f$  has an absolute maximum. Justify your answer.

- (a)  $f'$  changes from decreasing to increasing at  $x = -2$  and from increasing to decreasing at  $x = 0$ . Therefore, the graph of  $f$  has points of inflection at  $x = -2$  and  $x = 0$ .

2 :  $\begin{cases} 1 : \text{identifies } x = -2 \text{ or } x = 0 \\ 1 : \text{answer with justification} \end{cases}$

(b) 
$$f(-4) = 5 + \int_0^{-4} g(x) \, dx$$

$$= 5 - (8 - 2\pi) = 2\pi - 3$$

$$f(4) = 5 + \int_0^4 (5e^{-x/3} - 3) \, dx$$

$$= 5 + \left( -15e^{-x/3} - 3x \right) \Big|_{x=0}^{x=4}$$

$$= 8 - 15e^{-4/3}$$

5 :  $\begin{cases} 2 : f(-4) \\ 1 : \text{integral} \\ 1 : \text{value} \\ 3 : f(4) \\ 1 : \text{integral} \\ 1 : \text{antiderivative} \\ 1 : \text{value} \end{cases}$

- (c) Since  $f'(x) > 0$  on the intervals  $-4 < x < -2$  and  $-2 < x < 3\ln\left(\frac{5}{3}\right)$ ,  $f$  is increasing on the interval  $-4 \leq x \leq 3\ln\left(\frac{5}{3}\right)$ .

2 :  $\begin{cases} 1 : \text{answer} \\ 1 : \text{justification} \end{cases}$

Since  $f'(x) < 0$  on the interval  $3\ln\left(\frac{5}{3}\right) < x < 4$ ,  $f$  is decreasing on the interval  $3\ln\left(\frac{5}{3}\right) \leq x \leq 4$ .

Therefore,  $f$  has an absolute maximum at  $x = 3\ln\left(\frac{5}{3}\right)$ .