

Graph of f

4. The continuous function f is defined on the interval $-4 \le x \le 3$. The graph of f consists of two quarter circles and one line segment, as shown in the figure above. Let $g(x) = 2x + \int_0^x f(t)\,dt$.

   (a) Find $g(-3)$. Find $g'(x)$ and evaluate $g'(-3)$.

   (b) Determine the x-coordinate of the point at which g has an absolute maximum on the interval $-4 \le x \le 3$. Justify your answer.

   (c) Find all values of x on the interval $-4 < x < 3$ for which the graph of g has a point of inflection. Give a reason for your answer.

   (d) Find the average rate of change of f on the interval $-4 \le x \le 3$. There is no point c, $-4 < c < 3$, for which $f'(c)$ is equal to that average rate of change. Explain why this statement does not contradict the Mean Value Theorem.

WRITE ALL WORK IN THE EXAM BOOKLET.

© 2011 The College Board.
Visit the College Board on the Web: www.collegeboard.org.

5. At the beginning of 2010, a landfill contained 1400 tons of solid waste. The increasing function W models the total amount of solid waste stored at the landfill. Planners estimate that W will satisfy the differential equation $\frac{dW}{dt} = \frac{1}{25}(W - 300)$ for the next 20 years. W is measured in tons, and t is measured in years from the start of 2010.

   (a) Use the line tangent to the graph of W at $t = 0$ to approximate the amount of solid waste that the landfill contains at the end of the first 3 months of 2010 (time $t = \frac{1}{4}$).

   (b) Find $\frac{d^2W}{dt^2}$ in terms of W. Use $\frac{d^2W}{dt^2}$ to determine whether your answer in part (a) is an underestimate or an overestimate of the amount of solid waste that the landfill contains at time $t = \frac{1}{4}$.

   (c) Find the particular solution $W = W(t)$ to the differential equation $\frac{dW}{dt} = \frac{1}{25}(W - 300)$ with initial condition $W(0) = 1400$.

---

6. Let f be a function defined by $f(x) = \begin{cases} 1 - 2\sin x & \text{for } x \le 0 \\ e^{-4x} & \text{for } x > 0. \end{cases}$

   (a) Show that f is continuous at $x = 0$.

   (b) For $x \neq 0$, express $f'(x)$ as a piecewise-defined function. Find the value of x for which $f'(x) = -3$.

   (c) Find the average value of f on the interval $[-1, 1]$.

WRITE ALL WORK IN THE EXAM BOOKLET.

END OF EXAM

© 2011 The College Board.
Visit the College Board on the Web: www.collegeboard.org.