

Cross-Font Comparison Sheet (p1)

Same byte rendered in all four fonts - human aid to confirm shared encoding - NOT an automatic mapping source

Investigation indicates KAP110/111/112/122 share ONE encoding (style variants).
Confirm visually [here](#); do not transfer assumptions to mappings without per-font bilingual samples.

0x20Dec 32 110 111 112 122 - - - -	0x21Dec 33 110 111 112 122 ୧୧୧୧	0x22Dec 34 110 111 112 122 ୨୨୨୨	0x23Dec 35 110 111 112 122 ୩୩୩୩
0x24Dec 36 110 111 112 122 ୪୪୪୪	0x25Dec 37 110 111 112 122 ୫୫୫୫	0x26Dec 38 110 111 112 122 ୬୬୬୬	0x27Dec 39 110 111 112 122 ୭୭୭୭
0x28Dec 40 110 111 112 122 ୮୮୮୮	0x29Dec 41 110 111 112 122 ୦୦୦୦	0x2ADec 42 110 111 112 122 ୯୯୯୯	0x2BDec 43 110 111 112 122 ୧୧୧୧
0x2CDec 44 110 111 112 122 ୧୧୧୧	0x2DDec 45 110 111 112 122 ୧୧୧୧	0x2EDec 46 110 111 112 122 ୧୧୧୧	0x2FDec 47 110 111 112 122 ୧୧୧୧
0x30Dec 48 110 111 112 122 ୨୨୨୨	0x31Dec 49 110 111 112 122 ୩୩୩୩	0x32Dec 50 110 111 112 122 ୪୪୪୪	0x33Dec 51 110 111 112 122 ୫୫୫୫
0x34Dec 52 110 111 112 122 ୬୬୬୬	0x35Dec 53 110 111 112 122 ୭୭୭୭	0x36Dec 54 110 111 112 122 ୮୮୮୮	0x37Dec 55 110 111 112 122 ୯୯୯୯
0x38Dec 56 110 111 112 122 ୦୦୦୦	0x39Dec 57 110 111 112 122 ୧୧୧୧	0x3ADec 58 110 111 112 122 ୧୧୧୧	0x3BDec 59 110 111 112 122 ୧୧୧୧
0x3CDec 60 110 111 112 122 ୧୧୧୧	0x3DDec 61 110 111 112 122 ୧୧୧୧	0x3EDec 62 110 111 112 122 ୧୧୧୧	0x3FDec 63 110 111 112 122 ୧୧୧୧
0x40Dec 64 110 111 112 122 ୧୧୧୧	0x41Dec 65 110 111 112 122 ୧୧୧୧	0x42Dec 66 110 111 112 122 ୧୧୧୧	0x43Dec 67 110 111 112 122 ୧୧୧୧
0x44Dec 68 110 111 112 122 ୧୧୧୧	0x45Dec 69 110 111 112 122 ୧୧୧୧	0x46Dec 70 110 111 112 122 ୧୧୧୧	0x47Dec 71 110 111 112 122 ୧୧୧୧
0x48Dec 72 110 111 112 122 ୧୧୧୧	0x49Dec 73 110 111 112 122 ୧୧୧୧	0x4ADec 74 110 111 112 122 ୧୧୧୧	0x4BDec 75 110 111 112 122 ୧୧୧୧
0x4CDec 76 110 111 112 122 ୧୧୧୧	0x4DDec 77 110 111 112 122 ୧୧୧୧	0x4EDec 78 110 111 112 122 ୧୧୧୧	0x4FDec 79 110 111 112 122 ୧୧୧୧
0x50Dec 80 110 111 112 122 ୧୧୧୧	0x51Dec 81 110 111 112 122 ୧୧୧୧	0x52Dec 82 110 111 112 122 ୧୧୧୧	0x53Dec 83 110 111 112 122 ୧୧୧୧

Cross-Font Comparison Sheet (p2)

Same byte rendered in all four fonts - human aid to confirm shared encoding - NOT an automatic mapping source

Investigation indicates KAP110/111/112/122 share ONE encoding (style variants).
Confirm visually [here](#); do not transfer assumptions to mappings without per-font bilingual samples.

0x54Dec 84 110 111 112 122 𑀮𑀮𑀮𑀮	0x55Dec 85 110 111 112 122 𑀯𑀯𑀯𑀯	0x56Dec 86 110 111 112 122 𑀰𑀰𑀰𑀰	0x57Dec 87 110 111 112 122 𑀱𑀱𑀱𑀱
0x58Dec 88 110 111 112 122 𑀲𑀲𑀲𑀲	0x59Dec 89 110 111 112 122 𑀳𑀳𑀳𑀳	0x5ADec 90 110 111 112 122 𑀴𑀴𑀴𑀴	0x5BDec 91 110 111 112 122 𑀵𑀵𑀵𑀵
0x5CDec 92 110 111 112 122 𑀶𑀶𑀶𑀶	0x5DDec 93 110 111 112 122 𑀷𑀷𑀷𑀷	0x5EDec 94 110 111 112 122 𑀸𑀸𑀸𑀸	0x5FDec 95 110 111 112 122 𑀹𑀹𑀹𑀹
0x60Dec 96 110 111 112 122 𑀺𑀺𑀺𑀺	0x61Dec 97 110 111 112 122 𑀻𑀻𑀻𑀻	0x62Dec 98 110 111 112 122 𑀼𑀼𑀼𑀼	0x63Dec 99 110 111 112 122 𑀽𑀽𑀽𑀽
0x64Dec 100 110 111 112 122 𑀾𑀾𑀾𑀾	0x65Dec 101 110 111 112 122 𑀿𑀿𑀿𑀿	0x66Dec 102 110 111 112 122 𑁂𑁂𑁂𑁂	0x67Dec 103 110 111 112 122 𑁃𑁃𑁃𑁃
0x68Dec 104 110 111 112 122 𑁄𑁄𑁄𑁄	0x69Dec 105 110 111 112 122 𑁅𑁅𑁅𑁅	0x6ADec 106 110 111 112 122 𑁆𑁆𑁆𑁆	0x6BDec 107 110 111 112 122 𑁇𑁇𑁇𑁇
0x6CDec 108 110 111 112 122 𑁈𑁈𑁈𑁈	0x6DDec 109 110 111 112 122 𑁉𑁉𑁉𑁉	0x6EDec 110 110 111 112 122 𑁊𑁊𑁊𑁊	0x6FDec 111 110 111 112 122 𑁋𑁋𑁋𑁋
0x70Dec 112 110 111 112 122 𑁌𑁌𑁌𑁌	0x71Dec 113 110 111 112 122 𑁍𑁍𑁍𑁍	0x72Dec 114 110 111 112 122 𑁎𑁎𑁎𑁎	0x73Dec 115 110 111 112 122 𑁏𑁏𑁏𑁏
0x74Dec 116 110 111 112 122 𑁐𑁐𑁐𑁐	0x75Dec 117 110 111 112 122 𑁑𑁑𑁑𑁑	0x76Dec 118 110 111 112 122 𑁒𑁒𑁒𑁒	0x77Dec 119 110 111 112 122 𑁓𑁓𑁓𑁓
0x78Dec 120 110 111 112 122 𑁔𑁔𑁔𑁔	0x79Dec 121 110 111 112 122 𑁕𑁕𑁕𑁕	0x7ADec 122 110 111 112 122 𑁖𑁖𑁖𑁖	0x7BDec 123 110 111 112 122 𑁗𑁗𑁗𑁗
0x7CDec 124 110 111 112 122 𑁘𑁘𑁘𑁘	0x7DDec 125 110 111 112 122 𑁙𑁙𑁙𑁙	0x7EDec 126 110 111 112 122 𑁚𑁚𑁚𑁚	0xA0Dec 160 110 111 112 122 𑁛𑁛𑁛𑁛
0xA1Dec 161 110 111 112 122 𑁜𑁜𑁜𑁜	0xA2Dec 162 110 111 112 122 𑁝𑁝𑁝𑁝	0xA3Dec 163 110 111 112 122 𑁞𑁞𑁞𑁞	0xA4Dec 164 110 111 112 122 𑁟𑁟𑁟𑁟
0xA5Dec 165 110 111 112 122 𑁠𑁠𑁠𑁠	0xA6Dec 166 110 111 112 122 𑁡𑁡𑁡𑁡	0xA7Dec 167 110 111 112 122 𑁢𑁢𑁢𑁢	0xA8Dec 168 110 111 112 122 𑁣𑁣𑁣𑁣

Cross-Font Comparison Sheet (p3)

Same byte rendered in all four fonts - human aid to confirm shared encoding - NOT an automatic mapping source

Investigation indicates KAP110/111/112/122 share ONE encoding (style variants).
Confirm visually [here](#); do not transfer assumptions to mappings without per-font bilingual samples.

0xA9Dec 169 110 111 112 122 𑍩𑍪𑍫𑍬	0xAADec 170 110 111 112 122 𑍭𑍮𑍯𑍰	0xABDec 171 110 111 112 122 𑍱𑍲𑍳𑍴	0xACDec 172 110 111 112 122 𑍷𑍸𑍹𑍺
0xADDec 173 110 111 112 122 𑍼𑍽𑍾𑍿	0xAEDec 174 110 111 112 122 𑍻𑍼𑍽𑍾	0xAFDec 175 110 111 112 122 𑍿𑎀𑎁𑎂	0xB0Dec 176 110 111 112 122 𑎃𑎄𑎅𑎆
0xB1Dec 177 110 111 112 122 𑎇𑎈𑎉𑎊	0xB2Dec 178 110 111 112 122 𑎋𑎌𑎍𑎎	0xB3Dec 179 110 111 112 122 𑎏𑎐𑎑𑎒	0xB4Dec 180 110 111 112 122 𑎓𑎔𑎕𑎖
0xB5Dec 181 110 111 112 122 𑎗𑎘𑎙𑎚	0xB6Dec 182 110 111 112 122 𑎛𑎜𑎝𑎞	0xB7Dec 183 110 111 112 122 𑎟𑎠𑎡𑎢	0xB8Dec 184 110 111 112 122 𑎣𑎤𑎥𑎦
0xB9Dec 185 110 111 112 122 𑎧𑎨𑎩𑎪	0xBADec 186 110 111 112 122 𑎫𑎬𑎭𑎮	0xBBDec 187 110 111 112 122 𑎯𑎰𑎱𑎲	0xBCDec 188 110 111 112 122 𑎳𑎴𑎵𑎶
0xBDDec 189 110 111 112 122 𑎹𑎺𑎻𑎼	0xBEDec 190 110 111 112 122 𑎿𑏀𑏁𑏂	0xBFDec 191 110 111 112 122 𑏃𑏄𑏅𑏆	0xC0Dec 192 110 111 112 122 𑏇𑏈𑏉𑏊
0xC1Dec 193 110 111 112 122 𑏋𑏌𑏍𑏎	0xC2Dec 194 110 111 112 122 𑏏𑏐𑏑𑏒	0xC3Dec 195 110 111 112 122 𑏓𑏔𑏕𑏖	0xC4Dec 196 110 111 112 122 𑏗𑏘𑏙𑏚
0xC5Dec 197 110 111 112 122 𑏛𑏜𑏝𑏞	0xC6Dec 198 110 111 112 122 𑏟𑏠𑏡𑏢	0xC7Dec 199 110 111 112 122 𑏣𑏤𑏥𑏦	0xC8Dec 200 110 111 112 122 𑏧𑏨𑏩𑏪
0xC9Dec 201 110 111 112 122 𑏬𑏭𑏮𑏯	0xCADec 202 110 111 112 122 𑏲𑏳𑏴𑏵	0xCBDec 203 110 111 112 122 𑏹𑏺𑏻𑏼	0xCCDec 204 110 111 112 122 𑏿𑐀𑐁𑐂
0xCDDec 205 110 111 112 122 𑐃𑐄𑐅𑐆	0xCEDec 206 110 111 112 122 𑐇𑐈𑐉𑐊	0xCFDec 207 110 111 112 122 𑐋𑐌𑐍𑐎	0xD0Dec 208 110 111 112 122 𑐏𑐐𑐑𑐒
0xD1Dec 209 110 111 112 122 𑐖𑐗𑐘𑐙	0xD2Dec 210 110 111 112 122 𑐛𑐜𑐝𑐞	0xD3Dec 211 110 111 112 122 𑐟𑐠𑐡𑐢	0xD4Dec 212 110 111 112 122 𑐣𑐤𑐥𑐦
0xD5Dec 213 110 111 112 122 𑐪𑐫𑐬𑐭	0xD6Dec 214 110 111 112 122 𑐱𑐲𑐳𑐴	0xD7Dec 215 110 111 112 122 𑐿𑑀𑑁𑑂	0xD8Dec 216 110 111 112 122 𑑃𑑄𑑅𑑆
0xD9Dec 217 110 111 112 122 𑑇𑑈𑑉𑑊	0xDADec 218 110 111 112 122 𑑋𑑌𑑍𑑎	0xDBDec 219 110 111 112 122 𑑏𑑐𑑑𑑒	0xDCDec 220 110 111 112 122 𑑖𑑗𑑘𑑙

Cross-Font Comparison Sheet (p4)

Same byte rendered in all four fonts - human aid to confirm shared encoding - NOT an automatic mapping source

Investigation indicates KAP110/111/112/122 share ONE encoding (style variants).
Confirm visually [here](#); do not transfer assumptions to mappings without per-font bilingual samples.

0xDDDec 221 110 111 112 122 𑀓𑀔𑀕𑀖	0xDEDec 222 110 111 112 122 𑀗𑀘𑀙𑀚	0xDFDec 223 110 111 112 122 𑀛𑀜𑀝𑀞	0xE0Dec 224 110 111 112 122 𑀟𑀠𑀡𑀢
0xE1Dec 225 110 111 112 122 𑀣𑀤𑀥𑀦	0xE2Dec 226 110 111 112 122 𑀧𑀨𑀩𑀪	0xE3Dec 227 110 111 112 122 𑀬𑀭𑀮𑀯	0xE4Dec 228 110 111 112 122 𑀲𑀳𑀴𑀵
0xE5Dec 229 110 111 112 122 𑀸𑀹𑀺𑀻	0xE6Dec 230 110 111 112 122 𑀿𑁀𑁁𑁂	0xE7Dec 231 110 111 112 122 𑁃𑁄𑁅𑁆	0xE8Dec 232 110 111 112 122 𑁇𑁈𑁉𑁊
0xE9Dec 233 110 111 112 122 𑁋𑁌𑁍𑁎	0xEADec 234 110 111 112 122 𑁏𑁐𑁑𑁒	0xEBDec 235 110 111 112 122 𑁓𑁔𑁕𑁖	0xECDec 236 110 111 112 122 𑁗𑁘𑁙𑁚
0xEDDec 237 110 111 112 122 𑁛𑁜𑁝𑁞	0xEEDec 238 110 111 112 122 𑁟𑁠𑁡𑁢	0xEFDec 239 110 111 112 122 𑁣𑁤𑁥𑁦	0xF0Dec 240 110 111 112 122 𑁧𑁨𑁩𑁪
0xF1Dec 241 110 111 112 122 ★*★	0xF2Dec 242 110 111 112 122 !!!	0xF3Dec 243 110 111 112 122 𑀹𑀺𑀻𑀼	0xF4Dec 244 110 111 112 122 𑀽𑀾𑀿𑁀
0xF5Dec 245 110 111 112 122 𑀻𑀼𑀽𑀾	0xF6Dec 246 110 111 112 122 𑀿𑁀𑁁𑁂	0xF7Dec 247 110 111 112 122 𑁃𑁄𑁅𑁆	0xF8Dec 248 110 111 112 122 𑁇𑁈𑁉𑁊
0xF9Dec 249 110 111 112 122 𑁋𑁌𑁍𑁎	0xFADec 250 110 111 112 122 𑁏𑁐𑁑𑁒	0xFBDec 251 110 111 112 122 𑁓𑁔𑁕𑁖	0xFCDec 252 110 111 112 122 𑁗𑁘𑁙𑁚
0xFDDec 253 110 111 112 122 𑁛𑁜𑁝𑁞	0xFEDec 254 110 111 112 122 𑁟𑁠𑁡𑁢	0xFFDec 255 110 111 112 122 𑁣𑁤𑁥𑁦	