

KAP110 - Legacy Glyph Proof Sheet

kap110.ttf md5=e7b2229f8a1561b919654c2fd4e57ea4 numGlyphs=218 - identify each glyph's Gujarati character BY EYE

KNOWN REFERENCE - USER PROVIDED

પ્રતિષ્ઠા : ગુજરાતી (ગુજરાતી)

Expected KAP112 : V F 5 [, F

Bytes : V=86/0x56 F=70/0x46 5=53/0x35 [=91/0x5B ,=44/0x2C F=70/0x46

Applies to font : KAP112 only

Status : Awaiting human visual confirmation

PRINTABLE ASCII 0x20-0x7E (95 bytes)

(blank - space) 'SPACE' Dec 32 Hex 20 Byte 0x20 glyph: space	૧ '!' Dec 33 Hex 21 Byte 0x21 glyph: exclam	૨ '"' Dec 34 Hex 22 Byte 0x22 glyph: quotedbl	૩ '#' Dec 35 Hex 23 Byte 0x23 glyph: numbersign	૪ '\$' Dec 36 Hex 24 Byte 0x24 glyph: dollar
૫ '%' Dec 37 Hex 25 Byte 0x25 glyph: percent	૬ '&' Dec 38 Hex 26 Byte 0x26 glyph: ampersand	૭ '"' Dec 39 Hex 27 Byte 0x27 glyph: quotesingle	૮ '(' Dec 40 Hex 28 Byte 0x28 glyph: parenleft	૯ ')' Dec 41 Hex 29 Byte 0x29 glyph: parenright
૧૦ '*' Dec 42 Hex 2A Byte 0x2A glyph: asterisk	૧૧ '+' Dec 43 Hex 2B Byte 0x2B glyph: plus	૧૨ ',' Dec 44 Hex 2C Byte 0x2C glyph: comma	૧૩ '-' Dec 45 Hex 2D Byte 0x2D glyph: hyphen	૧૪ '.' Dec 46 Hex 2E Byte 0x2E glyph: period
૧૫ '/' Dec 47 Hex 2F Byte 0x2F glyph: slash	૧૬ '0' Dec 48 Hex 30 Byte 0x30 glyph: zero	૧૭ '1' Dec 49 Hex 31 Byte 0x31 glyph: one	૧૮ '2' Dec 50 Hex 32 Byte 0x32 glyph: two	૧૯ '3' Dec 51 Hex 33 Byte 0x33 glyph: three
૨૦ '4' Dec 52 Hex 34 Byte 0x34 glyph: four	૨૧ '5' Dec 53 Hex 35 Byte 0x35 glyph: five	૨૨ '6' Dec 54 Hex 36 Byte 0x36 glyph: six	૨૩ '7' Dec 55 Hex 37 Byte 0x37 glyph: seven	૨૪ '8' Dec 56 Hex 38 Byte 0x38 glyph: eight
૨૫ '9' Dec 57 Hex 39 Byte 0x39 glyph: nine	૨૬ ':' Dec 58 Hex 3A Byte 0x3A glyph: colon	૨૭ ';' Dec 59 Hex 3B Byte 0x3B glyph: semicolon	૨૮ '<' Dec 60 Hex 3C Byte 0x3C glyph: less	૨૯ '=' Dec 61 Hex 3D Byte 0x3D glyph: equal

KAP110 - Legacy Glyph Proof Sheet (cont.)

decimal / hex / byte labels are authoritative; inspect each glyph and record its Gujarati meaning

ઈ '>' Dec 62 Hex 3E Byte 0x3E glyph: greater	૫ '?' Dec 63 Hex 3F Byte 0x3F glyph: question	ક '@' Dec 64 Hex 40 Byte 0x40 glyph: at	બ 'A' Dec 65 Hex 41 Byte 0x41 glyph: A	ખ 'B' Dec 66 Hex 42 Byte 0x42 glyph: B
હ 'C' Dec 67 Hex 43 Byte 0x43 glyph: C	મ 'D' Dec 68 Hex 44 Byte 0x44 glyph: D	ભ 'E' Dec 69 Hex 45 Byte 0x45 glyph: E	લ 'F' Dec 70 Hex 46 Byte 0x46 glyph: F	ન 'G' Dec 71 Hex 47 Byte 0x47 glyph: G
જ 'H' Dec 72 Hex 48 Byte 0x48 glyph: H	ય 'I' Dec 73 Hex 49 Byte 0x49 glyph: I	વ 'J' Dec 74 Hex 4A Byte 0x4A glyph: J	છ 'K' Dec 75 Hex 4B Byte 0x4B glyph: K	ી 'L' Dec 76 Hex 4C Byte 0x4C glyph: L
ે 'M' Dec 77 Hex 4D Byte 0x4D glyph: M	ઢ 'N' Dec 78 Hex 4E Byte 0x4E glyph: N	ફ 'O' Dec 79 Hex 4F Byte 0x4F glyph: O	ૃ 'P' Dec 80 Hex 50 Byte 0x50 glyph: P	ષ 'Q' Dec 81 Hex 51 Byte 0x51 glyph: Q
ચ 'R' Dec 82 Hex 52 Byte 0x52 glyph: R	ક 'S' Dec 83 Hex 53 Byte 0x53 glyph: S	ત 'T' Dec 84 Hex 54 Byte 0x54 glyph: T	ગ 'U' Dec 85 Hex 55 Byte 0x55 glyph: U	અ 'V' Dec 86 Hex 56 Byte 0x56 glyph: V
ધ 'W' Dec 87 Hex 57 Byte 0x57 glyph: W	શ 'X' Dec 88 Hex 58 Byte 0x58 glyph: X	થ 'Y' Dec 89 Hex 59 Byte 0x59 glyph: Y	ર 'Z' Dec 90 Hex 5A Byte 0x5A glyph: Z	ૈ '[' Dec 91 Hex 5B Byte 0x5B glyph: bracketleft
ૌ '\' Dec 92 Hex 5C Byte 0x5C glyph: backslash	૊ ']' Dec 93 Hex 5D Byte 0x5D glyph: bracketright	ફ '^' Dec 94 Hex 5E Byte 0x5E glyph: asciicircum	ૃ '_' Dec 95 Hex 5F Byte 0x5F glyph: underscore	ૈ '`' Dec 96 Hex 60 Byte 0x60 glyph: grave

KAP110 - Legacy Glyph Proof Sheet (cont.)

decimal / hex / byte labels are authoritative; inspect each glyph and record its Gujarati meaning

 'a' Dec 97 Hex 61 Byte 0x61 glyph: a	 'b' Dec 98 Hex 62 Byte 0x62 glyph: b	 'c' Dec 99 Hex 63 Byte 0x63 glyph: c	 'd' Dec 100 Hex 64 Byte 0x64 glyph: d	 'e' Dec 101 Hex 65 Byte 0x65 glyph: e
 'f' Dec 102 Hex 66 Byte 0x66 glyph: f	 'g' Dec 103 Hex 67 Byte 0x67 glyph: g	 'h' Dec 104 Hex 68 Byte 0x68 glyph: h	 'i' Dec 105 Hex 69 Byte 0x69 glyph: i	 'j' Dec 106 Hex 6A Byte 0x6A glyph: j
 'k' Dec 107 Hex 6B Byte 0x6B glyph: k	 'l' Dec 108 Hex 6C Byte 0x6C glyph: l	 'm' Dec 109 Hex 6D Byte 0x6D glyph: m	 'n' Dec 110 Hex 6E Byte 0x6E glyph: n	 'o' Dec 111 Hex 6F Byte 0x6F glyph: o
 'p' Dec 112 Hex 70 Byte 0x70 glyph: p	 'q' Dec 113 Hex 71 Byte 0x71 glyph: q	 'r' Dec 114 Hex 72 Byte 0x72 glyph: r	 's' Dec 115 Hex 73 Byte 0x73 glyph: s	 't' Dec 116 Hex 74 Byte 0x74 glyph: t
 'u' Dec 117 Hex 75 Byte 0x75 glyph: u	 'v' Dec 118 Hex 76 Byte 0x76 glyph: v	 'w' Dec 119 Hex 77 Byte 0x77 glyph: w	 'x' Dec 120 Hex 78 Byte 0x78 glyph: x	 'y' Dec 121 Hex 79 Byte 0x79 glyph: y
 'z' Dec 122 Hex 7A Byte 0x7A glyph: z	 '{' Dec 123 Hex 7B Byte 0x7B glyph: braceleft	 ' ' Dec 124 Hex 7C Byte 0x7C glyph: bar	 '}' Dec 125 Hex 7D Byte 0x7D glyph: braceright	 '~' Dec 126 Hex 7E Byte 0x7E glyph: asciitilde

KAP110 - Legacy Glyph Proof Sheet (extended)

EXTENDED BYTE RANGE 0xA0-0xFF - conjunct / matra-combo content range of this font family

EXTENDED RANGE 0xA0-0xFF (96 bytes)

ᳵ NBSP Dec 160 Hex A0 Byte 0xA0 glyph: nonbreaking space	ᳶ U+00A1 Dec 161 Hex A1 Byte 0xA1 glyph: exclamdown	᳷ U+00A2 Dec 162 Hex A2 Byte 0xA2 glyph: cent	᳸ U+00A3 Dec 163 Hex A3 Byte 0xA3 glyph: sterling	᳹ U+00A4 Dec 164 Hex A4 Byte 0xA4 glyph: currency
ᳺ U+00A5 Dec 165 Hex A5 Byte 0xA5 glyph: yen	᳻ U+00A6 Dec 166 Hex A6 Byte 0xA6 glyph: brokenbar	᳼ U+00A7 Dec 167 Hex A7 Byte 0xA7 glyph: section	᳽ U+00A8 Dec 168 Hex A8 Byte 0xA8 glyph: dieresis	᳾ U+00A9 Dec 169 Hex A9 Byte 0xA9 glyph: copyright
᳿ U+00AA Dec 170 Hex AA Byte 0xAA glyph: ordfeminine	᳠ U+00AB Dec 171 Hex AB Byte 0xAB glyph: guillemotleft	᳡ U+00AC Dec 172 Hex AC Byte 0xAC glyph: logicalnot	᳢ U+00AD Dec 173 Hex AD Byte 0xAD glyph: minus	᳣ U+00AE Dec 174 Hex AE Byte 0xAE glyph: registered
᳤ U+00AF Dec 175 Hex AF Byte 0xAF glyph: macron	᳥ U+00B0 Dec 176 Hex B0 Byte 0xB0 glyph: degree	᳦ U+00B1 Dec 177 Hex B1 Byte 0xB1 glyph: plusminus	᳧ U+00B2 Dec 178 Hex B2 Byte 0xB2 glyph: twosuperior	᳨ U+00B3 Dec 179 Hex B3 Byte 0xB3 glyph: threesuperior
ᳩ U+00B4 Dec 180 Hex B4 Byte 0xB4 glyph: acute	ᳪ U+00B5 Dec 181 Hex B5 Byte 0xB5 glyph: mu	ᳫ U+00B6 Dec 182 Hex B6 Byte 0xB6 glyph: paragraph	ᳬ U+00B7 Dec 183 Hex B7 Byte 0xB7 glyph: periodcentered	᳭ U+00B8 Dec 184 Hex B8 Byte 0xB8 glyph: cedilla
ᳮ U+00B9 Dec 185 Hex B9 Byte 0xB9 glyph: onesuperior	ᳯ U+00BA Dec 186 Hex BA Byte 0xBA glyph: ordmasculine	ᳰ U+00BB Dec 187 Hex BB Byte 0xBB glyph: guillemotright	ᳱ U+00BC Dec 188 Hex BC Byte 0xBC glyph: onequarter	ᳲ U+00BD Dec 189 Hex BD Byte 0xBD glyph: onehalf
ᳳ U+00BE Dec 190 Hex BE Byte 0xBE glyph: threequarters	᳴ U+00BF Dec 191 Hex BF Byte 0xBF glyph: questiondown	ᳵ U+00C0 Dec 192 Hex C0 Byte 0xC0 glyph: Agrave	ᳶ U+00C1 Dec 193 Hex C1 Byte 0xC1 glyph: Aacute	᳷ U+00C2 Dec 194 Hex C2 Byte 0xC2 glyph: Acircumflex

KAP110 - Legacy Glyph Proof Sheet (cont.)

decimal / hex / byte labels are authoritative; inspect each glyph and record its Gujarati meaning

ઠ U+00C3 Dec 195 Hex C3 Byte 0xC3 glyph: Atilde	ઁ U+00C4 Dec 196 Hex C4 Byte 0xC4 glyph: Adieresis	ઞ U+00C5 Dec 197 Hex C5 Byte 0xC5 glyph: Aring	શ્વ U+00C6 Dec 198 Hex C6 Byte 0xC6 glyph: AE	શ્ઞ U+00C7 Dec 199 Hex C7 Byte 0xC7 glyph: Ccedilla
શ્ર U+00C8 Dec 200 Hex C8 Byte 0xC8 glyph: Egrave	શ્લ U+00C9 Dec 201 Hex C9 Byte 0xC9 glyph: Eacute	શ્લ U+00CA Dec 202 Hex CA Byte 0xCA glyph: Ecircumflex	શ્લ U+00CB Dec 203 Hex CB Byte 0xCB glyph: Edieresis	શ્લ U+00CC Dec 204 Hex CC Byte 0xCC glyph: Igrave
ઃ U+00CD Dec 205 Hex CD Byte 0xCD glyph: Iacute	ઃ U+00CE Dec 206 Hex CE Byte 0xCE glyph: Icircumflex	ઃ U+00CF Dec 207 Hex CF Byte 0xCF glyph: Idieresis	ઃ U+00D0 Dec 208 Hex D0 Byte 0xD0 glyph: Eth	ઃ U+00D1 Dec 209 Hex D1 Byte 0xD1 glyph: Ntilde
ઙ U+00D2 Dec 210 Hex D2 Byte 0xD2 glyph: Ograve	ઙ U+00D3 Dec 211 Hex D3 Byte 0xD3 glyph: Oacute	ઙ U+00D4 Dec 212 Hex D4 Byte 0xD4 glyph: Ocircumflex	ઙ U+00D5 Dec 213 Hex D5 Byte 0xD5 glyph: Otilde	ઙ U+00D6 Dec 214 Hex D6 Byte 0xD6 glyph: Odieresis
૫ U+00D7 Dec 215 Hex D7 Byte 0xD7 glyph: multiply	૫ U+00D8 Dec 216 Hex D8 Byte 0xD8 glyph: Oslash	૫ U+00D9 Dec 217 Hex D9 Byte 0xD9 glyph: Ugrave	૫ U+00DA Dec 218 Hex DA Byte 0xDA glyph: Uacute	૫ U+00DB Dec 219 Hex DB Byte 0xDB glyph: Ucircumflex
૬ U+00DC Dec 220 Hex DC Byte 0xDC glyph: Udieresis	૬ U+00DD Dec 221 Hex DD Byte 0xDD glyph: Yacute	૬ U+00DE Dec 222 Hex DE Byte 0xDE glyph: Thorn	૬ U+00DF Dec 223 Hex DF Byte 0xDF glyph: germandbls	૬ U+00E0 Dec 224 Hex E0 Byte 0xE0 glyph: agrave
૭ U+00E1 Dec 225 Hex E1 Byte 0xE1 glyph: aacute	૭ U+00E2 Dec 226 Hex E2 Byte 0xE2 glyph: acircumflex	૭ U+00E3 Dec 227 Hex E3 Byte 0xE3 glyph: atilde	૭ U+00E4 Dec 228 Hex E4 Byte 0xE4 glyph: adieresis	૭ U+00E5 Dec 229 Hex E5 Byte 0xE5 glyph: aring

KAP110 - Legacy Glyph Proof Sheet (cont.)

decimal / hex / byte labels are authoritative; inspect each glyph and record its Gujarati meaning

- U+00E6 Dec 230 Hex E6 Byte 0xE6 glyph: ae	— U+00E7 Dec 231 Hex E7 Byte 0xE7 glyph: ccedilla	× U+00E8 Dec 232 Hex E8 Byte 0xE8 glyph: egrave	% U+00E9 Dec 233 Hex E9 Byte 0xE9 glyph: eacute	= U+00EA Dec 234 Hex EA Byte 0xEA glyph: ecircumflex
÷ U+00EB Dec 235 Hex EB Byte 0xEB glyph: edieresis	+ U+00EC Dec 236 Hex EC Byte 0xEC glyph: igrave	/ U+00ED Dec 237 Hex ED Byte 0xED glyph: iacute	; U+00EE Dec 238 Hex EE Byte 0xEE glyph: icircumflex	‘ U+00EF Dec 239 Hex EF Byte 0xEF glyph: idieresis
, U+00F0 Dec 240 Hex F0 Byte 0xF0 glyph: eth	★ U+00F1 Dec 241 Hex F1 Byte 0xF1 glyph: ntilde	! U+00F2 Dec 242 Hex F2 Byte 0xF2 glyph: ograve	‡ U+00F3 Dec 243 Hex F3 Byte 0xF3 glyph: oacute	‡ U+00F4 Dec 244 Hex F4 Byte 0xF4 glyph: ocircumflex
Ɔ U+00F5 Dec 245 Hex F5 Byte 0xF5 glyph: otilde	Ɔ U+00F6 Dec 246 Hex F6 Byte 0xF6 glyph: odieresis	Ɔ U+00F7 Dec 247 Hex F7 Byte 0xF7 glyph: divide	◌̣ U+00F8 Dec 248 Hex F8 Byte 0xF8 glyph: oslash	◌̣ U+00F9 Dec 249 Hex F9 Byte 0xF9 glyph: ugrave
◌̣ U+00FA Dec 250 Hex FA Byte 0xFA glyph: uacute	◌̣ U+00FB Dec 251 Hex FB Byte 0xFB glyph: ucircumflex	◌̣ U+00FC Dec 252 Hex FC Byte 0xFC glyph: udieresis	◌̣ U+00FD Dec 253 Hex FD Byte 0xFD glyph: yacute	◌̣ U+00FE Dec 254 Hex FE Byte 0xFE glyph: thorn
◌̣ U+00FF Dec 255 Hex FF Byte 0xFF glyph: ydieresis				

KAP110 - Legacy Glyph Proof Sheet (0x80-0x9F area)

STANDARD cp1252/Mac-Roman punctuation positions - reachable only via the Mac Roman cmap; NOT the Gujarati content range - included so no byte is silently skipped

BYTES 0x80-0x9F (32 bytes - punctuation / unmapped)

 unmapped cp1252 punct Dec 128 Hex 80 Byte 0x80 glyph: -	 unmapped cp1252 punct Dec 129 Hex 81 Byte 0x81 glyph: -	 quotesinglbase cp1252 punct Dec 130 Hex 82 Byte 0x82 glyph: quotesinglbase	 florin cp1252 punct Dec 131 Hex 83 Byte 0x83 glyph: florin	 quotedblbase cp1252 punct Dec 132 Hex 84 Byte 0x84 glyph: quotedblbase
 ellipsis cp1252 punct Dec 133 Hex 85 Byte 0x85 glyph: ellipsis	 dagger cp1252 punct Dec 134 Hex 86 Byte 0x86 glyph: dagger	 daggerdbl cp1252 punct Dec 135 Hex 87 Byte 0x87 glyph: daggerdbl	 circumflex cp1252 punct Dec 136 Hex 88 Byte 0x88 glyph: circumflex	 perthousand cp1252 punct Dec 137 Hex 89 Byte 0x89 glyph: perthousand
 Scaron cp1252 punct Dec 138 Hex 8A Byte 0x8A glyph: Scaron	 guilsinglleft cp1252 punct Dec 139 Hex 8B Byte 0x8B glyph: guilsinglleft	 OE cp1252 punct Dec 140 Hex 8C Byte 0x8C glyph: OE	 unmapped cp1252 punct Dec 141 Hex 8D Byte 0x8D glyph: -	 unmapped cp1252 punct Dec 142 Hex 8E Byte 0x8E glyph: -
 unmapped cp1252 punct Dec 143 Hex 8F Byte 0x8F glyph: -	 unmapped cp1252 punct Dec 144 Hex 90 Byte 0x90 glyph: -	 quoteleft cp1252 punct Dec 145 Hex 91 Byte 0x91 glyph: quoteleft	 quoteright cp1252 punct Dec 146 Hex 92 Byte 0x92 glyph: quoteright	 quotedblleft cp1252 punct Dec 147 Hex 93 Byte 0x93 glyph: quotedblleft
 quotedblright cp1252 punct Dec 148 Hex 94 Byte 0x94 glyph: quotedblright	 bullet cp1252 punct Dec 149 Hex 95 Byte 0x95 glyph: bullet	 endash cp1252 punct Dec 150 Hex 96 Byte 0x96 glyph: endash	 emdash cp1252 punct Dec 151 Hex 97 Byte 0x97 glyph: emdash	 tilde cp1252 punct Dec 152 Hex 98 Byte 0x98 glyph: tilde
 trademark cp1252 punct Dec 153 Hex 99 Byte 0x99 glyph: trademark	 scaron cp1252 punct Dec 154 Hex 9A Byte 0x9A glyph: scaron	 guilsinglright cp1252 punct Dec 155 Hex 9B Byte 0x9B glyph: guilsinglright	 oe cp1252 punct Dec 156 Hex 9C Byte 0x9C glyph: oe	 unmapped cp1252 punct Dec 157 Hex 9D Byte 0x9D glyph: -
 unmapped cp1252 punct Dec 158 Hex 9E Byte 0x9E glyph: -	 Ydieresis cp1252 punct Dec 159 Hex 9F Byte 0x9F glyph: Ydieresis			