photobiologyLamps Version 0.3.0 Catalogue of Lamps

Pedro J. Aphalo

April 14, 2015

1 Introduction

We will plot the emission spectra of the different lamps for which data is provided in the pacakge. We plot side-by-side the lamp output as spectral energy irradiance and as spectral photon irradiance. All spectra are normalized to an area of one under the whole curve.

```
library(ggplot2)
library(photobiology)
library(photobiologyLamps)
library(photobiologygg)


options(photobiology.plot.annotations =
```


We define a function to do the actual plotting so as to not repeat code, and to make changes easier in the future.


c("boxes", "labels", "colour.guide", "peaks", "title"))


2 UV-B lamp spectra


```
plot(philips.tl01.bentham.spct)
plot(philips.tl12.bentham.spct)
```
















```
invisible(qpanel.uvb313.temp.spct[ , temperature := factor(temperature)])
plot(qpanel.uvb313.temp.spct, annotations = c("boxes", "labels", "title")) +
  facet_wrap(~temperature, ncol = 2)
```




3 UV-A lamp spectra


plot(qpanel.uva340.spct)



4 Narrow spectrum VIS lamps


plot(philips.tld36w.15.spct)
plot(philips.tld36w.18.spct)








5 Broad VIS lamps


```
plot(incandescent.60w.spct)
plot(osram.36w.25.spct)
plot(philips.tld36w.83.spct)
plot(philips.tld36w.89.spct)
plot(philips.tld36w.92.spct)
plot(philips.tld36w.865.spct)
plot(philips.tll36w.950.spct)
plot(philips.tll36w.950.spct)
plot(philips.pls11w.827.spct)
plot(sylvania.215w.vho.spct)
```























6 Calibration lamps

```
FEL.spct <- FEL_spectrum(300:900)
D2.spct <- D2_spectrum(200:400)
plot(FEL.spct)
plot(D2.spct)</pre>
```

