

LLDD BE - API Document List and Search

SBP Mall - ระบบประกันรายได้ | Low Level Design Document

แนวทางการใช้เอกสาร

หัวข้อ	คำอธิบาย
วัตถุประสงค์	ใช้เป็นรายละเอียดระดับพัฒนาสำหรับออกแบบ ลงมือพัฒนา ตรวจสอบ และทดสอบขอบเขตที่ระบุในฉบับนี้
ลำดับการอ่าน	เริ่มจาก Overview และ Scope จากนั้นตรวจ Field/Validation, Implementation, Contract, Processing Flow, Acceptance Criteria และ Test Checklist ตามลำดับ
ผลลัพธ์ที่คาดหวัง	ผู้อ่านสามารถระบุ input, ขั้นตอนประมวลผล, output, เงื่อนไขผิดพลาด และหลักฐานการทดสอบได้จากเนื้อหาในฉบับเดียว

คำว่า Input, Progress และ Output ในเอกสารนี้หมายถึงข้อมูลตั้งต้น ลำดับการทำงาน และผลลัพธ์ที่ตรวจสอบได้ของขอบเขตที่กำลังพัฒนา

1. Overview

รายการ	รายละเอียด
Track	BE
Estimate	21 ชั่วโมง
Owner	Butsaba <But> Podamrong
Objective	ออกแบบ APIs สำหรับงานรอต่าเนินการและค้นหาเอกสารที่เกี่ยวข้อง

Common contract reference: ทุกหัวข้อ API/FE ต้องยึด LLDD-BE-API-Common-Contracts.pdf และ LLDD-FE-Integration-Contracts.pdf สำหรับ error/auth/format/pagination/action/RBAC ก่อนลงรายละเอียดเฉพาะหน้าหรือเฉพาะ endpoint

2. Screen / Functional Scope

- Inbox tasks API
- Document search API
- Pagination
- Status/year filter
- Abnormal row support

4. Implementation Flow Diagram (Reference)

LLDD BE - API Document List and Search



รูปที่ 1: Implementation flow reference: LLDD BE - API Document List and Search

5. Field, Format, and Validation

Field / UI	Format	Validation	Behavior
docNo	YYYY/xxxxx	required when opening existing document	ใช้ปี พ.ศ. และ running 5 หลัก
storeCode	string 5 digits	numeric length = 5	แสดง leading zero
amount	number, 2 decimals	>= 0	format `#,##0.00` บาท

Field / UI	Format	Validation	Behavior
percent	number, 2 decimals	0-100	ใช้ '%' และรวม allocation ต้องเท่ากับ 100
date	DD/MM/YYYY	valid date	FE แสดง พ.ศ. หาก source เป็น ISO ค.ศ.
attachment	file	<= 5 MB	รองรับ vsd, dwg, afp, pdf, mda, zip, wav, mp3, gif, jpg, tif, tiff, htm, html, txt, xml, mpg, mov, ivs, doc, docx, xls,xlsx, pps, ppt, pot, csv
year	พ.ศ. YYYY	required for /documents	ไม่ระบุคืน 400 ตามข้อกำหนดทางธุรกิจ
page/size	integer	page>=1 size<=100	pagination

5.1 Input / Progress / Output Contract

Stage	Contract for implementation
Input	GET /api/v1/tasks; GET /api/v1/documents
Progress	Read JWT section/role; Validate year for documents; Build filter query; Join impacted_stores
Output	Rendered UI state or normalized API response with status/message and audit-ready trace reference.

5.90 Endpoint Implementation Contract

Endpoint	Use-case owner	Service/repository behavior	Definition of done
GET /api/v1/tasks	Inbox tasks API	Read JWT section/role	year missing fails for /documents
GET /api/v1/documents	Document search API	Validate year for documents	leading zero storeCode preserved

5.91 Backend Execution Sequence

Step	Behavior specific to this LLDD	Failure/test evidence
1	Read JWT section/role	tasks by section
2	Validate year for documents	documents missing year
3	Build filter query	store search
4	Join impacted_stores	empty result
5	Return page result	tasks by section

6. Button / User Action Mapping

Action	Trigger	API / Service	Expected Result
Inbox tasks	GET	task.service.searchOpenTasks	return waiting list
Document search	GET	document.service.search	return related list

7. API Contract

GET /api/v1/tasks

Inbox tasks API

Query Params

```
{
  "sectionCode": "06",
  "page": 1,
  "size": 20
}
```

Request Field Schema

Field	Type	Required	Constraint / Meaning
sectionCode	string	No	canonical code; do not replace with display label
page	integer	No	>= 1; default 1
size	integer	No	1..100; default 20

Response

```
{
  "items": [
    {
      "docNo": "2026/00123",
      "waitingDays": 3
    }
  ]
}
```

Response Field Schema

Field	Type	Required	Constraint / Meaning
items	array<object>	Yes	JSON array; element type shown in Type column
items[].docNo	string	Yes	พ.ศ. YYYY/xxxxx
items[].waitingDays	integer	Yes	UTF-8; use value domain described by endpoint purpose

GET /api/v1/documents

Document search API

Query Params

```
{
  "year": 2026,
  "storeCode": "00788",
  "status": "06",
  "page": 1
}
```

Request Field Schema

Field	Type	Required	Constraint / Meaning
year	integer	Yes	UTF-8; use value domain described by endpoint purpose
storeCode	string	No	exactly 5 digits; preserve leading zero

Field	Type	Required	Constraint / Meaning
status	string	No	UTF-8; use value domain described by endpoint purpose
page	integer	No	>= 1; default 1

Response

```
{
  "items": [
    {
      "docNo": "2026/00123",
      "statusCode": "06"
    }
  ]
}
```

Response Field Schema

Field	Type	Required	Constraint / Meaning
items	array<object>	Yes	JSON array; element type shown in Type column
items[].docNo	string	Yes	พ.ศ. YYYY/xxxxx
items[].statusCode	string	Yes	canonical code; do not replace with display label

8. Reference DB Mapping (No Database Page Work)

ส่วนนี้เป็นข้อมูลอ้างอิงสำหรับการ implement API/Job เท่านั้น ไม่ใช้งานสร้างหน้า Database, ไม่ใช้งานออกแบบ DB page และไม่ถูกนับเป็น deliverable แยกของ FE/BE

Table / Object	R/W	Usage
workflow_transaction / workflow_approver (@srm/glb-workflow)	R	อ่าน inbox ผ่าน getPendingFlow()
compensation_documents	R	ค้นเอกสารตาม year/status/store
impacted_stores	R	ชื่อร้าน ภาค และข้อมูลร้าน
fgi_impact_sales_summaries	R	flag ข้อมูลผิดปกติ/ยอดขายไม่ครบ 60 วัน

9. Processing Flow

Step	Description
1	Read JWT section/role
2	Validate year for documents
3	Build filter query
4	Join impacted_stores
5	Return page result

10. Acceptance Criteria

- year missing fails for /documents
- leading zero storeCode preserved
- pagination returns total
- status filter works

11. Developer Test Checklist

No	Test
1	tasks by section
2	documents missing year
3	store search
4	empty result