```
No.
       Time
                         Source
                                              Destination
                                                                   Protocol Length Info
   523 14:45:22.715911
                         192.168.1.14
                                              70.186.25.33
                                                                           373
                                                                                 GET /
success.txt?ipv4 HTTP/1.1
Frame 523: 373 bytes on wire (2984 bits), 373 bytes captured (2984 bits) on interface en0, id 0
Ethernet II, Src: Apple a5:e1:fe (60:03:08:a5:e1:fe), Dst: Netgear 2e:43:2b (8c:3b:ad:2e:43:2b)
   Destination: Netgear_2e:43:2b (8c:3b:ad:2e:43:2b)
       Address: Netgear_2e:43:2b (8c:3b:ad:2e:43:2b)
       .... ..0. .... := LG bit: Globally unique address (factory default)
       .... = IG bit: Individual address (unicast)
   Source: Apple_a5:e1:fe (60:03:08:a5:e1:fe)
       Address: Apple_a5:e1:fe (60:03:08:a5:e1:fe)
       .... ..0. .... = LG bit: Globally unique address (factory default)
       .... = IG bit: Individual address (unicast)
   Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 192.168.1.14, Dst: 70.186.25.33
Transmission Control Protocol, Src Port: 63216, Dst Port: 80, Seq: 1, Ack: 1, Len: 307
Hypertext Transfer Protocol
   GET /success.txt?ipv4 HTTP/1.1\r\n
   Host: detectportal.firefox.com\r\n
   User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.15; rv:72.0) Gecko/20100101 Firefox/
72.0\r\n
   Accept: */*\r\n
   Accept-Language: en-US,en;q=0.5\r\n
   Accept-Encoding: gzip, deflate\r\n
   Connection: keep-alive\r\n
   Pragma: no-cache\r\n
   Cache-Control: no-cache\r\n
   \r\setminus n
    [Full request URI: http://detectportal.firefox.com/success.txt?ipv4]
    [HTTP request 1/1]
    [Response in frame: 525]
No.
       Time
                                              Destination
                                                                   Protocol Length Info
                         Source
   525 14:45:22.734558
                         70.186.25.33
                                              192.168.1.14
                                                                  HTTP
                                                                           450
                                                                                 HTTP/1.1
200 OK (text/plain)
Frame 525: 450 bytes on wire (3600 bits), 450 bytes captured (3600 bits) on interface en0, id 0
Ethernet II, Src: Netgear 2e:43:2b (8c:3b:ad:2e:43:2b), Dst: Apple a5:e1:fe (60:03:08:a5:e1:fe)
   Destination: Apple_a5:e1:fe (60:03:08:a5:e1:fe)
       Address: Apple a5:e1:fe (60:03:08:a5:e1:fe)
       .... ..0. .... (factory default)
       .... = IG bit: Individual address (unicast)
   Source: Netgear 2e:43:2b (8c:3b:ad:2e:43:2b)
       Address: Netgear 2e:43:2b (8c:3b:ad:2e:43:2b)
       .... ..0. .... := LG bit: Globally unique address (factory default)
       .... = IG bit: Individual address (unicast)
   Type: IPv4 (0x0800)
Internet Protocol Version 4, Src: 70.186.25.33, Dst: 192.168.1.14
Transmission Control Protocol, Src Port: 80, Dst Port: 63216, Seq: 1, Ack: 308, Len: 384
Hypertext Transfer Protocol
   HTTP/1.1 200 OK\r\n
   Content-Type: text/plain\r\n
   Content-Length: 8\r\n
   Last-Modified: Mon, 15 May 2017 18:04:40 GMT\r\n
   ETag: "ae780585f49b94ce1444eb7d28906123"\r\n
   Accept-Ranges: bytes\r\n
   Server: AmazonS3\r\n
   X-Amz-Cf-Id: r_ttEVPfDyqGS7PbQBQ5Joj2kqdhcn-fzmVqxnRT_o7oMDv-jRykeg==\r\n
   Cache-Control: no-cache, no-store, must-revalidate\r\n
   Date: Fri, 10 Jan 2020 22:45:22 GMT\r\n
   Connection: keep-alive\r\n
    [HTTP response 1/1]
```

[Time since request: 0.018647000 seconds]

[Request in frame: 523]

[Request URI: http://detectportal.firefox.com/success.txt?ipv4]

File Data: 8 bytes

Line-based text data: text/plain (1 lines)