
Table of Contents

.....	1
INITIALIZATION ---	2
.....	2
CALCULATIONS ---	2
.....	3
FORMATTED TEXT & FIGURE DISPLAYS ---	3
.....	3
COMMAND WINDOW OUTPUTS ---	3
.....	3
ACADEMIC INTEGRITY STATEMENT ---	3
.....	3

```
function [SSE] =  
    M3Calibration_014_05(yL1,yH1,ts1,taul,yData,time,heating)  
  
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%  
%%%%%%%%  
% ENGR 132 Program Description  
% This function produces an SSE value given a set of data and  
% important parameters.  
% A "set" contains time data and one column of temperature data.  
%  
% Function Call  
% [SSE] = M3Calibration_014_05(yL1,yH1,ts1,taul,yData,time,heating)  
%  
% Input Arguments  
% 1. yL1: minimum temperature for data  
% 2. yH1: maximum temperature for data  
% 3. ts1: time step for data  
% 4. taul: tau for data  
% 5. yData: the temperature portion of the raw data  
% 6. time: the time portion of the raw data  
% 7. heating: a boolean variable that represents if the data is  
% heating or cooling, 1 - heating, 0 - cooling  
%  
% Output Arguments  
% 1. SSE: sum of squares of of error for data  
%  
% Assignment Information  
% Assignment:          Final Project  
% Team ID:             014-05  
% Team Members:        Alex Pieprzycki, apieprzy@purdue.edu  
%                      Colin Jamison, cjamison@purdue.edu  
%                      Peter Swales, pswales@purdue.edu  
%                      Micah Huffman, mhuffman1@purdue.edu  
%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%%  
%%%%%%%%
```

INITIALIZATION ---

```
%Code modified from M2 Calibration by Colin Jamison and Micah

index = find(time >= ts1); % Parsing data at time step
index = index(1);
```

CALCULATIONS ---

```
half2_t = time(index + 1:length(time)); % Time values proceeding the
time step
half1_y = ones(1,index)'; % Initializing vector of ones

if(heating)
    half1_y = yL1 * half1_y; % Each time value up to the time step has
the same temp. value
    half2_y = yL1 + (yH1 - yL1) * (1 - exp(-(half2_t - ts1) ./ tau1));
    % Second part of the piecewise function to calculate respective
temperature values for time values after the time step
    y_new = [half1_y;half2_y]; % Recombining both parts of the piecewise
function produces one 'smooth' string of data
    SSE = sum((yData - y_new).^2) / length(yData); %SSE for heating
else
    half1_y = yH1 * half1_y; % Each time value up to the time step has
the same temp. value
    half2_y = yL1 + (yH1 - yL1) * (exp(-(half2_t - ts1) ./ tau1));
    % Second part of the piecewise function to calculate respective
temperature values for time values after the time step
    y_new = [half1_y;half2_y]; % Recombining both parts of the piecewise
function produces one 'smooth' string of data
    SSE = sum((yData - y_new).^2) / length(yData); %SSE for cooling
end

SSE =

    1.7478
```

FORMATTED TEXT & FIGURE DISPLAYS ---

COMMAND WINDOW OUTPUTS ---

ACADEMIC INTEGRITY STATEMENT ---

I/We have not used source code obtained from any other unauthorized source, either modified or unmodified. Neither have I/we provided access to my/our code to another. The project I/we am/are submitting is my/our own original work.

Published with MATLAB® R2016a