



Materi Pertemuan ke 2 CI/CD Pipeline Menggunakan Github Actions


1. Buka <https://www.infinityfree.com/>




2. Sign up menggunakan akun github




3. Setelah terdaftar, pilih Create Account



4. Pilih INFINITYFREE, kemudian Create Now



5. Masukkan Domain name, Sub Domain diisi nama dan 4 angka NIM terakhir, Domain Extension pilih infinityfreeapp.com, kemudian Check Availability.



InfinityFree

Go Premium

h1101231053@student.untan.ac.id

Home Profile Hosting Accounts Domains SSL Certificates Website Builder Help

ACCOUNTS / CREATE ACCOUNT

Create a Free Hosting Account

Secure Your Accounts Easily
Skip emulators. Use a real Android device in the cloud. Fast, stable, secure. DuoPlus

[Sign Up](#)

Choose a Domain Name

Please choose a free subdomain to setup your hosting account. You add more domains later, and remove this domain if you want to change it.


Subdomain: your-name

Domain Extension: site.je

[You can add more domains after your account is setup!](#)
Have your own domain? Add it after creating your account, along with additional free subdomain options.

[Back](#) [Check Availability](#)

6. Masukkan password dan email approve, kemudian Create Account



Additional Information

Account Label
Website for gian1054.infinityfreeapp.com
A short description to help you identify the account.


Account Username
(generated automatically)
Used to login to FTP, MySQL, etc.

Account Password
••••••••
You have entered a commonly used password. Please choose a strong, unique password.
A unique password, between 8 and 15 characters, letters and numbers only.


Email Consent
I Approve
The email consent field is required.
Is our supplier allowed to contact you about your hosting account?

[Back](#) [Create Account](#)


7. Jika berhasil maka tampilannya seperti ini, dan tunggu




8. Jika sudah maka tampilannya akan seperti ini (pastikan status Active)




9. Buka menu FTP Detail, simpan FTP USERNAME, FTP PASSWORD, FTP HOSTNAME.



10. Buat project di folder baru bernama PPWD2026 (bebas dimana data c atau d) dan buat file index.php, jika belum paham buat index.php, buka folder PPWD2026 yang sudah dibuat, klik kanan pilih new, pilih Text Document, ketik index.php (.txt dihapus). Kemudian buka folder nya di VSCODE, buat html dasar.



Tampilan di VSCODE:




Contoh:

```
<!DOCTYPE html>
<html lang="en">
<head>
  <meta charset="UTF-8">
  <meta name="viewport" content="width=device-width, initial-scale=1.0">
  <title>Praktikum Pemrograman Web</title>
</head>
<body>
  <?php
    echo "Hello, World!";
  ?>
</body>
</html>
```


Ganti echo “Hello, World!” menjadi nama kalian, echo “Hello, Gian!”

11. Save, dan commit ke github, jika belum ada repo maka buat dulu repo nya


Pilih menu Source Control di VSCODE, kemudian pilih Initialize Repository




Tekan menu + kemudian masukkan Message Commit (bebas):




Tekan Commit:




Tekan Publish Branch:




Pilih Publish to Github public repository, dan tunggu:



Tampilan ketika sudah berhasil membuat repo dan commit:




12. Buka github web, pilih repo PPWD2026, buka Settings, pilih Secrets and variables, pilih Actions




13. Buat 3 secret: FTP_SERVER, FTP_USERNAME, FTP_PASSWORD


Klik New repository secret:



Pertama masukkan FTP_SERVER dan secret yang tadi disimpan:




The screenshot shows the GitHub Actions secrets page for the repository 'nursugianto1001 / PPWD2026'. The left sidebar contains a navigation menu with categories: General, Access, Moderation, Code, planning, and automation, and Security and quality. The main content area is titled 'Actions secrets / New secret'. It features two input fields: 'Name *' with the placeholder text 'YOUR_SECRET_NAME' and 'Secret *' which is a large text area. A green 'Add secret' button is located at the bottom right of the 'Secret *' field.




The screenshot shows the same GitHub Actions secrets page, but now the 'Name *' field contains 'FTP_SERVER' and the 'Secret *' field contains 'ftpupload.net'. The 'Add secret' button remains at the bottom right of the 'Secret *' field.

Klik Add Secret

Kedua buat New Repository Secret:




Masukkan FTP_USERNAME dan secret yang tadi disimpan:



Klik Add Secret

Ketiga buat New Repository Secret (sama seperti sebelumnya)
Masukkan FTP_PASSWORD dan secret yang tadi disimpan:




The screenshot shows the GitHub Actions secrets page for a repository named 'nursugianto1001 / PPWD2026'. The left sidebar contains a navigation menu with categories: General, Access, Code, planning, and automation, Security and quality, and Deployment keys. The 'Actions' category is expanded, showing options like Rulesets, Branches, Tags, Actions, Webhooks, Copilot, Planning, Environments, Codespaces, and Pages. The main content area is titled 'Actions secrets / New secret'. It features two input fields: 'Name *' with the value 'FTP_PASSWORD' and 'Secret *' with the value 'password'. A green 'Add secret' button is located at the bottom of the form.

Klik Add Secret

FTP_SERVER, FTP_USERNAME, dan FTP_PASSWORD Yang diisi adalah milik kalian, jangan isi yang ada di lampiran.


Hasil Akhir:




The screenshot shows the GitHub Actions secrets and variables page for the same repository. The left sidebar is similar to the previous screenshot, but the 'Secrets and variables' category is expanded, showing 'Secrets and variables' and 'Agents'. The main content area is titled 'Actions secrets and variables'. It contains a section for 'Environment secrets' which is empty, and a section for 'Repository secrets' which lists three secrets: 'FTP_PASSWORD', 'FTP_SERVER', and 'FTP_USERNAME'. Each secret has a 'Last updated' timestamp and a 'Manage environment secrets' button. A green 'New repository secret' button is located at the top right of the repository secrets section.

Name	Last updated
FTP_PASSWORD	now
FTP_SERVER	7 minutes ago
FTP_USERNAME	3 minutes ago

14. Masih di repo yang sama, kembali ke menu Code, Klik Add file, pilih Create new file



Setelah Create new file masukkan `.github/workflows/deploy.yml` pada Name your file:



Setelah itu, Enter file contents diisi:

```
name: Deploy to InfinityFree

on:
  push:
    branches:
      - main

jobs:
  ftp-deploy:
    name: Deploy via FTP
    runs-on: ubuntu-latest
    steps:
      - name: Checkout repo
        uses: actions/checkout@v4

      - name: Upload to InfinityFree via FTP
        uses: SamKirkland/FTP-Deploy-Action@v4.3.5
        with:
          server: ${{ secrets.FTP_SERVER }}
          username: ${{ secrets.FTP_USERNAME }}
          password: ${{ secrets.FTP_PASSWORD }}
          server-dir: /htdocs/
          exclude: |
            **/.git*
            **/.git*/**
            **/node_modules/**
```

Hasil Akhir:

The screenshot shows the GitHub web interface for the repository 'nursugianto1001 / PPWD2026'. The 'Code' tab is active, displaying the 'deploy.yml' workflow file in the 'main' branch. The workflow file content is as follows:


```
1 name: Deploy to InfinityFree
2
3 on:
4   push:
5     branches:
6       - main
7
8 jobs:
9   ftp-deploy:
10     name: Deploy via FTP
11     runs-on: ubuntu-latest
12     steps:
13       - name: Checkout repo
14         uses: actions/checkout@v4
15
16       - name: Upload to InfinityFree via FTP
17         uses: SamKirkland/FTP-Deploy-Action@v4.3.5
18         with:
19           server: ${{ secrets.FTP_SERVER }}
20           username: ${{ secrets.FTP_USERNAME }}
21           password: ${{ secrets.FTP_PASSWORD }}
22           server-dir: /htdocs/
23           exclude: |
24             **/.git*
25             **/.git*/**
26             **/node_modules/**
```

The right sidebar shows the 'Marketplace' section with a search bar and a list of featured actions:

- Download a Build Artifact** by actions (1890 stars)
- Setup Go environment** by actions (1761 stars)
- Close Stale Issues** by actions (1705 stars)
- Setup .NET Core SDK** by actions (1204 stars)
- First interaction** by actions (893 stars)


Below the featured actions, there are links for 'Code quality', 'Deployment', 'Continuous integration', and 'Monitoring'.

15. Klik Commit changes




Pilih Commit directly to the main branch dan Commit changes, setelah itu pilih menu Actions dan cek apakah berhasil ikon kuning = sedang proses, hijau = berhasil, merah = gagal. Jika gagal Konfirmasi ke kami.


Hasil jika berhasil (hijau):




16. Kembali ke InfinityFree Web. Karena menunggu DNS caching itu lama, untuk memastikan github dan VSCODE sudah terhubung ke InfinityFree



Pilih menu File Manager




buka folder htdocs



Pilih file index.php

Pastikan sama dengan yang ada di vscode:

Tampilan File Manager InfinityFree



Tampilan VSCODE

