

^0

Sign Out (http://academy.uipath.com/lms/index.php?r=site/logout)

(http://academy.uipath.com/lms/index.php?r=site/index) > My Courses >

 $\underline{\mathsf{RPA}\ \mathsf{Developer}\ \mathsf{-}\ \mathsf{Basic}\ \mathsf{Training}\ (\mathsf{/lms/index.php?r=player/training/index\&course\ id=1})} \ \ \mathsf{Play}\ \ \mathsf{PRA}\ \mathsf{Developer}\ \mathsf{-}\ \mathsf{Beginner}\ \mathsf{Certification}\ \mathsf{Test}$

RPA Developer - Beginner Certification Test

| Multiple Choice | 1) Which activity can be used if you want to test whether a condition evaluates to true or false? |
|-----------------|---|
| | ✓ If activity |
| | ☐ For Each activity |
| | |
| Multiple Choice | 2) Where can you find the value written by the Write Line activity? |
| | ☐ In a variable |
| | ✓ In the Output pane |
| | ☐ At console |
| Multiple Choice | 3) Which activity can you use if you want to loop through a collection of items? |
| | ☐ If activity |
| | ☐ Flow Decision activity |
| | ✓ For Each activity |
| | Assign activity |
| Multiple Choice | 4) How can you extract text from a Citrix application? |
| | Using the Screen Scraping wizard with FullText method |
| | Using the shared clipboard |
| | ✓ Using Microsoft OCR |
| Multiple Choice | 5) What is an argument? |
| | ☑ An input/output parameter of the workflow |
| | ☐ A variable |
| | A variable type |
| Multiple Choice | 6) How can UiPath identify an UI element on the screen? |
| | ■ By using a full selector |
| | ☑ By using a partial selector inside a container |
| | ■ By using a reference of it, previously saved in a variable |
| Multiple Choice | 7) What happens if the AddHeaders property is checked for the Read Range Activity? |
| | An exception is thrown |
| | ✓ The first row from the specified range is considered to be the column header |
| | A new row is added to the Excel sheet |
| | ■ Nothing |
| Multiple Choice | 8) How can you install and update activity packs? |
| | ☐ In Package Pane |
| | ✓ Using Manage Packages within Activities Pane |
| | ■ Using TFS |
| Multiple Choice | 9) What kind of workflow should you create to define business rules? |
| | ☐ Sequence |
| | ✓ Flowchart |
| | ☐ State machine |
| Single Choice | 10) How many characters does "*" replace? |

Q

| | ☐ Terminate Workflow activity |
|-----------------|---|
| | ☐ If activity |
| | |
| Single Choice | 22) What is the Attach Window activity used for? |
| Single choice | · |
| | To specify the top-level window container you will be working with |
| | To specify the browser container you will be working with So will be the browser container you will be working with |
| | Specifies that you are working with a java window |
| Multiple Choice | 23) Which of the following activities can you use to extract text from a hidden browser? |
| | Get Visible Text |
| | ✓ Get Full Text |
| | Extract Structured Data |
| | ☐ Get Text |
| Multiple Choice | 24) If you scrape some text and you know it contains only digits, how can you make the scrape better? |
| | ■ Use Google OCR with the "Numbers Only" option |
| | Make sure the background is dark |
| | Use Get Text for the field in the Citrix Window |
| Multiple Choice | 25) How can you filter records from a DataTable based on a condition? |
| Watapie Choice | |
| | Using the Clear Data Table activity |
| | ✓ Using the 'Select' method |
| | Using the Format Value activity |
| | ✓ Checking the condition in a For Each Row loop |
| Multiple Choice | 26) What activity can be used to read an entire sheet from a excel file? |
| | Read Cell |
| | □ Write CSV |
| | ✓ Read Range |
| | ☐ Get Table Range |
| Multiple Choice | 27) What is TimeoutMS property used for? |
| | ☐ To make sure that the workflow continues even if the activity fails |
| | To define the amount of time in which the target of an activity must be found |
| | ☐ To define the amount of time used to execute the activity |
| Single Choice | 28) A Click Trigger has the EventType = EVENT_SYNCHRONOUS. The activities in the Event Handler are executed before the click is sent to |
| | the application |
| | ○ True |
| | False |
| Multiple Choice | 29) What text extraction method can you use to get text position? |
| | ☐ FullText |
| | ✓ OCR |
| | ✓ Native |
| | Shared Clipboard |
| Multiple Choice | 30) Which recording profile generates full selectors? |
| • | ☐ Step by step recording |
| | ■ Basic recording ■ Basic recording |
| | Desktop recording |
| Multiple Choice | 21) Which activity should you use to Click on a specified toyt in a Citrix Environment? |
| Multiple Choice | 31) Which activity should you use to Click on a specified text in a Citrix Environment? |
| | ✓ Click OCR Text |
| | Click Text |
| | ■ Hover Text |
| Multiple Choice | 32) How can you find all anchor elements in a web page? |

Q

| | Using the Find Children activity |
|-----------------|---|
| | Using the Find element activity |
| | Using the Find Relative Element activity |
| Multiple Choice | 33) Which of the following input methods works in background? |
| Waterpie Choice | Hardware event |
| | ✓ Window Messages |
| | ✓ Simulate Type/Click |
| | ■ Native |
| | |
| Multiple Choice | 34) Which activities can be used to interact with the user? |
| | ✓ MessageBox |
| | ✓ InputDialog |
| | ■ WriteLine |
| Multiple Choice | 35) What should you use to click in a hidden IE browser? |
| | ☐ Click text |
| | Cursor Position : Center |
| | ✓ SimulateClick — |
| | ✓ Default click activity |
| Multiple Choice | 36) What is a wildcard used for? |
| | ☐ To get text from screen |
| | ☐ To select items in a list |
| | To replace variable values in selector attributes |
| Multiple Choice | 37) When is it recommended to use containers? |
| | When performing one action per window |
| | When performing multiple operations in the same window |
| | When the Basic Recorder profile is used |
| Multiple Choice | 38) Which of the scraping methods can get you the hidden text in the element? |
| | ☐ Native |
| | ✓ FullText |
| | □ OCR |
| | All of the above |
| Multiple Choice | 39) How can you identify a column in a DataTable? |
| | Using the column name |
| | Using the row index |
| | Using the column index |
| | Using the column default value |
| Multiple Choice | 40) When should you use the Flowchart workflow? |
| | When having multiple activities executed in a fixed order |
| | When having a process with many decision blocks |
| | When modelling a process that has loops to previous states |
| Multiple Choice | 41) What activity can you use to get a column value from a specific row of a DataTable? |
| | ✓ Get Row Item |
| | Remove Data Row |
| | Read Cell |
| Multiple Choice | 42) How does UiPath recognize elements on screen? |
| | ☐ Using coordinates |
| | Using the position of the UI elements |
| | ✓ Using attributes of the UI elements |
| Multiple Choice | 43) What should you use to make sure that the workflow continues no matter what activity fails? |
| a.apic citotic | ,at should you use to make suite that the workhow continues no matter what activity falls: |

≡

Q

| | TimeoutMS property |
|-----------------|---|
| | Try Catch activity |
| | ContinueOnError property |
| | |
| Multiple Choice | 44) Where can you see the activities that make up a workflow? |
| | In the Activities pane |
| | ☐ In the Workspace pane |
| | ☐ In the Outline pane |
| | |
| Multiple Choice | 45) What should you use to scrape tables from a web page? |
| | ☐ Get OCR text |
| | ✓ Data Scraping |
| | ☐ Get Text |
| | |

Page: 1 / 1

≡

Q

SUBMIT (TEST COMPLETED)