

CS122A: Intermediate Embedded and Real Time Operating Systems

Jeffrey McDaniel

University of California, Riverside


Example








A: !A0 A0 off start on ▶ B1 = 0 !A0 ► Total: 3


B1=0 B1=(A2==A1)























 




$$B3=(C1==C2)$$


$$B4 = (C1 = C3)$$


$$B5=(C1==C4)$$





(C1 = C5)

















▶ 200 instr/sec

SM A:

$$WCET = 5instr * 0.005sec/instr$$

- ▶ 200 instr/sec
- ▶ 0.005 sec/instr

SM A:

$$WCET = 5instr * 0.005sec/instr$$

= $0.025sec/instr$

- ▶ 200 instr/sec
- ▶ 0.005 sec/instr

SM A:

$$WCET = 5instr * 0.005sec/instr$$

= $0.025sec/instr$
= $25ms$

- ▶ 200 instr/sec
- ▶ 0.005 sec/instr

SM A: 25ms

SM B:

$$\textit{WCET} = 10 \textit{instr} * 0.005 \textit{sec/instr}$$

- ▶ 200 instr/sec
- ▶ 0.005 sec/instr

SM A: 25ms

SM B:

$$WCET = 10instr * 0.005sec/instr$$

= $0.05sec/instr$

- ▶ 200 instr/sec
- ▶ 0.005 sec/instr

SM A: 25ms

SM B:

$$WCET = 10instr * 0.005sec/instr$$

= $0.05sec/instr$
= $50ms$

- ▶ 200 instr/sec
- ▶ 0.005 sec/instr

SM A: 25ms SM B: 50ms

SM C:

$$WCET = 20instr * 0.005sec/instr$$

- ▶ 200 instr/sec
- ▶ 0.005 sec/instr

SM A: 25ms SM B: 50ms

SM C:

$$WCET = 20instr * 0.005sec/instr$$

= $0.1sec/instr$

- ▶ 200 instr/sec
- ▶ 0.005 sec/instr

SM A: 25ms SM B: 50ms

SM C:

$$WCET = 20instr * 0.005sec/instr$$

= $0.1sec/instr$
= $100ms$

SM A: 25ms SM B: 50ms SM C: 100ms ► Hyperperiod = LCM(100,200,250)

SM A: 25ms, 100ms SM B: 50ms, 200ms SM C: 100ms, 250ms

- ► Hyperperiod = LCM(100,200,250)
- ► Hyperperiod = 1000

SM A: 25ms, 100ms SM B: 50ms, 200ms SM C: 100ms, 250ms

- ► Hyperperiod = LCM(100,200,250)
- ► Hyperperiod = 1000

SM A: 25ms, 100ms, 10 executions

SM B: 50ms, 200ms, 5 executions

SM C: 100ms, 250ms, 4 executions

- ► Hyperperiod = LCM(100,200,250)
- ► Hyperperiod = 1000

SM A: 25ms, 100ms, 10 executions

SM B: 50ms, 200ms, 5 executions

SM C: 100ms, 250ms, 4 executions

$$Utilization = (25 * 10) + (50 * 5) + (100 * 4)/1000$$

- ► Hyperperiod = LCM(100,200,250)
- ► Hyperperiod = 1000

SM A: 25ms, 100ms, 10 executions

SM B: 50ms, 200ms, 5 executions

SM C: 100ms, 250ms, 4 executions

$$\textit{Utilization} = (25 * 10) + (50 * 5) + (100 * 4)/1000$$

= $250 + 250 + 400/1000$

- Hyperperiod = LCM(100,200,250)
- ► Hyperperiod = 1000

SM A: 25ms, 100ms, 10 executions SM B: 50ms, 200ms, 5 executions SM C: 100ms, 250ms, 4 executions

$$Utilization = (25 * 10) + (50 * 5) + (100 * 4)/1000$$

= $250 + 250 + 400/1000$
= $900/1000$

- Hyperperiod = LCM(100,200,250)
- ► Hyperperiod = 1000

SM A: 25ms, 100ms, 10 executions SM B: 50ms, 200ms, 5 executions SM C: 100ms, 250ms, 4 executions

$$Utilization = (25 * 10) + (50 * 5) + (100 * 4)/1000$$

$$= 250 + 250 + 400/1000$$

$$= 900/1000$$


$$= .90$$


- ► Hyperperiod = LCM(100,200,250)
- ► Hyperperiod = 1000


SM A: 25ms, 100ms, 10 executions SM B: 50ms, 200ms, 5 executions SM C: 100ms, 250ms, 4 executions


$$Utilization = (25 * 10) + (50 * 5) + (100 * 4)/1000$$


= $250 + 250 + 400/1000$
= $900/1000$
= $.90$
= 90%


































В

















SM A: 25ms, 100ms, Med SM B: 50ms, 200ms, High SM C: 100ms, 250ms, Low





SM A: 25ms, 100ms, Med SM B: 50ms, 200ms, High SM C: 100ms, 250ms, Low




SM A: 25ms, 100ms, Med SM B: 50ms, 200ms, High SM C: 100ms, 250ms, Low










SM A: 25ms, 100ms, Med SM B: 50ms, 200ms, High



SM A: 25ms, 100ms, Med SM B: 50ms, 200ms, High

