1 Function Approximation Warmup

1.1 Exploring and downloading the data

```
rm(list=ls())           # Clear the workspace
set.seed(20866)
library(ggplot2)
library(sandwich)
library(car)
library(xtable)
library(aod)
library(systemfit)

## Loading required package:  Matrix
## Loading required package:  lmtest
## Loading required package:  zoo
##
## Attaching package:  'zoo'
##
## The following objects are masked from 'package:base':
##
##    as.Date, as.Date.numeric

library(MASS)
library(stargazer)

##
## Please cite as:
##
##  Hlavac, Marek (2014).  stargazer:  LaTeX code and ASCII text for
well-formatted regression and summary statistics tables.
##  R package version 5.1.  http://CRAN.R-project.org/package=stargazer

setwd("/Users/Tony/Downloads")

data <- read.csv("cps_00005.csv")
datamatrix <- as.matrix(read.csv("cps_00005.csv"))
datamatrix <- datamatrix[,-5:-8]
datamatrix <- datamatrix[,-2:-3]

AdjInc <- c(rep(NA, nrow(datamatrix)))

datamatrix <- cbind(datamatrix, AdjInc)

datamatrix <- datamatrix[datamatrix[,9]!= 0,]
datamatrix <- datamatrix[datamatrix[,9]!= 9999999,]
```

```r
incomeadjust <- function(data.m = datamatrix){

  for (i in 1:nrow(datamatrix)){

    year <- as.numeric(datamatrix[i,1])
    income <- as.numeric(datamatrix[i,9])

    if (year == 2004){

      AdjustedIncome <- income * 1.25
      datamatrix[i,10] = round(AdjustedIncome)
    }

    if (year == 2014){

      AdjustedIncome <- income
      datamatrix[i,10] = round(AdjustedIncome)
    }


  }


  top <- head(datamatrix, n=15)
  bottom<- tail(datamatrix, n=15)

  sample <- rbind(top,bottom)
  row.names(sample) <- NULL
  return(sample)

}

incomeadjust(datamatrix)
```

```
##       YEAR REGION AGE SEX RACE EDUC99 EMPSTAT HRSWORK INCWAGE AdjInc
##  [1,] 2004     11  59   2  100     13      10       2   60000  75000
##  [2,] 2004     11  49   1  100     10      10      20   32000  40000
##  [3,] 2004     11  42   2  100     15      10      40   30000  37500
##  [4,] 2004     11  68   2  100     15      10      20   18000  22500
##  [5,] 2004     11  42   2  100     10      10      24   30000  37500
##  [6,] 2004     11  45   1  100     13      10      33   50000  62500
##  [7,] 2004     11  20   1  100     10      30       0   15000  18750
##  [8,] 2004     11  19   1  100     10      10      44   18000  22500
```

```
##  [9,] 2004    11  18   2  100    8    10   20  10000  12500
## [10,] 2004    11  59   2  100    8    10   25  20285  25356
## [11,] 2004    11  74   1  100   15    10   26  19000  23750
## [12,] 2004    11  73   2  100   14    10   32  24250  30312
## [13,] 2004    11  71   2  802   11    32    0   5270   6588
## [14,] 2004    11  47   2  802   17    10   30  20900  26125
## [15,] 2004    11  36   1  100   10    10   19  26048  32560
## [16,] 2014    42  58   1  651   11    10   40  50000  50000
## [17,] 2014    42  30   2  652   16    10   40  25000  25000
## [18,] 2014    42  30   1  652   13    12    0   5000   5000
## [19,] 2014    42  48   1  651   10    10   50  43160  43160
## [20,] 2014    42  42   2  651   10    10   80  55120  55120
## [21,] 2014    42  35   1  802   10    10   40  24000  24000
## [22,] 2014    42  50   1  804   10    10   40  14000  14000
## [23,] 2014    42  39   1  651   15    10   40  27000  27000
## [24,] 2014    42  26   1  651   10    10   15  18000  18000
## [25,] 2014    42  24   2  651   17    10   40  60000  60000
## [26,] 2014    42  26   1  652   10    10   32  39000  39000
## [27,] 2014    42  20   1  652   10    30    0   3480   3480
## [28,] 2014    42  36   2  100   13    21    0  55300  55300
## [29,] 2014    42  47   1  807   10    32    0  35000  35000
## [30,] 2014    42  21   2  807   11    10   19  10300  10300
```

To find the CPI, I used the Bureau of Labor Statistics CPI Inflation Calculator, which told me that a dollar in 2004 has the same buying power as $1.25 in 2014. Therefore, to adjust 2004 income to its 2014 equivalent, I wrote a function that multiplied all 2004 incom

1.2 Make a new variable that is log wage income in your data

```
sample <- incomeadjust(datamatrix)
logVar <- c(rep(NA, nrow(sample)))
sample <- cbind(sample, logVar)



logVarf <- function(data.m = sample){

  for (i in 1:nrow(sample)){

    rowIncomeLog <- log(sample[i,10])
    sample[i,11] <- rowIncomeLog

  }
```

```
  ## return(datamatrix) Commenting out so it doesn't actually return this
  return(sample)

}

logVarf(sample)
```

```
##        YEAR REGION AGE SEX RACE EDUC99 EMPSTAT HRSWORK INCWAGE AdjInc
##   [1,] 2004     11  59   2  100     13       10       2   60000  75000
##   [2,] 2004     11  49   1  100     10       10      20   32000  40000
##   [3,] 2004     11  42   2  100     15       10      40   30000  37500
##   [4,] 2004     11  68   2  100     15       10      20   18000  22500
##   [5,] 2004     11  42   2  100     10       10      24   30000  37500
##   [6,] 2004     11  45   1  100     13       10      33   50000  62500
##   [7,] 2004     11  20   1  100     10       30       0   15000  18750
##   [8,] 2004     11  19   1  100     10       10      44   18000  22500
##   [9,] 2004     11  18   2  100      8       10      20   10000  12500
##  [10,] 2004     11  59   2  100      8       10      25   20285  25356
##  [11,] 2004     11  74   1  100     15       10      26   19000  23750
##  [12,] 2004     11  73   2  100     14       10      32   24250  30312
##  [13,] 2004     11  71   2  802     11       32       0    5270   6588
##  [14,] 2004     11  47   2  802     17       10      30   20900  26125
##  [15,] 2004     11  36   1  100     10       10      19   26048  32560
##  [16,] 2014     42  58   1  651     11       10      40   50000  50000
##  [17,] 2014     42  30   2  652     16       10      40   25000  25000
##  [18,] 2014     42  30   1  652     13       12       0    5000   5000
##  [19,] 2014     42  48   1  651     10       10      50   43160  43160
##  [20,] 2014     42  42   2  651     10       10      80   55120  55120
##  [21,] 2014     42  35   1  802     10       10      40   24000  24000
##  [22,] 2014     42  50   1  804     10       10      40   14000  14000
##  [23,] 2014     42  39   1  651     15       10      40   27000  27000
##  [24,] 2014     42  26   1  651     10       10      15   18000  18000
##  [25,] 2014     42  24   2  651     17       10      40   60000  60000
##  [26,] 2014     42  26   1  652     10       10      32   39000  39000
##  [27,] 2014     42  20   1  652     10       30       0    3480   3480
##  [28,] 2014     42  36   2  100     13       21       0   55300  55300
##  [29,] 2014     42  47   1  807     10       32       0   35000  35000
##  [30,] 2014     42  21   2  807     11       10      19   10300  10300
##           logVar
##   [1,] 11.225243
##   [2,] 10.596635
##   [3,] 10.532096
##   [4,] 10.021271
##   [5,] 10.532096
##   [6,] 11.042922
```

```
##  [7,]  9.838949
##  [8,] 10.021271
##  [9,]  9.433484
## [10,] 10.140771
## [11,] 10.075338
## [12,] 10.319299
## [13,]  8.793005
## [14,] 10.170648
## [15,] 10.390840
## [16,] 10.819778
## [17,] 10.126631
## [18,]  8.517193
## [19,] 10.672669
## [20,] 10.917268
## [21,] 10.085809
## [22,]  9.546813
## [23,] 10.203592
## [24,]  9.798127
## [25,] 11.002100
## [26,] 10.571317
## [27,]  8.154788
## [28,] 10.920528
## [29,] 10.463103
## [30,]  9.239899
```

1.3 Construct "potential experience", which will be "Age - years of schooling - 5"

```
sample <- logVarf(sample)
potExp <- c(rep(NA, nrow(sample)))
sample <- cbind(sample, potExp)

potExpf <- function(data.m = sample){

  for (i in 1:nrow(sample)){

    indAge = as.numeric(sample[i,3])
    indEduCode = as.numeric(sample[i,6])

    if (indEduCode < 6){
      indYrsOfSch = 9
      indPotExp = indAge - indYrsOfSch - 5
      sample[i,12] = indPotExp
```

```
}

if (indEduCode == 6){
  indYrsOfSch = 10
  indPotExp = indAge - indYrsOfSch - 5
  sample[i,12] = indPotExp

}

if (indEduCode == 7){
  indYrsOfSch = 11
  indPotExp = indAge - indYrsOfSch - 5
  sample[i,12] = indPotExp

}

if (indEduCode == 8){
  indYrsOfSch = 12
  indPotExp = indAge - indYrsOfSch - 5
  sample[i,12] = indPotExp

}

if (indEduCode == 9){
  indYrsOfSch = 13
  indPotExp = indAge - indYrsOfSch - 5
  sample[i,12] = indPotExp

}

if (indEduCode == 10){
  indYrsOfSch = 13
  indPotExp = indAge - indYrsOfSch - 5
  sample[i,12] = indPotExp

}

if (indEduCode == 11){
  indYrsOfSch = 14
  indPotExp = indAge - indYrsOfSch - 5
  sample[i,12] = indPotExp

}

if (indEduCode == 12){
```

```
    indYrsOfSch = 15
    indPotExp = indAge - indYrsOfSch - 5
    sample[i,12] = indPotExp

  }

  if (indEduCode == 13){
    indYrsOfSch = 15
    indPotExp = indAge - indYrsOfSch - 5
    sample[i,12] = indPotExp

  }

  if (indEduCode == 14){
    indYrsOfSch = 15
    indPotExp = indAge - indYrsOfSch - 5
    sample[i,12] = indPotExp

  }

  if (indEduCode == 15){
    indYrsOfSch = 17
    indPotExp = indAge - indYrsOfSch - 5
    sample[i,12] = indPotExp

  }

  if (indEduCode == 16){
    indYrsOfSch = 19
    indPotExp = indAge - indYrsOfSch - 5
    sample[i,12] = indPotExp

  }

  if (indEduCode == 17){
    indYrsOfSch = 19
    indPotExp = indAge - indYrsOfSch - 5
    sample[i,12] = indPotExp

  }

  if (indEduCode == 18){
    indYrsOfSch = 22
    indPotExp = indAge - indYrsOfSch - 5
    sample[i,12] = indPotExp
```

```
    }

  }

  ## return(datamatrix) Commenting out so it doesn't actually return this
  return(sample)

}

potExpf(sample)
```

```
##       YEAR REGION AGE SEX RACE EDUC99 EMPSTAT HRSWORK INCWAGE AdjInc
##  [1,] 2004     11  59   2  100     13      10       2   60000  75000
##  [2,] 2004     11  49   1  100     10      10      20   32000  40000
##  [3,] 2004     11  42   2  100     15      10      40   30000  37500
##  [4,] 2004     11  68   2  100     15      10      20   18000  22500
##  [5,] 2004     11  42   2  100     10      10      24   30000  37500
##  [6,] 2004     11  45   1  100     13      10      33   50000  62500
##  [7,] 2004     11  20   1  100     10      30       0   15000  18750
##  [8,] 2004     11  19   1  100     10      10      44   18000  22500
##  [9,] 2004     11  18   2  100      8      10      20   10000  12500
## [10,] 2004     11  59   2  100      8      10      25   20285  25356
## [11,] 2004     11  74   1  100     15      10      26   19000  23750
## [12,] 2004     11  73   2  100     14      10      32   24250  30312
## [13,] 2004     11  71   2  802     11      32       0    5270   6588
## [14,] 2004     11  47   2  802     17      10      30   20900  26125
## [15,] 2004     11  36   1  100     10      10      19   26048  32560
## [16,] 2014     42  58   1  651     11      10      40   50000  50000
## [17,] 2014     42  30   2  652     16      10      40   25000  25000
## [18,] 2014     42  30   1  652     13      12       0    5000   5000
## [19,] 2014     42  48   1  651     10      10      50   43160  43160
## [20,] 2014     42  42   2  651     10      10      80   55120  55120
## [21,] 2014     42  35   1  802     10      10      40   24000  24000
## [22,] 2014     42  50   1  804     10      10      40   14000  14000
## [23,] 2014     42  39   1  651     15      10      40   27000  27000
## [24,] 2014     42  26   1  651     10      10      15   18000  18000
## [25,] 2014     42  24   2  651     17      10      40   60000  60000
## [26,] 2014     42  26   1  652     10      10      32   39000  39000
## [27,] 2014     42  20   1  652     10      30       0    3480   3480
## [28,] 2014     42  36   2  100     13      21       0   55300  55300
## [29,] 2014     42  47   1  807     10      32       0   35000  35000
## [30,] 2014     42  21   2  807     11      10      19   10300  10300
##          logVar potExp
##  [1,] 11.225243     39
##  [2,] 10.596635     31
```

```
##  [3,] 10.532096     20
##  [4,] 10.021271     46
##  [5,] 10.532096     24
##  [6,] 11.042922     25
##  [7,]  9.838949      2
##  [8,] 10.021271      1
##  [9,]  9.433484      1
## [10,] 10.140771     42
## [11,] 10.075338     52
## [12,] 10.319299     53
## [13,]  8.793005     52
## [14,] 10.170648     23
## [15,] 10.390840     18
## [16,] 10.819778     39
## [17,] 10.126631      6
## [18,]  8.517193     10
## [19,] 10.672669     30
## [20,] 10.917268     24
## [21,] 10.085809     17
## [22,]  9.546813     32
## [23,] 10.203592     17
## [24,]  9.798127      8
## [25,] 11.002100      0
## [26,] 10.571317      8
## [27,]  8.154788      2
## [28,] 10.920528     16
## [29,] 10.463103     29
## [30,]  9.239899      2
```

1.4 Make a table comparing the following regressions for 2014 and 2014