

Weekly Report from 2025-06-29 to 2025-07-06

	...1	uid	redcap_event_name	starttime	endtime
1	6	ACT002R	week_3	2025-06-30 09:45:00	2025-07-05 08:56:00
2	11	ACT004S	week_3	2025-06-30 16:18:00	2025-07-05 08:28:00
3	20	ACT008U	week_3	2025-06-30 10:19:00	2025-07-05 08:46:00
4	25	ACT010Z	week_3	2025-06-30 10:02:00	2025-07-05 07:58:00
5	28	ACT011X	week_3	2025-07-01 21:11:00	2025-07-06 09:29:00
6	77	ACT035F	week_2	2025-06-30 12:11:00	2025-07-05 09:26:00
7	152	ACT076L	week_2	2025-06-30 15:24:00	2025-07-05 08:25:00

	uid	setup	v01	v02	v03	v04	takedown	n_days
1	ACT002R	2025-06-30	2025-07-01	2025-07-03	2025-07-05	NA	NA	5.0
2	ACT004S	2025-06-30	2025-07-01	2025-07-03	2025-07-05	NA	NA	4.7
3	ACT008U	2025-06-30	2025-07-01	2025-07-03	2025-07-05	NA	NA	4.9
4	ACT010Z	2025-06-30	2025-07-01	2025-07-03	2025-07-05	NA	NA	4.9
5	ACT011X	2025-07-01	2025-07-02	2025-07-04	2025-07-06	NA	NA	4.5
6	ACT035F	2025-06-30	2025-07-01	2025-07-03	2025-07-05	NA	NA	4.9
7	ACT076L	2025-06-30	2025-07-01	2025-07-03	2025-07-05	NA	NA	4.7

ACT002R

ACT002R_IBH07_HUM_WK2.xlsx

100

75

50

25

0

Value

Time

ACT002R_IBH07_TEMP_WK2.xlsx

50

40

30

20

Value

Time

ACT002R_IBT07_TEMP_WK2.xlsx

50

40

30

20

Value

Time

ACT002R_IBW07_HUM_WK2.xlsx

100

75

50

25

0

Value

Time

ACT002R_IBW07_TEMP_WK2.xlsx

50

40


30

20

Value


Time

ACT002R_IBH03_HUM_WK2.xlsx




ACT002R


ACT002R_IBH03_TEM_WK3.xlsx




ACT002R_IBT03_TEMP_WK3.xlsx



ACT002R_IBW03_HUM_WK3.xlsx



ACT002R_IBW03_TEMP_WK3.xlsx



ACT002R_NS07_WK2.xls

80


60

40

Value

Time

ACT002R_NS03_WK3.xls



ACT004S

ACT004S_IBH01_HUM_WK2.xlsx

100

75

50

25

0

Value

Time

ACT004S_IBH01_TEMP_WK2.xlsx

50

40

30

20

Value

Time

ACT004S_IBT01_TEMP_WK2.xlsx

50

40

30

20

Value

Time

ACT004S_IBW01_HUM_WK2.xlsx

100

75

50

25

0

Value

Time

ACT004S_IBW01_TEMP_WK2.xlsx

50

40


30

20

Value


Time

ACT004S_IBH04_HUM_WK3.xlsx



ACT004S


ACT004S_IBH04_TEMP_WK3.xlsx




ACT004S_IBT04_TEMP_WK3.xlsx



ACT004S_IBW04_HUM_WK3.xlsx



ACT004S_IBW04_TEMP_WK3.xlsx



ACT004S_NS01_WK2.xls

80


60

40

Value

Time

ACT004S_NS04_WK3.xls



ACT008U

ACT008U_IBH04_HUM_WK2.xlsx

100

75

50

25

0

Value

Time

ACT008U_IBH04_TEMP_WK2.xlsx

50

40

30

20

Value

Time

ACT008U_IBT04_TEMP_WK2.xlsx

50

40

30

20

Value

Time

ACT008U_IBW04_TEMP_WK2.xlsx

50

40

30

20

Value

Time

ACTZ008U_IBW04_HUM_WK2.xlsx

100

75

50


25

0

Value


Time

ACT008U_IB W05_HUM_WK3.xlsx




ACT008U


ACT008U_IBH05_HUM_WK3.xlsx




ACT008U_IBH05_TEMP_WK3.xlsx




ACT008U_IBT05_TEMP_WK3.xlsx



ACT008U_IBW05_HUM_WK3.xlsx



ACT008U_IBW05_TEMP_WK3.xlsx



ACT008U_NS04_WK2.xls

80

60


40

Value

Time

ACT008U

ACT008U_NS05_WK3.xls



ACT010Z_IBH01_HUM_WK2.xlsx

100

75

50

25

0

Value

Time

ACT010Z_IBH01_TEMP_WK2.xlsx

50

40

30

20

Value

Time

ACT010Z_IBT01_TEMP_WK2.xlsx

50

40

30

20

Value

Time

ACT010Z_IBW01_HUM_WK2.xlsx

100

75

50

25

0

Value

Time

ACT010Z_IBW01_TEMP_WK2.xlsx

50

40

30


20

Value


Time

ACT010Z

ACT010Z_IBH06_HUM_WK3.xlsx



ACT010Z_IBH06_TEMP_WK3.xlsx



ACT010Z_IBT06_TEMP_WK3.xlsx



ACT010Z_NS01_WK2.xls

80


60

40

Value

Time

ACT010Z_NS06_WK3.xls



ACT011X_IBH05_HUM_WK2.xlsx

100

75

50

25

0

Value

Time

ACT011X

ACT011X_IBH05_TEMP_WK2.xlsx

50

40

30

20

Value

Time

ACT011X_IBW05_HUM_WK2.xlsx

100

75

50

25

0

Value

Time

ACT011X_IBW05_TEMP_WK2.xlsx

50

40


30

20

Value

Time


ACT011X_IBH07_HUM_WK3.xlsx



ACT011X_IBH07_TEMP_WK3.xlsx



ACT011X_IBT07_TEMP_WK3.xlsx



ACT011X

ACT011X_IBW07_HUM_WK3.xlsx

100

75

50

25

0

Value

Time

ACT011X_NS05_WK2.xls

80


60

40


Value

Time


ACT011X_NS07_WK3.xls



ACT035F_IBH01_HUM_WK2.xlsx



ACT035F_IBH01_TEMP_WK2.xlsx




ACT035F_IBT01_TEMP_WK2.xlsx




ACT035F


ACT035F_IBW01_HUM_WK2.xlsx




ACT035F_IBW01_TEMP_WK2.xlsx




ACT035F_NS01_WK2.xls



ACT076L_IBH02_HUM_WK2.xlsx



ACT076L_IBH02_TEMP_WK2.xlsx




ACT076L_IBT02_TEMP_WK2.xlsx




ACT076L


ACT076L_IBW02_HUM_WK2.xlsx



ACT076L_IBW02_TEMP_WK2.xlsx




ACT076L_NS02_WK2.xls




ACT002R_SCK03_WK3


Temperature



Humidity



Battery



Noise.dBA

Noise.dBA

70

60

50

40

30

Jun 30 12:00


Jul 01 00:00

Jul 01 12:00

Jul 02 00:00


Jul 02 12:00

Time




MPL.Barometric.pressure

MPL.Barometric.pressure



PMS.PM.1.0



PMS.PM.2.5

PMS.PM.2.5

9

6

3

0

Jun 30 12:00


Jul 01 00:00

Jul 01 12:00

Jul 02 00:00

Jul 02 12:00

Time



PMS.PM.10.0

PMS.PM.10.0

10

5

0

Jun 30 12:00

Jul 01 00:00

Jul 01 12:00

Jul 02 00:00

Jul 02 12:00

Time

