Just a moment

To access Twitteryou need your Twitter-Keys.

Twitter-Access

Consumer Key

```
*****************************************
```

Consumer Secret

```
*****************************************
```

Access Token

```
*****************************************
```

Access Token Secret

```
*****************************************
```

Setup

TweetFarmer - Setup   _ ☐ ✕

Just a moment
To access Twitteryou need your Twitter-Keys.

Twitter-Access

Consumer Key

`*******************************`

Consumer Secret

`*******************************`

Access Token

`*******************************`

Access Token Secret

`*******************************`

Setup

TweetFarmer - Menu   _ ☐ ✕

Settings

Farmers

- Farmer 01
- Farmer 02
- Other Farmer

Load

New Farmer

Name

`BrandFarmer`

Hashtags

`adidas, nike, puma`

Classes

`positive, negativ, neutral`

☐ Local Storage

☐ Database Storage

Create

Database Access Setup   _ ☐ ✕

Saved Databases

- MySQL Server
- MSSQL Private
- ServerDB

Select

New Database Access

IP Address

`127.0.0.1`

Databasename

`Tweets`

Database Typ

`MSSQL ▼`

Port

`5432`

Username

`root`

Password

`********`

New Database

Farmer - John   _ ☐ ✕

Configuration Export

Mining Analytics

Positive

Negative

Neutral

Robert @r87   02-23-2016

A **paragraph** of text with an unassigned link.
A *second* row of text with a web link

Positive   Negative   Neutral   Ignore

Edit Classes

Edit Classes   _ ☐ ✕

Search

Tweet-ID	Tweet	Classes	Action
12523523	Some text	Positive ▼	✕
12523523	Some text	Negative ▼	✕
12523523	Some text	Neutral ▼	✕
12523523	Some text	Negative ▼	✕
12523523	Some text	Positive ▼	✕
12523523	Some text	Positive ▼	✕
12523523	Some text	Neutral ▼	✕
12523523	Some text	Neutral ▼	✕

TweetFarmer - Menu _ □ ✖

Settings

Farmers

Farmer 01

Farmer 02

Other Farmer

Load

New Farmer

Name

BrandFarmer

Hashtags

adidas, nike, puma

Classes

positive, negativ, neutral

☐ Local Storage

☐ Database Storage

Create

Database Access Setup _ □ ✕

Saved Databases

MySQL Server
MSSQL Private
ServerDB

Select

New Database Access

IP Address

127.0.0.1

Database Typ

MSSQL ▼

Username

root

Databasename

Tweets

Port

5432

Password

****

New Database

Configuration Export

Mining Analytics

Positive

Negative

Neutral

Robert @r87   02-23-2016

A **paragraph** of text with an <u>unassigned link</u>.
A *second* <u>row</u> of ~~text~~ with a <u>web link</u>

Positive   Negative   Neutral   Ignore

Edit Classes

Edit Classes _ □ ✕

Tweet-ID	Tweet	Classes	Action
12523523	Some text	Positive ▼	✕
12523523	Some text	Negative ▼	✕
12523523	Some text	Neutral ▼	✕
12523523	Some text	Negative ▼	✕
12523523	Some text	Positive ▼	✕
12523523	Some text	Positive ▼	✕
12523523	Some text	Neutral ▼	✕
12523523	Some text	Neutral ▼	✕

Search