Program

```
/*
 * File:   traffic.c
 * Author: NishuAppu
 *
 * Created on 13 November, 2026, 2:32 PM
 */

// PIC16F877A Configuration Bit Settings

// 'C' source line config statements

// CONFIG

// PIC16F877A Configuration Bit Settings

// 'C' source line config statements

// CONFIG
#include <xc.h>
#define _XTAL_FREQ 4000000UL
#pragma config FOSC = XT
#pragma config WDTE = OFF
#pragma config PWRTE = ON
#pragma config BOREN = ON
#pragma config LVP = OFF
#pragma config CPD = OFF
#pragma config WRT = OFF
```


```
#pragma config CP = OFF
void main(void)
{
   TRISB = 0x00;
   PORTB = 0x00;

   while(1)
   {
      // Road A GREEN, Road B RED
      PORTB = 0b00001100;
      __delay_ms(5000);

      // Road A YELLOW, Road B RED
      PORTB = 0b00001010;
      __delay_ms(2000);

      // Road A RED, Road B GREEN
      PORTB = 0b00100001;
      __delay_ms(5000);

      // Road A RED, Road B YELLOW
      PORTB = 0b00010001;
      __delay_ms(2000);
   }
}
```


default
PC: 0x0
z dc c : W:0x0 : bank 0
How do I?
New File... (Ctrl+N)
Projects
Favorites
Classes
bitwise_calculator
DS1307
eight_led
EM18_RFID_MODULE
INTERFACING_EM_18
last_task_switch
LCD
LED
Major_project
mini1
SEVEN_SEGMENT
switch_1_
switch_tasks
switches
task_segment
tasks
temperature
traffic_light_controller
fic_light_controller - Dashboard
main() - Navigator
traffic_light_controller
Project Type: Application - Configuration: default
Device
PIC16F877A
Checksum: 0x8DC4
CRC32: 0xE6AFBB52
Packs
PIC16Fxxx_DFP (1.2.33)
Compiler Toolchain
XC8 (v2.05) [C:\Users\Nishu4ppu\Downloads\embedded\bin]
Production Image: Optimization: Disabled
Memory
Data 368 (0x170) bytes
1%
Data Used: 5 (0x5) Free: 363 (0x16B)
Program 8,192 (0x2000) words
1%
Program Used: 82 (0x52) Free: 8,110 (0x1FAE)
Debug Tool
...t.c
switchh.c
LCDD.c
SEVEN SEG.c
temp.c
mini1.c
EM18.c
DS1307.c
bitwise calci.c
em.c
maj.c
traffic.c
Source
History
#include <xc.h>
#define _XTAL_FREQ 4000000UL
#pragma config FOSC = XT
#pragma config WDTE = OFF
#pragma config PWRTE = ON
#pragma config BOREN = ON
#pragma config LVP = OFF
#pragma config CPD = OFF
#pragma config WRT = OFF
#pragma config CP = OFF
void main(void)
{
TRISB = 0x00;
PORTB = 0x00;
while(1)
{
// Road A GREEN, Road B RED
PORTB = 0b00001100;
__delay_ms(5000);
// Road A YELLOW, Road B RED
PORTB = 0b00001010;
__delay_ms(2000);
// Road A RED, Road B GREEN
PORTB = 0b00100001;
__delay_ms(5000);
// Road A RED, Road B YELLOW
PORTB = 0b00010001;
__delay_ms(2000);
main
while(1)
Output
oading Warning
Project Loading Warning
Project Loading Warning
Project Loading Warning
Project Loading Warning
Project Loading Warning
traffic_light_controller (Clean, Build, ...)
37:28