



Denka Performance Elastomer LLC
560 Highway 44, Building 8000
La Place, LA 70068-6908

Page 1 of 2
03/31/2025 09:50:29

P
4/11
JF

Bill of Lading

Ship From HAMMOND WAREHOUSE Denka Performance Elastomer LLC 510 Pride Dr. Hammond, LA, 70401 USA	Document Information Delivery No. 80028824 Sales Order No. 25133 ✓ Customer PO No. CDH0137472 11046440 ✓ Ship Date 04/11/2025 Total Net Weight 39,690.000 /LB Total Gross Weight 41,277.600 /LB Seal ID SCAC# Incoterms DAP CARLISLE, PA Vehicle Initial & No. 53201 ✓ White Marsh
Consigned To CARLISLE SYNTEC INC ✓ Mitsui Plastics in c/o 1603 INDUSTRIAL DRIVE, H DOCK CARLISLE PA 17013-0000 USA	

NUMBER & TYPE OF PACKAGES Pallet	HM	DESCRIPTION	Weight / LBS (Subject to Correction)
720 BAG 18.000 PAL		Not regulated by 49. CFR Commodity Code : 4002490000 Chloroprene (chlorobutadiene) rubber (CR), except latex Material Code:D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG CPN: 100026	39,690.000 /LB

5601334 ✓

EDD
4/11/25

CHP

①

Neoprene Crude Class 60 - NMFC 171800 Class 60

B/L INSTRUCTIONS TO BE ADDED TO THE B/L:
DELIVERY HOURS 6:00 A.M. - 2:30 P.M.
TRUCKLOAD DELIVERIES - GIVE 24 HR NOTICE 717 245-7019

CARRIER MUST HAVE LOAD LOCKS IN PLACE OR MATL BRACED BEFORE LEAVING THE WAREHOUSE.

Total Number of Packages:	720
Total Number of Pallets:	18.000
GROSS PRODUCT WGT/LBS	39,690.000 /LB
GROSS SHIPPING WGT/LBS	41,277.600 /LB

Placard Required YES <input type="checkbox"/> NO <input type="checkbox"/>	Placard Offered YES <input type="checkbox"/> NO <input type="checkbox"/>
(Rail, Cargo Tank, Portable Tank, Freight Container) <input type="checkbox"/> Placarded Name of Placard	Truck Time IN: 7:31 AM OUT: 8:01 AM

The description and weight indicated on this Bill of Lading are correct, subject to verification by the Eastern, Western and Southern Weighting and Inspection Bureaus according to agreement.



Denka Performance Elastomer LLC
560 Highway 44, Building 8000
La Place, LA 70068-6908

Page 2 of 2
03/31/2025 09:50:29

Bill of Lading

I hereby declare that the contents of this consignment are fully and described above by the proper shipping name(s), and are classified, marked and labeled/placarded, and are in all respects in proper condition transport according to applicable international and national government regulations. Intermodal Certification if applicable.

DRIVERS FULL NAME	
BY:	Benard Poradly
PER	CF

Emergency Contact:

For a chemical emergency
(spill, leak, exposure, fire or accident)
Contact Denka Performance Elastomer
1-985-536-5217

Delivery Note

Ship To
CARLISLE SYNTEC INC Mitsui Plastics in c/o 1603 INDUSTRIAL DRIVE, H DOCK CARLISLE PA 17013-0000 USA
Ship From
HAMMOND WAREHOUSE Denka Performance Elastomer LLC 510 Pride Dr. Hammond, LA, 70401 USA

Document Information	
Delivery No.	80028824
Document Date	03/31/2025
Customer PO No.	CDH0137472 11046440
Sales Order No.	25133
Sales Order Date	
Customer No.	MP55344478
Ship Date	04/11/2025
Delivery Date	04/11/2025

Incoterms : DAP CARLISLE, PA

Warehouse Instruction :

SHIP DATE: 04.11 DELV DATE: 04.14

CUSTOMER PO #11046440

**SEND COA'S TO MITSUI BEFORE SHIPMENT, THEY CAN BE REVIEWED BEFORE SHIPMENT. *✓ 4/3 JF*

PREPAID SHIPMENT - SCHEDULE CARRIER VIA C H ROBINSON *✓ 4/3 emailed JF*

CONTACT INFORMATION: SUMITOMO@CHROBINSON.COM

MARK CUSTOMER PART NUMBERS AND CUSTOMER PURCHASE ORDER NUMBER ON OUTSIDE OF PALLETS. DO NOT LABEL INDIVIDUAL BAGS. USE 2" WIDE TYPE ON ALL CODES.

①

CARRIER MUST HAVE LOAD LOCKS IN PLACE OR MATL BRACED BEFORE LEAVING THE WAREHOUSE.

*SEND COPY OF BILL OF LADING, PACKING LIST, AND COA TO:
crorders-dhc2-nypix@dg.mitsui.com

Shipping Marks :

Item No	Material	Delivery Qty.	Net Weight	Gross Weight
000010	D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG CPN: 100026	39,690 /LB	18,000 KG	18,720 KG
	Batch 240918D202	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D203	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D204	2,205.000 /LB	1,000 KG	1,040 KG



Denka Performance Elastomer LLC
560 Highway 44, Building 8000
La Place, LA 70068-6908

Page 2 of 2
03/31/2025 09:50:32

Delivery Note

Item No	Material	Delivery Qty.	Net Weight	Gross Weight
	Batch 240918D205	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D206	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D207	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D208	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D209	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D210	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D211	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D212	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D213	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D214	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D215	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D216	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D217	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D218	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D219	2,205.000 /LB	1,000 KG	1,040 KG
Total :			18,000 KG 39,690.000 /LB	18,720 KG 41,277.600 /LB

Packing List

Ship To
CARLISLE SYNTEC INC Mitsui Plastics in c/o 1603 INDUSTRIAL DRIVE, H DOCK CARLISLE PA 17013-0000 USA
Sold To
CARLISLE SYNTEC INC Mitsui Plastics in c/o DIVISION OF CARLISLE CONSTRUCTION PO Box 7000 CARLISLE PA 17013-0925 USA
Ship From
HAMMOND WAREHOUSE Denka Performance Elastomer LLC 510 Pride Dr. Hammond, LA, 70401 USA

Document Information
Delivery No. 80028824 Sales Order No. 25133 Customer PO No. CDH0137472 11046440 Ship Date 04/11/2025 Total Net Weight 18,000 KG Total Gross Weight 18,720 KG Vehicle Initial & No. Seal ID
Shipping Marks

Item No	Material	Delivery Qty.	Net Weight	Gross Weight
000010	D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG CPN: 100026	39,690 /LB	18,000 KG	18,720 KG
	Batch 240918D202	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D203	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D204	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D205	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D206	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D207	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D208	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D209	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D210	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D211	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D212	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D213	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D214	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D215	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D216	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D217	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D218	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 240918D219	2,205.000 /LB	1,000 KG	1,040 KG
Total :			18,000 KG	18,720 KG



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

03/31/2025

SHIP TO:
MP55344478

SOLD TO:
MP55344477

Customer PO No: CDH0137472 11046440
DPE Order/Item: 25133 000010
Delivery/Item: 80028824 000010
Delivery Date: 04/11/2025
Customer Name: CARLISLE SYNTEC INC
Shipping Point: AAAO

THIS IS TO ADVISE THAT THE PRODUCT LISTED BELOW HAS BEEN CLASSIFIED STANDARD PRODUCT. TEST DATA ARE ATTACHED WHICH SHOWS COMPLIANCE TO THE INDICATED SPECIFICATION.

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D202
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	64	52 - 85
VOLATILE	N200.9500	%	0.71	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D203
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	64	52 - 85
VOLATILE	N200.9500	%	0.71	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D204
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	63	52 - 85
VOLATILE	N200.9500	%	0.71	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D205
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	63	52 - 85
VOLATILE	N200.9500	%	0.71	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D206
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	63	52 - 85
VOLATILE	N200.9500	%	0.71	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D207
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	63	52 - 85
VOLATILE	N200.9500	%	0.71	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D208
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	63	52 - 85
VOLATILE	N200.9500	%	0.71	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

DPEOrder:25133

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D209
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	63	52 - 85
VOLATILE	N200.9500	%	0.71	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D210
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	63	52 - 85
VOLATILE	N200.9500	%	0.71	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D211
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	65	52 - 85
VOLATILE	N200.9500	%	0.85	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D212
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	65	52 - 85
VOLATILE	N200.9500	%	0.85	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D213
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	65	52 - 85
VOLATILE	N200.9500	%	0.85	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D214
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	65	52 - 85
VOLATILE	N200.9500	%	0.85	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D215
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	65	52 - 85
VOLATILE	N200.9500	%	0.85	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D216
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	65	52 - 85
VOLATILE	N200.9500	%	0.85	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D217
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	65	52 - 85
VOLATILE	N200.9500	%	0.85	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D218
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	63	52 - 85
VOLATILE	N200.9500	%	0.85	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14703625 NEOPRENE NPR2008 CHP 100 ABAG25KG
Our/Customer Reference No: 100026

Batch
240918D219
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
BROOKFIELD VISCOSITY	N200.9107	mPa.s	63	52 - 85
VOLATILE	N200.9500	%	0.85	= < 1.30
DATE OF PRODUCTION			20240920	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.