

413
99

Bill of Lading

Ship From
HAMMOND WAREHOUSE Denka Performance Elastomer LLC 510 Pride Dr. Hammond, LA, 70401 USA
Consigned To
Timken SMO, LLC Mitsui Plastics in c/o 2601 W BATTLEFIELD RD SPRINGFIELD MO 65807-4009 USA

Document Information	
Delivery No.	80028794
Sales Order No.	24867
Customer PO No.	CDH0136353 4701267729
Ship Date	04/03/2025
Total Net Weight	13,230.000 /LB
Total Gross Weight	13,759.200 /LB
Seal ID	
SCAC#	
Incoterms	FCA HAMMOND, LA
Vehicle Initial & No.	LE3422

R+L

NUMBER & TYPE OF PACKAGES Pallet	HM	DESCRIPTION	Weight / LBS (Subject to Correction)
240 BAG 6.000 PAL		Not regulated by 49. CFR	13,230.000 /LB

AC
04/03/2025

Commodity Code : 4002490000
Chloroprene (chlorobutadiene) rubber (CR), except
latex
Material Code:D14925019
NEOPRENE GRT M2 CHP 100 ABAG25KG
CPN: RA0566

37789996-5
SHIPPER'S COPY
This shipment is subject solely to the terms and conditions of Carrier's Individual and Collective
Tariffs, including Limitations of Liability and the Uniform Straight Bill of Lading, NMFC 100 series.

Neoprene Crude Class 60 - NMFC 171800 Class 60

**CUSTOMER PO #:4701267729

TEMPERATURE CONTROL SHIPMENT - MAINTAIN AT 65 DEGREES THROUGHTOUT
TRANSIT TO CUSTOMER.

**RECEIVING HOURS ARE 07:00 AM - 11:00 AM

CUSTOMER CONTACTS: Andy Neer 417.888.3339 or
Scott Brown 417.888.3332

**THIRD PARTY BILL TO FOR FREIGHT:

Timken c/o McSource
PO Box 394
Coraopolis, PA 15108

Freight collect:

Send freight bill to ship to customer or logistics provider indicated on
B/L for payment.
No invoices to Hammond Warehouse.

37

Bill of Lading

Total Number of Packages:	240
Total Number of Pallets:	6.000
GROSS PRODUCT WGT/LBS	13,230.000 /LB
GROSS SHIPPING WGT/LBS	13,759.200 /LB

Placard Required YES <input type="checkbox"/> NO <input type="checkbox"/>		Placard Offered YES <input type="checkbox"/> NO <input type="checkbox"/>	
(Rail, Cargo Tank, Portable Tank, Freight Container) <input type="checkbox"/> Placarded Name of Placard		Truck Time IN: 3pm OUT: 3:50	

The description and weight indicated on this Bill of Lading are correct, subject to verification by the Eastern, Western and Southern Weighting and Inspection Bureaus according to agreement.

I hereby declare that the contents of this consignment are fully and described above by the proper shipping name(s), and are classified, marked and labeled/placarded, and are in all respects in proper condition transport according to applicable international and national government regulations. Intermodal Certification if applicable.

DRIVERS FULL NAME	
BY:	Todd Young
PER	JF

Emergency Contact:

For a chemical emergency
(spill, leak, exposure, fire or accident)
Contact Denka Performance Elastomer
1-985-536-5217



Delivery Note

Ship To	Document Information
Timken SMO, LLC Mitsui Plastics in c/o 2601 W BATTLEFIELD RD SPRINGFIELD MO 65807-4009 USA	Delivery No. 80028794 Document Date 03/24/2025 Customer PO No. CDH0136353 4701267729 Sales Order No. 24867 Sales Order Date Customer No. MP55344481 Ship Date 04/03/2025 Delivery Date 04/03/2025
Ship From	
HAMMOND WAREHOUSE Denka Performance Elastomer LLC 510 Pride Dr. Hammond, LA, 70401 USA	

Incoterms : FCA HAMMOND, LA

Warehouse Instruction :

**SHIP DATE: 04.03

**CUSTOMER PO #:4701267729

**GRTM2 - REQUEST COA UPDATE FROM CSR IF ML100 IS NOT BETWEEN 42-50 AND ML120 IS NOT BETWEEN 26-46, CONTACT CSR IMMEDIATELY. ✓

**SEND DOCUMENTS TO MITSUI BEFORE SHIPMENT, SO COA CAN BE REVIEWED BEFORE SHIPMENT. ✓

**PLEASE INSPECT ALL PALLETS FOR ROCKS, BEFORE LOADING FOR SHIPMENT.

ATTN WHSE: PLEASE LOAD PALLETS IN SEQUENCE - LOWEST IN FRONT.

APPLY PALLET TAGS WITH CUSTOMER PART NUMBER TO OPPOSING CORNERS.

**COLLECT SHIPMENT - CARRIER SHOULD CONTACT WHSE FOR PICKUP APPOINTMENT
- TEMPERATURE CONTROL CARRIER - MAINTAIN AT 65 DEGREES.
Schedule with: Colinx - US Domestic Transportation
Timkendispatch@colinx.com

If LTL go to website below and determine carrier
<http://www.mcsourcetek.com/mcrateline/logincustom.aspx>
Login: tkrvendor
Password: tkrvendor\$

3/24 #93095784
EM

DO NOT LOAD IF TEMPERATURE IS NOT MAINTAINED AT 65 DEGREES
WHSE TO ADVISE CUSTOMER SERVICE IMMEDIATELY

*SEND COPY OF BILL OF LADING, PACKING LIST, AND COA TO: MITSUI:
crorders-dhc2-NYPIX@dg.mitsui.com

Delivery Note

Shipping Marks :

Item No	Material	Delivery Qty.	Net Weight	Gross Weight
000010	D14925019 NEOPRENE GRT M2 CHP 100 ABAG25KG CPN: RA0566	13,230 /LB	6,000 KG	6,240 KG
	Batch 241004D296	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 241004D297	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 241004D298	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 241004D299	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 241004D300	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 241004D301	2,205.000 /LB	1,000 KG	1,040 KG
Total :			6,000 KG 13,230.000 /LB	6,240 KG 13,759.200 /LB

Packing List

Ship To
Timken SMO, LLC Mitsui Plastics in c/o 2601 W BATTLEFIELD RD SPRINGFIELD MO 65807-4009 USA
Sold To
Timken SMO, LLC Mitsui Plastics in c/o Suite 320 725 Cool Springs Blvd FRANKLIN TN 37067-7208 USA
Ship From
HAMMOND WAREHOUSE Denka Performance Elastomer LLC 510 Pride Dr. Hammond, LA, 70401 USA

Document Information
Delivery No. 80028794 Sales Order No. 24867 Customer PO No. CDH0136353 4701267729 Ship Date 04/03/2025 Total Net Weight 6,000 KG Total Gross Weight 6,240 KG Vehicle Initial & No. Seal ID
Shipping Marks

Item No	Material	Delivery Qty.	Net Weight	Gross Weight
000010	D14925019 NEOPRENE GRT M2 CHP 100 ABAG25KG CPN: RA0566	13,230 /LB	6,000 KG	6,240 KG
	Batch 241004D296	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 241004D297	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 241004D298	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 241004D299	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 241004D300	2,205.000 /LB	1,000 KG	1,040 KG
	Batch 241004D301	2,205.000 /LB	1,000 KG	1,040 KG
Total :			6,000 KG	6,240 KG



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

03/24/2025

Page 1 of 7

SHIP TO:
MP55344481

SOLD TO:
MP55344479

Customer PO No: CDH0136353 4701267729
DPE Order/Item: 24867 # 000010
Delivery/Item: 80028794 # 000010
Delivery Date: 04/03/2025
Customer Name: Timken SMO, LLC
Shipping Point: AAA0

THIS IS TO ADVISE THAT THE PRODUCT LISTED BELOW HAS BEEN CLASSIFIED STANDARD PRODUCT. TEST DATA ARE ATTACHED WHICH SHOWS COMPLIANCE TO THE INDICATED SPECIFICATION.

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14925019 NEOPRENE GRT M2 CHP 100 ABAG25KG
Our/Customer Reference No: RA0566

Batch
241004D296
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
sTPPOINT90	N200.7405	dNm	12.18	8.50 - 13.50
TIME SCORCH01	N200.7405	min.	2.57	1.90 - 3.90
VOLATILE	N200.9500	%	0.43	=< 1.30
TIME TPOINT90	N200.7405	min.	5.57	3.50 - 9.00
ML100	N200.5700		46	42 - 50
ML120	N200.7460	min.	39.16	26.00-46.00
DATE OF PRODUCTION			20241007	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

DPEOrder:24867

Material: D14925019 NEOPRENE GRT M2 CHP 100 ABAG25KG
Our/Customer Reference No: RA0566

Batch
241004D297
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
S'TPOINT90	N200.7405	dNm	12.18	8.50 - 13.50
TIME SCORCH01	N200.7405	min.	2.57	1.90 - 3.90
VOLATILE	N200.9500	%	0.43	=< 1.30
TIME TPOINT90	N200.7405	min.	5.57	3.50 - 9.00
ML100	N200.5700		46	42 - 50
ML120	N200.7460	min.	39.16	26.00-46.00
DATE OF PRODUCTION			20241007	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14925019 NEOPRENE GRT M2 CHP 100 ABAG25KG
Our/Customer Reference No: RA0566

Batch
241004D298
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
S*POINT90	N200.7405	dNm	12.18	8.50 - 13.50
TIME SCORCH01	N200.7405	min.	2.57	1.90 - 3.90
VOLATILE	N200.9500	%	0.43	=< 1.30
TIME TPOINT90	N200.7405	min.	5.57	3.50 - 9.00
ML100	N200.5700		46	42 - 50
ML120	N200.7460	min.	39.16	26.00-46.00
DATE OF PRODUCTION			20241007	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14925019 NEOPRENE GRT M2 CHP 100 ABAG25KG
Our/Customer Reference No: RA0566

Batch
241004D299
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
s'TPOINT90	N200.7405	dNm	12.18	8.50 - 13.50
TIME SCORCH01	N200.7405	min.	2.57	1.90 - 3.90
VOLATILE	N200.9500	%	0.43	=< 1.30
TIME TPOINT90	N200.7405	min.	5.57	3.50 - 9.00
ML100	N200.5700		46	42 - 50
ML120	N200.7460	min.	39.16	26.00-46.00
DATE OF PRODUCTION			20241007	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14925019 NEOPRENE GRT M2 CHP 100 ABAG25KG
Our/Customer Reference No: RA0566

Batch
241004D300
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
sTPPOINT90	N200.7405	dNm	12.18	8.50 - 13.50
TIME SCORCH01	N200.7405	min.	2.57	1.90 - 3.90
VOLATILE	N200.9500	%	0.43	=< 1.30
TIME TPPOINT90	N200.7405	min.	5.57	3.50 - 9.00
ML100	N200.5700		46	42 - 50
ML120	N200.7460	min.	39.16	26.00-46.00
DATE OF PRODUCTION			20241007	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.



Denka Performance Elastomer
560 Highway 44, Building 8000
LaPlace, LA 70068-6908

CERTIFICATE OF ANALYSIS

Material: D14925019 NEOPRENE GRT M2 CHP 100 ABAG25KG
Our/Customer Reference No: RA0566

Batch
241004D301
Qty / Uom
2,205.000 /LB

Test Name	Test Method	Unit	Value	Specification
s'TPOINT90	N200.7405	dNm	11.91	8.50 - 13.50
TIME SCORCH01	N200.7405	min.	2.84	1.90 - 3.90
VOLATILE	N200.9500	%	0.36	=< 1.30
TIME TPOINT90	N200.7405	min.	5.70	3.50 - 9.00
ML100	N200.5700		46	42 - 50
ML120	N200.7460	min.	39.16	26.00-46.00
DATE OF PRODUCTION			20241007	
COUNTRY OF ORIGIN			US	

THE PRODUCT CERTIFICATION IS NON-TRANSFERABLE AND IS VALID ONLY TO THE FIRST END-USER PURCHASING THIS PRODUCT DIRECTLY FROM DENKA PERFORMANCE ELASTOMER OR FROM A DENKA PERFORMANCE ELASTOMER AUTHORIZED DISTRIBUTOR. PRODUCT AND/OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE IS ASSUMED COUNTERFEIT, AND DENKA PERFORMANCE ELASTOMER MAKES NO WARRANTIES AND ASSUMES NO LIABILITY IN CONNECTION WITH THE USE OF PRODUCT OR PRODUCT CERTIFICATION OBTAINED FROM AND UNAUTHORIZED SOURCE. All rights reserved, property of Denka Performance Elastomer LLC. No portion of this work may be reproduced in whole or in part by any electronic, mechanical or other means, including xerography, photocopy, or any information storage or retrieval system, or otherwise distributed without the express permission of Denka Performance Elastomer and company.