

Material Safety Data Sheet

Rugby® 200 CS

MSDS #: 6044-2-A
Revision Date: 2014-05-21
Version 1



This MSDS has been prepared to meet U.S. OSHA Hazard Communication Standard 29 CFR 1910.1200 And Canadian Workplace Hazardous Materials Information System (WHMIS) requirements.

1. PRODUCT AND COMPANY IDENTIFICATION

Product name	Rugby® 200 CS
Formula code	6044
Active Ingredient(s)	Cadusafos
Alternate Commercial Name	Apache®
Synonyms	CADUSAFOS: S,S-di-sec-butyl O-ethyl phosphorodithioate; O-ethyl S,S-bis(1-methylpropyl) phosphorodithioate
Chemical Family	Organophosphate Pesticide
<u>Manufacturer</u>	<u>Emergency telephone number</u>
FMC Corporation Agricultural Solutions 1735 Market Street Philadelphia, PA 19103 General Information: Phone: (215) 299-6000 E-Mail: msdsinfo@fmc.com	Medical Emergencies: 1 800 / 331-3148 (PROSAR - U.S.A. & Canada) 1 651 / 632-6793 (PROSAR - All Other Countries - Collect) For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.) 1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries) South Africa emergency contact: Bateleur: 083 123 3912 (24 hr) Philagro SA (Pty) Ltd.: 012 348 8808 (office hours)

2. HAZARDS IDENTIFICATION

<u>Appearance</u>	suspension
<u>Physical state</u>	Liquid
<u>Odor</u>	Slight mercaptan
Flammable properties	Combustible liquid
<u>Potential health effects</u>	
Principal Routes of Exposure	Eye contact, Skin contact, Inhalation, Ingestion.
Acute effects	
Eyes	May cause slight irritation.
Skin	Substance may cause slight skin irritation.
Inhalation	May cause irritation of respiratory tract.
Ingestion	Harmful if swallowed. Expected to produce cholinesterase inhibition including headache, lightheadedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma. Excessive cholinesterase inhibition may result in death.

Chronic effects

Possible risks of irreversible effects. Effects are expected to be similar to those that are seen with acute toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Hazardous ingredients

Chemical Name	CAS-No	Weight %
1,6-hexanediamine (70%)	124-09-4	1-5
Urea	57-13-6	5-10
Solvent Blend	64742-88-7	0.1472
Methylene diphenyl diisocyanate (polymeric)	9016-87-9	5-10
Naphthalene sulfonic acid-formaldehyde condensate, sodium salt	9084-06-4	1-5
Cadusafos	95465-99-9	19.3

4. FIRST AID MEASURES

Eye contact

Hold eyes open and rinse slowly and gently with water for 15 to 20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poison control center or doctor for further treatment advice.

Skin contact

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

Inhalation

Move to fresh air. If person is not breathing, call 911 (within the U.S. and Canada) or an ambulance, then give artificial respiration, preferably by mouth-to-mouth, if possible. Call a poison control center or doctor for further treatment advice.

Ingestion

Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.

Notes to physician

This product contains a reversible cholinesterase inhibitor. Atropine sulfate is antidotal. Support respiration as needed with removal of secretions, maintenance of a patent airway and, if necessary, artificial ventilation. If cyanosis is absent: Adults - start treatment by giving 2 mg atropine intravenously or intramuscularly, if necessary, and repeat with 0.4 - 2.0 mg atropine at 15 minute intervals until atropinization occurs (tachycardia, flushed skin, dry mouth, mydriasis); Children under 12 - initial dose = 0.05 mg/kg body weight and repeat dose = 0.02 - 0.05 mg/kg body weight. Start 2-PAM at the same time, following manufacturer's recommended dosages and administration. Morphine, reserpine, phenothiazines and theophylline are probably contraindicated. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Observe patient to insure that these symptoms do not recur as atropinization wears off. If in eyes, instill one drop of homatropine. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

5. FIRE-FIGHTING MEASURES

Flammable properties

Combustible liquid

Flash Point

89 - 92 °C / 192-198 °F

Method

Tag Closed Cup

Sensitivity to Mechanical Impact

Not applicable

Sensitivity to Static Discharge

Not applicable

Suitable extinguishing media Foam. Carbon dioxide (CO₂). Dry powder. Water spray.

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit.

NFPA

Health Hazard	1
Flammability	1
Stability	0
Special Hazards	-

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves and eye/face protection. For personal protection see section 8.

Environmental precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams, ponds, and sewer drains.

Methods for containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to containers for later disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

Other For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product and Company Identification" above.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources of ignition. Keep out of reach of children and animals. Store in original container only.

8. EXPOSURE CONTROL / PERSONAL PROTECTION**Exposure guidelines**

Chemical Name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
1,6-hexanediamine (70%) 124-09-4	TWA: 0.5 ppm			
Chemical Name	British Columbia	Quebec	Ontario TWAEV	Alberta
1,6-hexanediamine (70%) 124-09-4	TWA: 0.5 ppm	TWA: 0.5 ppm TWA: 2.3 mg/m ³	TWA: 0.5 ppm	TWA: 0.5 ppm TWA: 2.4 mg/m ³
Methylene diphenyl diisocyanate (polymeric) 9016-87-9				TWA: 0.005 ppm TWA: 0.07 mg/m ³

Occupational exposure controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and wear the recommended equipment.

Personal Protective Equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection For dust, splash, mist or spray exposures wear a filtering mask.

Eye/face protection	For dust, splash, mist or spray exposure, wear chemical protective goggles or a face-shield.
Skin and body protection	Wear long-sleeved shirt, long pants, socks, shoes, and gloves.
Hand protection	Protective gloves
Hygiene measures	Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household laundry.

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance	suspension
Color	green
Physical state	Liquid
Odor	Slight mercaptan
pH	7.4-7.9
Melting Point/Range	No information available.
Freezing point	No information available
Boiling Point/Range	Not applicable
Flash Point	89 - 92 °C / 192-198 °F Tag Closed Cup
Evaporation rate	Not applicable
Flammable properties	Combustible liquid
Vapor pressure	No information available
Vapor density	No information available
Specific Gravity	1.05 - 1.07
Bulk density	8.75 - 8.91 lb/gal
Water solubility	No information available
Percent volatile	No information available
Partition coefficient	Not applicable
Viscosity	No information available

10. STABILITY AND REACTIVITY

Stability	Stable.
Conditions to avoid	Keep away from open flames, hot surfaces and sources of ignition.
Hazardous decomposition products	Carbon oxides, Phosphorous oxides, Sulfur dioxide.
Hazardous polymerization	Hazardous polymerization does not occur.

11. TOXICOLOGICAL INFORMATION

Acute effects

Acute Toxicity

Cadusafos is a cholinesterase-inhibiting pesticide, which elicits symptoms in humans typical of cholinesterase inhibition including headaches, light-headedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma. Excessive cholinesterase inhibition can result in death. Reduction of blood acetylcholinesterase levels can occur without symptoms of toxicity.

Eye contact	Slightly or non-irritating (rabbit).
Skin contact	Slightly or non-irritating (rabbit).
LD50 Dermal	> 5000 mg/kg (Rat)
LD50 Oral	1,097 mg/kg (Rat)
LC50 Inhalation	> 3.87 mg/L 4 hr (Rat)

Sensitization Non-sensitizer

Chronic effects**Chronic Toxicity** Possible risks of irreversible effects. Effects are expected to be similar to those that are seen with acute toxicity.**Carcinogenicity** Cadusafos: Did not show carcinogenic effects in animal experiments. Not recognized as carcinogenic by Research Agencies (IARC, NTP, OSHA, ACGIH).**Mutagenicity** Cadusafos: Not mutagenic. Possibly genotoxic.**Reproductive toxicity** Cadusafos: No toxicity to reproduction in animal studies.**Neurological Effects** Cadusafos: Chronic exposure to animals has caused decreased cholinesterase activity (erythrocyte, plasma, and/or brain).**Developmental Toxicity** Cadusafos: Not teratogenic in animal studies.**Target Organ Effects** Central nervous system (CNS), Peripheral Nervous System (PNS), Acetylcholinesterase Inhibition.

Chemical Name	ACGIH	IARC	NTP	OSHA	NIOSH - Target Organs
Phosphoric acid					eyes, respiratory system, skin

12. ECOLOGICAL INFORMATION**Ecotoxicity****Ecotoxicity effects** Very toxic to aquatic organisms.

Cadusafos (95465-99-9)				
Active Ingredient(s)	Duration	Species	Value	Units
Cadusafos	48 h EC50	Crustacea	1.6	µg/L
	96 h LC50	Fish	0.13	mg/L
	72 h EC50	Algae	4.3	mg/L
	21 d NOEC	Crustacea	0.23	µg/L
	21 d NOEC	Fish	5.2	µg/L
	96 h NOEC	Algae	1.0	mg/L

Environmental Fate**Persistence and degradability** Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.**Bioaccumulation** The substance does not have a potential for bioconcentration.**Mobility** Moderately mobile. Not expected to reach groundwater.**13. DISPOSAL CONSIDERATIONS****Waste disposal methods** Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot be disposed of by use according to label instructions, contact appropriate disposal authorities for guidance.**Contaminated packaging** Do not reuse or refill this container. Containers must be disposed of in accordance with local, state and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION**DOT**

This material is a Combustible liquid and is, therefore, not subject to the hazardous materials regulations when in non-bulk packages shipped within the USA per 49 CFR §173.150(f)(2).

Packaging Type
Proper shipping name
UN/ID No
Hazard Class
Packing group
Description

Bulk
Combustible liquid, n.o.s.
NA1993
Combustible
III
NA1993, Combustible liquid, n.o.s. (aromatic hydrocarbons), PGIII

TDG

The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not applicable when shipped only by road or rail in Canada.

UN/ID No
Proper shipping name
Hazard Class
Packing group
Marine pollutant
Description

UN3082
Environmentally hazardous substance, liquid, n.o.s.
9
III
Cadusafos.
UN3082 Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PG III, Marine Pollutant

ICAO/IATA

UN/ID No
Proper shipping name
Hazard Class
Packing group
Marine pollutant
Description

UN3082
Environmentally hazardous substance, liquid, n.o.s.
9
III
Cadusafos
UN3082 Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PG III, Marine Pollutant

IMDG/IMO

UN/ID No
Proper shipping name
Hazard Class
Packing group
EmS No.
Marine pollutant
Description

UN3082
Environmentally hazardous substance, liquid, n.o.s.
9
III
F-A, S-F
Cadusafos
UN3082 Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PG III, Marine Pollutant

15. REGULATORY INFORMATION**U.S. Federal Regulations****SARA 313**

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations, Part 372:

Chemical Name	CAS-No	Weight %	SARA 313 - Threshold Values %
Methylene diphenyl diisocyanate (polymeric)	9016-87-9	5-10	1.0

SARA 311/312 Hazard Categories

Acute Health Hazard	Yes
Chronic Health Hazard	yes
Fire Hazard	yes
Sudden Release of Pressure Hazard	no
Reactive Hazard	no

CERCLA**TSCA Inventory (United States of America)**

Component	U.S. - TSCA (Toxic Substances Control Act) - Section 8(d) - 716.120(a) - Health and Safety Reporting - List of Substances
Methylene diphenyl diisocyanate (polymeric) 9016-87-9 (5-10)	06/01/1987

International Regulations**Mexico - Grade**

Slight risk, Grade 1

Canada

This product has been classified in accordance with the hazard criteria of the Controlled Products Regulations (CPR) and the MSDS contains all the information required by the CPR.

WHMIS Hazard Class

B3 Combustible liquid

**16. OTHER INFORMATION**

Revision Date: 2014-05-21
Reason for revision: (M)SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By

FMC Corporation
FMC Logo and Rugby - Trademarks of FMC Corporation

© 2014 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet