SAFETY DATA SHEET

Rugby® 200 CS

SDS #: 6044-A

Revision date: 2015-02-02

Format: NA Version 1



1. PRODUCT AND COMPANY IDENTIFICATION

Product Identifier

Product Name Rugby® 200 CS

Other means of identification

Product Code(s) 6044-A

Synonyms CADUSAFOS: S,S-di-sec-butyl O-ethyl phosphorodithioate; O-ethyl

S,S-bis(1-methylpropyl) phosphorodithioate

Active Ingredient(s) Cadusafos

Chemical Family Organophosphate Pesticide

Alternate Commercial Name Apache®

Recommended use of the chemical and restrictions on use

Recommended Use: Insecticide, Nematicide

Restrictions on Use: Use as recommended by the label

Manufacturer Address

FMC Corporation 1735 Market Street Philadelphia, PA 19103

(215) 299-6000 (General Information)

msdsinfo@fmc.com (E-Mail General Information)

Emergency telephone number

Medical Emergencies:

1 800 / 331-3148 (PROSAR - U.S.A. & Canada)

1 651 / 632-6793 (PROSAR - All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call:

1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

Classification

OSHA Regulatory Status

This material is considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Acute toxicity - Oral	Category 4
Acute toxicity - Inhalation (Dusts/Mists)	Category 4
Specific target organ toxicity (single exposure)	Category 1
Specific target organ toxicity (repeated exposure)	Category 1

Revision date: 2015-02-02

Version 1

GHS Label elements, including precautionary statements

EMERGENCY OVERVIEW

Danger

Hazard Statements

H302 - Harmful if swallowed

H332 - Harmful if inhaled

H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure



Precautionary Statements - Prevention

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product

P271 - Use only outdoors or in a well-ventilated area

P260 - Do not breathe dust/fume/gas/mist/vapors/spray

Precautionary Statements - Response

P321 - Specific treatment (see supplemental first aid instructions on this label)

P308 + P311 - IF exposed or concerned: Call a POISON CENTER or doctor

P304 + P340 - IF INHALED: Remove person to fresh air and keep comfortable for breathing

P312 - Call a POISON CENTER or doctor if you feel unwell

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor if you feel unwell

P330 - Rinse mouth

Precautionary Statements - Storage

P405 - Store locked up

Precautionary Statements - Disposal

P501 - Dispose of contents/ container to an approved waste disposal plant

Hazards not otherwise classified (HNOC)

No hazards not otherwise classified were identified.

Other Information

Very toxic to aquatic life with long lasting effects

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Family

Organophosphate Pesticide.

Chemical name	CAS-No	Weight %
Cadusafos	95465-99-9	19.3
Methylene diphenyl diisocyanate (polymeric)	9016-87-9	5-10
Naphtha (petroleum), heavy aromatic	64742-94-5	1-5
1,6-hexanediamine (70%)	124-09-4	1-5
1-Methylnaphthalene	90-12-0	<3
Phosphoric acid	7664-38-2	<2

Synonyms are provided in Section 1.

4. FIRST AID MEASURES

Rugby® 200 CS

SDS #: 6044-A

Revision date: 2015-02-02

Version 1

Eye Contact Hold eyes open and rinse slowly and gently with water for 15-20 minutes. Remove contact

lenses, if present, after the first 5 minutes, then continue rinsing. Call a poison control

center or doctor for further treatment advice.

Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 **Skin Contact**

minutes. Call a poison control center or doctor for further treatment advice.

Inhalation Move to fresh air. If person is not breathing, contact emergency medical services, then give

artificial respiration, preferably mouth-to-mouth if possible. Call a poison control center or

doctor for further treatment advice.

Ingestion Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison

control center or doctor. Do not give anything by mouth to an unconscious person.

Most important symptoms and effects, both acute and delayed Symptoms of exposure may include headache, light-headedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration, blurred vision, tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma.

Indication of immediate medical attention and special treatment needed, if necessary

This product contains a reversible cholinesterase inhibitor. Atropine sulfate is antidotal. Support respiration as needed with removal of secretions, maintenance of a patent airway and, if necessary, artificial ventilation. If cyanosis is absent: Adults - start treatment by giving 2 mg atropine intravenously or intramuscularly, if necessary, and repeat with 0.4 - 2.0 mg atropine at 15 minute intervals until atropinization occurs (tachycardia, flushed skin, dry mouth, mydriasis); Children under 12 - initial dose = 0.05 mg/kg body weight and repeat dose = 0.02 - 0.05 mg/kg body weight. Start 2-PAM at the same time, following manufacturer's recommended dosages and administration. Morphine, reserpine, phenothiazines and theophylline are probably contraindicated. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Observe patient to insure that these symptoms do not recur as atropinization wears off. If in eyes, instill one drop of homatropine. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

5. FIRE-FIGHTING MEASURES

Suitable Extinguishing Media Foam. Carbon dioxide (CO₂). Dry powder. Water spray.

Specific Hazards Arising from the

Chemical

. Combustible liquid

Explosion data

Sensitivity to Mechanical Impact Sensitivity to Static Discharge

Not sensitive. Not sensitive.

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing. **Personal Precautions**

gloves and eve/face protection. For personal protection see section 8.

Other For further clean-up instructions, call FMC Emergency Hotline number listed in Section 1

"Product and Company Identification" above.

Environmental Precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes,

streams, ponds, and sewer drains.

Methods for Containment Dike to prevent runoff. Absorb with earth, sand or other non-combustible material and

transfer to containers for later disposal.

Revision date: 2015-02-02

Version 1

Methods for cleaning up

Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or disposal. Dispose of waste as indicated in Section 13.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food, or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces

and sources of ignition. Keep out of reach of children and animals. Keep/store only in

original container.

Incompatible products None known

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters

Chemical name	ACGIH TLV	OSHA PEL	NIOSH	Mexico
1,6-hexanediamine (70%) 124-09-4	TWA: 0.5 ppm	-	-	-
1-Methylnaphthalene 90-12-0	S* TWA: 0.5 ppm	-	-	-
Phosphoric acid 7664-38-2	STEL 3 mg/m³ TWA: 1 mg/m³	TWA: 1 mg/m ³	IDLH: 1000 mg/m³ TWA: 1 mg/m³ STEL: 3 mg/m³	Mexico: TWA 1 mg/m³ Mexico: STEL 3 mg/m³
Chemical name	British Columbia	Quebec	Ontario TWAEV	Alberta
Methylene diphenyl diisocyanate (polymeric) 9016-87-9	-	-	-	TWA: 0.005 ppm TWA: 0.07 mg/m ³
1,6-hexanediamine (70%) 124-09-4	TWA: 0.5 ppm	TWA: 0.5 ppm TWA: 2.3 mg/m³	TWA: 0.5 ppm	TWA: 0.5 ppm TWA: 2.4 mg/m ³
1-Methylnaphthalene 90-12-0	TWA: 0.5 ppm Skin	-	TWA: 0.5 ppm Skin	-
Phosphoric acid 7664-38-2	TWA: 1 mg/m³ STEL: 3 mg/m³	TWA: 1 mg/m³ STEL: 3 mg/m³	TWA: 1 mg/m ³ STEL: 3 mg/m ³	TWA: 1 mg/m ³ STEL: 3 mg/m ³

Appropriate engineering controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for

breathing and wear the recommended equipment.

Individual protection measures, such as personal protective equipment

Eye/Face Protection For dust, splash, mist or spray exposure, wear chemical protective goggles.

Skin and Body Protection Wear long-sleeved shirt, long pants, socks, and shoes.

Hand Protection Protective gloves

Respiratory Protection For dust, splash, mist or spray exposures wear a filtering mask.

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash

skin prior to eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing

separately from regular household laundry.

Revision date: 2015-02-02

Version 1

General information If the product is used in mixtures, it is recommended that you contact the appropriate

protective equipment suppliers These recommendations apply to the product as supplied

9. PHYSICAL AND CHEMICAL PROPERTIES

Information on basic physical and chemical properties

Appearance Suspension
Physical State Liquid
Color Green

Odor Slight mercaptan
Odor threshold No information available

pH 7.4-7.9 Melting point/freezing point Not app

Melting point/freezing pointNot applicableBoiling Point/RangeNo information available

Flash point 89-92 °C / 192-198 °F Tag Closed Cup

Evaporation Rate No information available Flammability (solid, gas) No information available

Flammability Limit in Air

Upper flammability limit:
Lower flammability limit:
Vapor pressure
Vapor density
No information available

Specific gravity 1.05-1.07

Water solubility No information available Solubility in other solvents No information available Partition coefficient No information available **Autoignition temperature** No information available **Decomposition temperature** No information available Viscosity, kinematic No information available Viscosity, dynamic No information available **Explosive properties** No information available **Oxidizing properties** No information available Molecular weight No information available **Bulk density** 8.75 - 8.91 lb/gal

10. STABILITY AND REACTIVITY

Reactivity Not applicable

Chemical Stability Stable.

Possibility of Hazardous Reactions None under normal processing.

Hazardous polymerization Hazardous polymerization does not occur.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition.

Incompatible materials None known.

Hazardous Decomposition Products Carbon oxides (COx), Phosphorous oxides, Sulfur dioxide.

11. TOXICOLOGICAL INFORMATION

Product Information

 LD50 Oral
 1,097 mg/kg (rat)

 LD50 Dermal
 > 5,000 mg/kg (rat)

 LC50 Inhalation
 > 3.87 mg/L 4 hr (rat)

Serious eye damage/eye irritation Minimally irritating (rabbit).

Skin corrosion/irritation Non-irritating.

Revision date: 2015-02-02

Version 1

Sensitization Non-sensitizing.

Information on toxicological effects

Symptoms This substance is a reversible cholinesterase-inhibiting pesticide, which elicits symptoms in

humans typical of cholinesterase inhibition including headache, light-headedness,

weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma. Excessive cholinesterase inhibition may result in death. Reduction of blood acetylcholinesterase levels

can occur without symptoms of toxicity.

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Chronic toxicity Cadusafos: Prolonged exposure caused inhibition of red blood cell and brain

cholinesterase, and decreased motor activity.

Mutagenicity Cadusafos:

Not genotoxic in laboratory studies.

Carcinogenicity Cadusafos: No evidence of carcinogenicity from animal studies.

Neurological effects Cadusafos: Chronic exposure to animals caused decreased motor activity and decreased

cholinesterase activity in brain, red blood cells and plasma.

Reproductive toxicity Cadusafos: No toxicity to reproduction in animal studies.

Developmental toxicityCadusafos: Not teratogenic in animal studies.

STOT - single exposure Causes damage to organs. See listed target organs below.

STOT - repeated exposure Causes damage to organs through prolonged or repeated exposure. See listed target

organs below.

Target organ effects Central Nervous System (CNS), Peripheral Nervous System (PNS).

Neurological effects Cadusafos: Chronic exposure to animals caused decreased motor activity and decreased

cholinesterase activity in brain, red blood cells and plasma.

Aspiration hazard No information available.

Chemical name	ACGIH	IARC	NTP	OSHA
Methylene diphenyl		Group 3		
diisocyanate (polymeric)		•		
9016-87-9				

12. ECOLOGICAL INFORMATION

Ecotoxicity

Cadusafos (95465-99-9)				
Active Ingredient(s)	Duration	Species	Value	Units
Cadusafos	48 h EC50	Crustacea	1.6	μg/L
	96 h LC50	Fish	0.13	mg/L
	72 h EC50	Algae	4.3	mg/L
	21 d NOEC	Crustacea	0.23	μg/L
	21 d NOEC	Fish	5.2	μg/L
	96 h NOEC	Algae	1.0	mg/L

Persistence and degradability Cadusafos: Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

Bioaccumulation Cadusafos: The substance does not have a potential for bioconcentration.

Mobility Cadusafos: Moderately mobile; Has some potential to reach groundwater.

13. DISPOSAL CONSIDERATIONS

Revision date: 2015-02-02

Version 1

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these

wastes cannot be disposed of by use according to label instructions, contact appropriate

disposal authorities for guidance.

Contaminated Packaging Do not reuse or refill this container. Containers must be disposed of in accordance with

local, state and federal regulations. Refer to the product label for container disposal

instructions.

14. TRANSPORT INFORMATION

DOT This material is a Combustible liquid and is, therefore, not subject to the hazardous

materials regulations when in non-bulk packages shipped within the USA per 49 CFR

§173.150(f)(2).

UN/ID no NA1993

Proper Shipping Name Combustible liquid, n.o.s

Hazard class Combustible

Packing Group

Description NA1993, Combustible liquid, n.o.s. (aromatic hydrocarbons), PGIII

TDG The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not

applicable when shipped only by road or rail in Canada.

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Marine Pollutant Cadusafos.

Description UN3082 Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PG III, Marine

Pollutant

ICAO/IATA

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III

Description UN3082 Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PG III, Marine

Pollutant

IMDG/IMO

UN/ID no UN3082

Proper Shipping Name Environmentally hazardous substance, liquid, n.o.s.

Hazard class 9
Packing Group III
EmS No. F-A, S-F
Marine Pollutant Cadusafos

Description UN3082 Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PG III, Marine

Pollutant

15. REGULATORY INFORMATION

U.S. Federal Regulations

SARA 313

Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 (SARA). This product contains a chemical or chemicals which are subject to the reporting requirements of the Act and Title 40 of the Code of Federal Regulations. Part 372:

Chemical name	CAS-No	Weight %	SARA 313 - Threshold Values %
Methylene diphenyl diisocyanate (polymeric) - 9016-87-9	9016-87-9	5-10	1.0

Revision date: 2015-02-02

Version 1

Acute health hazardYesChronic health hazardYesFire hazardYesSudden release of pressure hazardNoReactive HazardNo

Clean Water Act

This product contains the following substances which are regulated pollutants pursuant to the Clean Water Act (40 CFR 122.21 and 40 CFR 122.42):

Chemical name	CWA - Reportable Quantities	CWA - Toxic Pollutants	CWA - Priority Pollutants	CWA - Hazardous Substances
Phosphoric acid 7664-38-2	5000 lb			X

CERCLA

This material, as supplied, contains one or more substances regulated as a hazardous substance under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302):

Chemical name	Hazardous Substances RQs	Extremely Hazardous Substances RQs	RQ
Phosphoric acid 7664-38-2	5000 lb		RQ 5000 lb final RQ RQ 2270 kg final RQ

FIFRA Information

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

CAUTION

Harmful if swallowed, inhaled or absorbed through the skin. Causes minimal eye irritation.

This product is highly toxic to bees and other pollinating insects. This pesticide is highly toxic tofish, aquatic invertebrates, and birds.

US State Regulations

California Proposition 65

This product contains the following Proposition 65 chemicals:.

Chemical name	California Prop. 65
Naphthalene - 91-20-3	Carcinogen
Methyl alcohol - 67-56-1	Developmental

U.S. State Right-to-Know Regulations

Chemical name	New Jersey	Massachusetts	Pennsylvania
2-Methylnaphthalene 91-57-6	X		
Methylene diphenyl diisocyanate (polymeric) 9016-87-9	Х		
1,6-hexanediamine (70%) 124-09-4	Х	X	
1-Methylnaphthalene 90-12-0	Х	X	Х
Phosphoric acid 7664-38-2	Х	X	X

International Inventories

Revision date: 2015-02-02

Version 1

г т		i	1			1	1	version
Component	TSCA (United States)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	China (IECSC)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)
Cadusafos 95465-99-9 (19.3)						X		
Methylene diphenyl diisocyanate (polymeric) 9016-87-9 (5-10)	Х	X		Х	X	X	X	X
Naphtha (petroleum), heavy aromatic 64742-94-5 (1-5)	Х	X	X	Х	X	Х	X	Х
1,6-hexanediamine (70%) 124-09-4 (1-5)	Х	X	Х	Х	X	Х	X	Х
1-Methylnaphthalen e 90-12-0 (<3)	Х	Х	Х	Х	Х		Х	Х
Phosphoric acid 7664-38-2 (<2)	Х	Х	Х	Х	Х	Х	Х	Х

Mexico - Grade

Moderate risk, Grade 2

WHMIS Hazard Class

B3 - Combustible liquid D2A - Very toxic materials





	TOT OTTILE CHARACTERS						
NFPA	Health Hazards 2	Flammability 2	Instability 0	Special Hazards -			
HMIS	Health Hazards 2*	Flammability 2	Physical hazard 0	Personal Protection X			

16 OTHER INFORMATION

Revision date: 2015-02-02

Revision note (M)SDS sections updated

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Use of this product is regulated by the U.S. Environmental Protection Agency (EPA). It is a violation of Federal law to use this product in a manner inconsistent with its labeling. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By:

FMC Corporation

FMC Logo and Rugby - Trademarks of FMC Corporation

© 2015 FMC Corporation. All Rights Reserved.

End of Safety Data Sheet