Safety Data Sheet

Cadusafos 200CS

SDS #: 6044-1-A

Revision Date: 2014-01-08

Version 2



1. PRODUCT AND COMPANY IDENTIFICATION

Product name Cadusafos 200CS
Active Ingredient(s) Cadusafos

Chemical Family Organophosphate Pesticide

Synonyms CADUSAFOS: S,S-di-sec-butyl O-ethyl phosphorodithioate; O-ethyl S,S-bis(1-methylpropyl)

phosphorodithioate

Manufacturer

FMC Corporation Agricultural Solutions 1735 Market Street Philadelphia, PA 19103 General Information: Phone: (215) 299-6000 E-Mail: msdsinfo@fmc.com

Emergency telephone number

Medical Emergencies:

 $1\ 800\ /\ 331\mbox{-}3148$ (PROSAR - U.S.A. & Canada) $1\ 651\ /\ 632\mbox{-}6793$ (PROSAR - All Other Countries - Collect)

For leak, fire, spill or accident emergencies, call: 1 800 / 424 9300 (CHEMTREC - U.S.A.)

1 703 / 527 3887 (CHEMTREC - Collect - All Other Countries)

2. HAZARDS IDENTIFICATION

Classification of the chemical

Acute oral toxicity	Category 4
Acute inhalation toxicity - dust/mist	Category 4
Specific target organ systemic toxicity (single exposure)	Category 1
Specific target organ systemic toxicity (repeated exposure)	Category 1
Acute aquatic toxicity	Category 1
Chronic aquatic toxicity	Category 1
Flammable liquids	Category 4

Labeling



Signal Word: Danger

 $\textbf{Revision Date:} \ \ 2014\text{-}01\text{-}08$

Version 2

Hazard statements H227 - Combustible liquid

H302 - Harmful if swallowed H332 - Harmful if inhaled H370 - Causes damage to organs

H372 - Causes damage to organs through prolonged or repeated exposure

H410 - Very toxic to aquatic life with long lasting effects

Precautionary Statements

P210 - Keep away from heat/sparks/open flames/hot surfaces. - No smoking

P261 - Avoid breathing dust/ fume/ gas/ mist/ vapors/ spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P270 - Do not eat, drink or smoke when using this product P271 - Use only outdoors or in a well-ventilated area

P273 - Avoid release to the environment

P307 + P311 - IF exposed: Call a POISON CENTER or doctor/physician

P301 + P312 - IF SWALLOWED: Call a POISON CENTER or doctor/ physician if you feel unwell P304 + P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing

P370 + P378 - In case of fire: Use of foam, carbon dioxide, water spray, or dry powder for extinction.

P403 + P235 - Store in a well-ventilated place. Keep cool

P405 - Store locked up

P501 - Dispose of contents/ container to an approved incineration plant

Hazards Not Otherwise Classified

General Hazards

Cadusafos is a cholinesterase-inhibiting pesticide, which elicits symptoms in humans typical of cholinesterase inhibition including headaches, light-headedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma. Excessive cholinesterase inhibition can result in death. Reduction of blood acetylcholinesterase levels can occur without symptoms of toxicity.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Name	Weight %	ENCS (Japan)	ISHL No.	CAS-No
1,6-hexanediamine (70%)	1-5	X		124-09-4
Urea	5-10	X		57-13-6
Phosphoric acid	1-5	X		7664-38-2
Methylene diphenyl diisocyanate (polymeric)	5-10	X		9016-87-9
Naphthalene sulfonic acid-formaldehyde condensate, sodium salt	1-5	X		9084-06-4
Cadusafos	19.3			95465-99-9

4. FIRST AID MEASURES

Eye contact Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if

present, after the first 5 minutes, then continue rinsing. Call a poison control center or doctor for

treatment advice.

Skin contact Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.

Call a poison control center or doctor for treatment advice.

Inhalation Move to fresh air. If person is not breathing, contact emergency medical services, then give artificial

respiration, preferably mouth-to-mouth if possible. Call a poison control center or doctor for further

treatment advice.

Revision Date: 2014-01-08

Version 2

Ingestion

Call a poison control center or doctor immediately for treatment advice. Drink 2 glasses of water and induce vomiting by touching back of throat with finger. Do not induce vomiting or give anything by mouth to an unconscious person. If swallowed, do not induce vomiting - seek medical advice.

Indication of immediate medical attention and special treatment needed, if necessary

This product contains a reversible cholinesterase inhibitor. Atropine sulfate is antidotal. Support respiration as needed with removal of secretions, maintenance of a patent airway and, if necessary, artificial ventilation. If cyanosis is absent: Adults - start treatment by giving 2 mg atropine intravenously or intramuscularly, if necessary, and repeat with 0.4 - 2.0 mg atropine at 15 minute intervals until atropinization occurs (tachycardia, flushed skin, dry mouth, mydriasis); Children under 12 - initial dose = 0.05 mg/kg body weight and repeat dose = 0.02 - 0.05 mg/kg body weight. Start 2-PAM at the same time, following manufacturer's recommended dosages and administration. Morphine, reserpine, phenothiazines and theophylline are probably contraindicated. At first sign of pulmonary edema, the patient should be given supplemental oxygen and treated symptomatically. Observe patient to insure that these symptoms do not recur as atropinization wears off. If in eyes, instill one drop of homatropine. Treatment is otherwise controlled removal of exposure followed by symptomatic and supportive care.

5. FIRE-FIGHTING MEASURES

Flammable properties Combustible liquid.

Suitable extinguishing media Foam. Carbon dioxide (CO₂). Dry powder. Water spray.

Protective equipment and precautions

for firefighters

Wear self-contained breathing apparatus and protective suit.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions Isolate and post spill area. Remove all sources of ignition. Wear suitable protective clothing, gloves

and eye/face protection. For personal protection see section 8.

Environmental precautions Keep people and animals away from and upwind of spill/leak. Keep material out of lakes, streams,

ponds, and sewer drains.

Methods for containmentDike to prevent runoff. Absorb with earth, sand or other non-combustible material and transfer to

containers for later disposal.

Methods for cleaning up Clean and neutralize spill area, tools and equipment by washing with bleach water and soap. Absorb

rinsate and add to the collected waste. Waste must be classified and labeled prior to recycling or

disposal. Dispose of waste as indicated in Section 13.

Other For further clean-up instructions call FMC Emergency Hotline number listed in Section 1 "Product

and Company Identification" above.

7. HANDLING AND STORAGE

Handling Do not contaminate other pesticides, fertilizers, water, food or feed by storage or disposal.

Storage Keep in a dry, cool and well-ventilated place. Keep away from open flames, hot surfaces and sources

of ignition. Keep out of reach of children and animals. Store in original container only.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Exposure guidelines

Chemical Name Japan ACGIH TLV China Korea 1,6-hexanediamine (70%) TWA: 0.5 ppm 124-09-4 Urea TWA: 5 mg/m³ STEL: 10 mg/m3 57-13-6 Phosphoric acid OEL: 1 mg/m³ STEL 3 mg/m³ TWA: 1 mg/m³ STEL: 3 mg/m³ 7664-38-2 TWA: 1 mg/m³ STEL: 3 mg/m³ TWA: 1 mg/m³ **Chemical Name** Indonesia Australia India Taiwan

Revision Date: 2014-01-08

Version 2

1,6-hexanediamine (70%) 124-09-4		TWA 0.5 ppm		
Phosphoric acid 7664-38-2	STEL 2 mg/m ³	TWA 1 mg/m ³ S* STEL 3 mg/m ³	STEL 3 mg/m ³ TWA 1 mg/m ³	TWA 1 mg/m ³ STEL 3 mg/m ³

Occupational exposure controls

Engineering measures Apply technical measures to comply with the occupational exposure limits. When working in

confined spaces (tanks, containers, etc.), ensure that there is a supply of air suitable for breathing and

wear the recommended equipment.

Personal Protective Equipment

General Information If the product is used in mixtures, it is recommended that you contact the appropriate protective

equipment suppliers. These recommendations apply to the product as supplied.

Respiratory protection For dust, splash, mist or spray exposures wear a filtering mask.

Eye/face protection For dust, splash, mist or spray exposure, wear chemical protective goggles or a face-shield.

Skin and body protection Wear long-sleeved shirt, long pants, socks, shoes, and gloves.

Hand protection Protective gloves

Hygiene measures Clean water should be available for washing in case of eye or skin contamination. Wash skin prior to

eating, drinking, chewing gum or using tobacco. Shower or bathe at the end of working. Remove and wash contaminated clothing before re-use. Launder work clothing separately from regular household

laundry.

9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance suspension
Odor Slight mercaptan

Physical state Liquid pH 7.4-7.9

Flash Point 89-92 °C / 192-198 °F Tag Closed Cup

Autoignition TemperatureNo data availableBoiling Point/RangeNo data availableMelting Point/RangeNo data available

Flammability Limits in Air upper No data available Explosion limits upper No data available lower No data available lower No data available

Explosive properties No information available. **Oxidizing properties** No information available. **Evaporation rate** No data available No data available Vapor density **Specific Gravity** 1.05 - 1.07 **Bulk density** 8.75 - 8.91 lb/gal **Solubility** No information available. Partition coefficient No data available Viscosity, dynamic No information available.

10. STABILITY AND REACTIVITY

Stability Stable.

Conditions to avoid Keep away from open flames, hot surfaces and sources of ignition.

Hazardous decomposition products Carbon oxides, Phosphorous oxides, Sulfur dioxide.

11. TOXICOLOGICAL INFORMATION

Acute Toxicity

Cadusafos is a cholinesterase-inhibiting pesticide, which elicits symptoms in humans typical of cholinesterase inhibition including headaches, light-headedness, weakness, abdominal cramps, nausea, excessive salivation, perspiration and blurred vision. More severe signs of cholinesterase inhibition include tearing, pin-point pupils, excessive respiratory secretions, cyanosis, convulsions, generalized tremor and coma. Excessive cholinesterase inhibition can result in death. Reduction of blood acetylcholinesterase levels can occur without symptoms of toxicity.

Revision Date: 2014-01-08

Version 2

Skin contactSlightly or non-irritating (rabbit).Eye contactSlightly or non-irritating (rabbit).

LD50 Dermal > 5000 mg/kg (Rat)

 LD50 Oral 1,097 mg/kg (Rat)

 LC50 Inhalation > 3.87 mg/L 4 hr (Rat)

Sensitization Non-sensitizer

Chronic Toxicity

Chronic Toxicity Prolonged exposure caused inhibition of red blood cell and brain cholinesterase, and decreased

motor activity.

Neurological Effects Cadusafos: Chronic exposure to animals caused decreased motor activity and decreased

cholinesterase activity in brain, red blood cells and plasma.

Target Organ Effects Central nervous system (CNS). Peripheral Nervous System (PNS). Acetylcholinesterase Inhibition.

Carcinogenicity Cadusafos: No evidence of carcinogenicity from animal studies.

Mutagenicity Cadusafos: Not genotoxic in animal studies

Reproductive toxicity Cadusafos: No toxicity to reproduction in animal studies.

Developmental Toxicity Cadusafos: Not teratogenic in animal studies.

Chemical Name	IARC		
Methylene diphenyl diisocyanate (polymeric)	Group 3		

12. ECOLOGICAL INFORMATION

Ecotoxicity

Cadusafos (95465-99-9)							
Active Ingredient(s)	Duration	Species	Value	Units			
Cadusafos	48 h EC50	Crustacea	1.6	μg/L			
	96 h LC50	Fish	0.13	mg/L			
	72 h EC50	Algae	4.3	mg/L			
	21 d NOEC	Crustacea	0.23	μg/L			
	21 d NOEC	Fish	5.2	μg/L			
	96 h NOEC	Algae	1.0	mg/L			

Chemical Name	Toxicity to algae	Toxicity to fish	Toxicity to microorganisms	Toxicity to daphnia and other aquatic invertebrates
1,6-hexanediamine (70%) 124-09-4	72 h EC50: 15 mg/L (EC50) 96 h EC50: 14.8 mg/L (EC50)	96 h LC50: > 56 mg/L (Lepomis macrochirus) 96 h LC50: = 1825 mg/L (Pimephales promelas)		48 h EC50: 23.4 mg/L (Daphnia magna)
Urea 57-13-6		96 h LC50: 16200 - 18300 mg/L (Poecilia reticulata)		48 h EC50: 3910 mg/L (Daphnia magna)

Persistence and degradability Moderately persistent. Does not readily hydrolyze. Not readily biodegradable.

Bioaccumulation The substance does not have a potential for bioconcentration.

Mobility

Moderately mobile. Has some potential to reach groundwater.

Chemical Name	log Pow
1,6-hexanediamine (70%) 124-09-4	0.02
Urea 57-13-6	-1.59

Revision Date: 2014-01-08

Version 2

Other adverse effects No information available

13. DISPOSAL CONSIDERATIONS

Waste disposal methods Improper disposal of excess pesticide, spray mixture, or rinsate is prohibited. If these wastes cannot

be disposed of by use according to label instructions, contact appropriate disposal authorities for

guidance.

Contaminated packaging Do not reuse or refill this container. Containers must be disposed of in accordance with local, state

and federal regulations. Refer to the product label for container disposal instructions.

14. TRANSPORT INFORMATION

Packaging Type Bulk

DOTThis material is a Combustible liquid and is, therefore, not subject to the hazardous materials

regulations when in non-bulk packages shipped within the USA per 49 CFR §173.150(f)(2).

UN/ID No NA1993

Proper shipping name Combustible liquid, n.o.s.

Hazard Class Combustible

Packing group II

Description NA1993, Combustible liquid, n.o.s. (aromatic hydrocarbons), PGIII

TDG The "Marine Pollutant" marking is only applicable when shipped by vessel, and is not applicable

when shipped only by road or rail in Canada.

UN/ID No UN3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing group III
Marine pollutant Cadu

Marine pollutant Cadusafos.

Description UN3082 Environmentally hazardou

UN3082 Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PG III, Marine

Pollutant

IMDG/IMO

UN/ID No UN3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing group III
Marine pollutant Cadusafos
EmS No. F-A, S-F

Description UN3082 Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PG III, Marine

Pollutant

ICAO/IATA

UN/ID No UN3082

Proper shipping name Environmentally hazardous substance, liquid, n.o.s.

Hazard Class 9
Packing group III
Marina pulletant Cadward

Marine pollutant Cadusafos

Description UN3082 Environmentally hazardous substance, liquid, n.o.s. (Cadusafos), 9, PG III, Marine

Pollutant

15. REGULATORY INFORMATION

International Inventories

Revision Date: 2014-01-08

Version 2

Chemical Name	TSCA Inventory (United States of America)	DSL (Canada)	EINECS/ELI NCS (Europe)	ENCS (Japan)	IECSC (China)	KECL (Korea)	PICCS (Philippines)	AICS (Australia)	NZIoC (New Zealand)
1,6-hexanediamine (70%) 124-09-4	X	X	X	X	X	X	X	X	X
Urea 57-13-6	X	X	X	X	X	X	X	X	X
Phosphoric acid 7664-38-2	X	X	X	X	X	X	X	X	X
Methylene diphenyl diisocyanate (polymeric) 9016-87-9	X	X	-	X	X	X	X	X	X
Naphthalene sulfonic acid-formaldehyde condensate, sodium salt 9084-06-4	X	X	-	X	X	X	X	X	X
Cadusafos 95465-99-9	-	-	-	-	-	X	-	-	-

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

AICS - Australian Inventory of Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

Japan

Chemical Name	Dangerous Substances	organic solvents		Whose Na be Indica	Substances imes Are to ited on the ibel	e to and Transfe		fer and Transfer		Poisonous and Deleterious Substances Control Law
1,6-hexanediamine (70%)	>0.1 %	Not	t applicable	Not applicable				390		Deleterious -X
Phosphoric acid	>1 %	Not	t applicable	Not ap	Not applicable					
Cadusafos	Not applicable	No	t applicable	Not applicable				331		Poisonous-X Deleterious -X
Chemical Name	ISHA - Harmi Substances Prohi for Manufactur Importing, Transfor or Supplying	bited ing, erring,	ISHA - Ha Substances F Permiss	Requiring	equiring Contro			Release Inventory nicals - Group 1	l	xic Release Inventory Themicals - Group 2
Cadusafos	Not applicable	le	Not appli	cable	97-	1-249 *	N	ot applicable		Not applicable

Revision Date: 2014-01-08

Version 2

16. OTHER INFORMATION

Revision Date: 2014-01-08

Reason for revision: (M)SDS sections updated.

Disclaimer

FMC Corporation believes that the information and recommendations contained herein (including data and statements) are accurate as of the date hereof. NO WARRANTY OF FITNESS FOR ANY PARTICULAR PURPOSE, WARRANTY OF MERCHANTABILITY OR ANY OTHER WARRANTY, EXPRESSED OR IMPLIED, IS MADE CONCERNING THE INFORMATION PROVIDED HEREIN. The information provided herein relates only to the specified product designated and may not be applicable where such product is used in combination with any other materials or in any process. Further, since the conditions and methods of use are beyond the control of FMC Corporation, FMC corporation expressly disclaims any and all liability as to any results obtained or arising from any use of the products or reliance on such information.

Prepared By

FMC Corporation
FMC Logo and Rugby - Trademarks of FMC Corporation

© 2014 FMC Corporation. All Rights Reserved.

End of Material Safety Data Sheet