


```
ubuntu@ip-172-31-67-189: ~
]
Get:29 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/multiverse amd64 c-n-f Metadata [4
96 B]
Get:30 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/main amd64 Packages [40.4 kB]
Get:31 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/main Translation-en [9208 B]
Get:32 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/main amd64 Components [7312 B]
Get:33 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/main amd64 c-n-f Metadata [368 B
]
Get:34 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe amd64 Packages [29.5 kB
]
Get:35 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe Translation-en [17.9 kB
]
Get:36 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe amd64 Components [10.5
kB]
Get:37 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/universe amd64 c-n-f Metadata [1
444 B]
Get:38 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/restricted amd64 Components [216
 B]
Get:39 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/restricted amd64 c-n-f Metadata
[116 B]
Get:40 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 Components [212
 B]
Get:41 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports/multiverse amd64 c-n-f Metadata
[116 B]
Get:42 http://security.ubuntu.com/ubuntu noble-security/main Translation-en [237 kB]
Get:43 http://security.ubuntu.com/ubuntu noble-security/main amd64 Components [21.5 kB]
Get:44 http://security.ubuntu.com/ubuntu noble-security/main amd64 c-n-f Metadata [9892 B]
Get:45 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Packages [935 kB]
Get:46 http://security.ubuntu.com/ubuntu noble-security/universe Translation-en [214 kB]
Get:47 http://security.ubuntu.com/ubuntu noble-security/universe amd64 Components [74.2 kB]
Get:48 http://security.ubuntu.com/ubuntu noble-security/universe amd64 c-n-f Metadata [20.0 kB]
Get:49 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Packages [2510 kB]
Get:50 http://security.ubuntu.com/ubuntu noble-security/restricted Translation-en [581 kB]
Get:51 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 Components [212 B]
Get:52 http://security.ubuntu.com/ubuntu noble-security/restricted amd64 c-n-f Metadata [536 B]
Get:53 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Packages [28.8 kB]
Get:54 http://security.ubuntu.com/ubuntu noble-security/multiverse Translation-en [6492 B]
Get:55 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 Components [212 B]
Get:56 http://security.ubuntu.com/ubuntu noble-security/multiverse amd64 c-n-f Metadata [396 B]
Fetched 40.1 MB in 7s (6039 kB/s)
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
94 packages can be upgraded. Run 'apt list --upgradable' to see them.
ubuntu@ip-172-31-67-189:~$ sudo apt-get update
Hit:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble InRelease
Hit:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates InRelease
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu noble-security InRelease
Reading package lists... Done
ubuntu@ip-172-31-67-189:~$
```

ubuntu@ip-172-31-67-189: ~

```
Hit:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-backports InRelease
Hit:4 http://security.ubuntu.com/ubuntu noble-security InRelease
Reading package lists... Done
ubuntu@ip-172-31-67-189:~$ sudo apt install apache2
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  apache2-bin apache2-data apache2-utils libapr1t64 libaprutil1-dbd-sqlite3 libaprutil1-ldap
  libaprutil1t64 liblua5.4-0 ssl-cert
Suggested packages:
  apache2-doc apache2-suexec-pristine | apache2-suexec-custom www-browser
The following NEW packages will be installed:
  apache2 apache2-bin apache2-data apache2-utils libapr1t64 libaprutil1-dbd-sqlite3 libaprutil1-ldap
  libaprutil1t64 liblua5.4-0 ssl-cert
0 upgraded, 10 newly installed, 0 to remove and 94 not upgraded.
Need to get 2090 kB of archives.
After this operation, 8113 kB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libapr1t64 amd64 1.7.2-3
.1ubuntu0.1 [108 kB]
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libaprutil1t64 amd64 1.6.3-1.1ub
untu7 [91.9 kB]
Get:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libaprutil1-dbd-sqlite3 amd64 1.
6.3-1.1ubuntu7 [11.2 kB]
Get:4 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libaprutil1-ldap amd64 1.6.3-1.1
ubuntu7 [9116 B]
Get:5 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 liblua5.4-0 amd64 5.4.6-3build2
[166 kB]
Get:6 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 apache2-bin amd64 2.4.58
-1ubuntu8.10 [1334 kB]
Get:7 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 apache2-data all 2.4.58-
1ubuntu8.10 [163 kB]
Get:8 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 apache2-utils amd64 2.4.
58-1ubuntu8.10 [98.1 kB]
Get:9 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 apache2 amd64 2.4.58-1ub
untu8.10 [90.2 kB]
Get:10 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 ssl-cert all 1.1.2ubuntu1 [17.8
 kB]
Fetched 2090 kB in 0s (32.2 MB/s)
Preconfiguring packages ...
Selecting previously unselected package libapr1t64:amd64.
(Reading database ... 71752 files and directories currently installed.)
Preparing to unpack .../0-libapr1t64_1.7.2-3.1ubuntu0.1_amd64.deb ...
Unpacking libapr1t64:amd64 (1.7.2-3.1ubuntu0.1) ...
Selecting previously unselected package libaprutil1t64:amd64.
Preparing to unpack .../1-libaprutil1t64_1.6.3-1.1ubuntu7_amd64.deb ...
Unpacking libaprutil1t64:amd64 (1.6.3-1.1ubuntu7) ...
Selecting previously unselected package libaprutil1-dbd-sqlite3:amd64.
Preparing to unpack .../2-libaprutil1-dbd-sqlite3_1.6.3-1.1ubuntu7_amd64.deb ...
Unpacking libaprutil1-dbd-sqlite3:amd64 (1.6.3-1.1ubuntu7) ...
```

ubuntu@ip-172-31-67-189: ~

```
  GNU nano 7.2                  /etc/apache2/sites-available/000-default.conf
<VirtualHost *:80>
        # The ServerName directive sets the request scheme, hostname and port that
        # the server uses to identify itself. This is used when creating
        # redirection URLs. In the context of virtual hosts, the ServerName
        # specifies what hostname must appear in the request's Host: header to
        # match this virtual host. For the default virtual host (this file) this
        # value is not decisive as it is used as a last resort host regardless.
        # However, you must set it for any further virtual host explicitly.
        #ServerName www.example.com

        ServerAdmin webmaster@localhost
        DocumentRoot /var/www/html

        # Available loglevels: trace8, ..., trace1, debug, info, notice, warn,
        # error, crit, alert, emerg.
        # It is also possible to configure the loglevel for particular
        # modules, e.g.
        #LogLevel info ssl:warn

        ErrorLog ${APACHE_LOG_DIR}/error.log
        CustomLog ${APACHE_LOG_DIR}/access.log combined

        # For most configuration files from conf-available/, which are
        # enabled or disabled at a global level, it is possible to
        # include a line for only one particular virtual host. For example the
        # following line enables the CGI configuration for this host only
        # after it has been globally disabled with "a2disconf".
        #Include conf-available/serve-cgi-bin.conf

        <Directory /var/www/html>
         Options Indexes FollowSymLinks
         AllowOverride All
         Require all granted
        </Directory>

</VirtualHost>

                                        [ Wrote 36 lines ]
^G Help      ^O Write Out  ^W Where Is   ^K Cut       ^T Execute    ^C Location   M-U Undo
^X Exit      ^R Read File  ^\ Replace    ^U Paste     ^J Justify    ^/ Go To Line M-E Redo
```

ubuntu@ip-172-31-67-189: ~

```
Enabling module authz_host.
Enabling module authn_core.
Enabling module auth_basic.
Enabling module access_compat.
Enabling module authn_file.
Enabling module authz_user.
Enabling module alias.
Enabling module dir.
Enabling module autoindex.
Enabling module env.
Enabling module mime.
Enabling module negotiation.
Enabling module setenvif.
Enabling module filter.
Enabling module deflate.
Enabling module status.
Enabling module reqtimeout.
Enabling conf charset.
Enabling conf localized-error-pages.
Enabling conf other-vhosts-access-log.
Enabling conf security.
Enabling conf serve-cgi-bin.
Enabling site 000-default.
Created symlink /etc/systemd/system/multi-user.target.wants/apache2.service → /usr/lib/systemd/system/
apache2.service.
Created symlink /etc/systemd/system/multi-user.target.wants/apache-htcacheclean.service → /usr/lib/sys
temd/system/apache-htcacheclean.service.
Processing triggers for ufw (0.36.2-6) ...
Processing triggers for man-db (2.12.0-4build2) ...
Processing triggers for libc-bin (2.39-0ubuntu8.6) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-67-189:~$ sudo nano /etc/apache2/sites-available/000-default.conf
ubuntu@ip-172-31-67-189:~$ sudo a2enmod mod_rewrite
ERROR: Module mod_rewrite does not exist!
ubuntu@ip-172-31-67-189:~$ sudo a2enmod rewrite
Enabling module rewrite.
To activate the new configuration, you need to run:
  systemctl restart apache2
ubuntu@ip-172-31-67-189:~$ sudo service apache2 restart
ubuntu@ip-172-31-67-189:~$
```

ubuntu@ip-172-31-67-189: ~

```
ubuntu@ip-172-31-67-189:~$ sudo apt install php libapache2-mod-php php-mysql php-curl php-gd php-xml p
hp-mbstring php-xmlrpc php-zip php-soap php-intl -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  fontconfig-config fonts-dejavu-core fonts-dejavu-mono libaom3 libapache2-mod-php8.3 libde265-0
  libdeflate0 libfontconfig1 libgd3 libheif-plugin-aomdec libheif-plugin-aomenc
  libheif-plugin-libde265 libheif1 libjbig0 libjpeg-turbo8 libjpeg8 liblerc4 libsharpyuv0 libtiff6
  libwebp7 libxmlrpc-epi0t64 libxpm4 libzip4t64 php-common php8.3 php8.3-cli php8.3-common
  php8.3-curl php8.3-gd php8.3-intl php8.3-mbstring php8.3-mysql php8.3-opcache php8.3-readline
  php8.3-soap php8.3-xml php8.3-xmlrpc php8.3-zip
Suggested packages:
  php-pear libgd-tools libheif-plugin-x265 libheif-plugin-ffmpegdec libheif-plugin-jpegdec
  libheif-plugin-jpegenc libheif-plugin-j2kdec libheif-plugin-j2kenc libheif-plugin-rav1e
  libheif-plugin-svtenc
The following NEW packages will be installed:
  fontconfig-config fonts-dejavu-core fonts-dejavu-mono libaom3 libapache2-mod-php
  libapache2-mod-php8.3 libde265-0 libdeflate0 libfontconfig1 libgd3 libheif-plugin-aomdec
  libheif-plugin-aomenc libheif-plugin-libde265 libheif1 libjbig0 libjpeg-turbo8 libjpeg8 liblerc4
  libsharpyuv0 libtiff6 libwebp7 libxmlrpc-epi0t64 libxpm4 libzip4t64 php php-common php-curl php-gd
  php-intl php-mbstring php-mysql php-soap php-xml php-xmlrpc php-zip php8.3 php8.3-cli
  php8.3-common php8.3-curl php8.3-gd php8.3-intl php8.3-mbstring php8.3-mysql php8.3-opcache
  php8.3-readline php8.3-soap php8.3-xml php8.3-xmlrpc php8.3-zip
0 upgraded, 49 newly installed, 0 to remove and 94 not upgraded.
Need to get 11.1 MB of archives.
After this operation, 40.6 MB of additional disk space will be used.
Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 php-common all 2:93ubuntu2 [13.9
 kB]
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 php8.3-common amd64 8.3.
6-0ubuntu0.24.04.6 [740 kB]
Get:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 php8.3-opcache amd64 8.3
.6-0ubuntu0.24.04.6 [372 kB]
Get:4 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 php8.3-readline amd64 8.
3.6-0ubuntu0.24.04.6 [13.4 kB]
Get:5 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 php8.3-cli amd64 8.3.6-0
ubuntu0.24.04.6 [1916 kB]
Get:6 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libapache2-mod-php8.3 am
d64 8.3.6-0ubuntu0.24.04.6 [1850 kB]
Get:7 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 libxmlrpc-epi0t64 amd64 0.54
.2-2.1build1 [30.9 kB]
Get:8 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 php8.3-xmlrpc amd64 3:1.0.0~
rc3-6ubuntu2 [16.7 kB]
Get:9 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 php-xmlrpc amd64 3:1.0.0~rc3
-6ubuntu2 [2758 B]
Get:10 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 fonts-dejavu-mono all 2.37-8 [5
02 kB]
Get:11 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 fonts-dejavu-core all 2.37-8 [8
35 kB]
Get:12 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 fontconfig-config amd64 2.15.0-
1.1ubuntu2 [37.3 kB]
```

```
ubuntu@ip-172-31-67-189: ~

  GNU nano 7.2                    /var/www/html/index.php
<?php phpinfo(); ?>

                                 [ Wrote 1 line ]
^G Help      ^O Write Out  ^W Where Is   ^K Cut       ^T Execute    ^C Location   M-U Undo
^X Exit      ^R Read File  ^\ Replace    ^U Paste     ^J Justify    ^/ Go To Line M-E Redo
```



ubuntu@ip-172-31-67-189: /

```
ubuntu@ip-172-31-67-189:/var/www/html$ cd /home
ubuntu@ip-172-31-67-189:/home$ cd ..
ubuntu@ip-172-31-67-189:/$ sudo apt install mysql-server -y
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
The following additional packages will be installed:
  libcgi-fast-perl libcgi-pm-perl libclone-perl libencode-locale-perl libevent-pthreads-2.1-7t64
  libfcgi-bin libfcgi-perl libfcgi0t64 libhtml-parser-perl libhtml-tagset-perl libhtml-template-perl
  libhttp-date-perl libhttp-message-perl libio-html-perl liblwp-mediatypes-perl libmecab2
  libprotobuf-lite32t64 libtimedate-perl liburi-perl mecab-ipadic mecab-ipadic-utf8 mecab-utils
  mysql-client-8.0 mysql-client-core-8.0 mysql-common mysql-server-8.0 mysql-server-core-8.0
Suggested packages:
  libdata-dump-perl libipc-sharedcache-perl libio-compress-brotli-perl libbusiness-isbn-perl
  libregexp-ipv6-perl libwww-perl mailx tinyca
The following NEW packages will be installed:
  libcgi-fast-perl libcgi-pm-perl libclone-perl libencode-locale-perl libevent-pthreads-2.1-7t64
  libfcgi-bin libfcgi-perl libfcgi0t64 libhtml-parser-perl libhtml-tagset-perl libhtml-template-perl
  libhttp-date-perl libhttp-message-perl libio-html-perl liblwp-mediatypes-perl libmecab2
  libprotobuf-lite32t64 libtimedate-perl liburi-perl mecab-ipadic mecab-ipadic-utf8 mecab-utils
  mysql-client-8.0 mysql-client-core-8.0 mysql-common mysql-server mysql-server-8.0
  mysql-server-core-8.0
0 upgraded, 28 newly installed, 0 to remove and 94 not upgraded.
Need to get 29.6 MB of archives.
After this operation, 243 MB of additional disk space will be used.
Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 mysql-common all 5.8+1.1.0build1
 [6746 B]
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 mysql-client-core-8.0 am
d64 8.0.45-0ubuntu0.24.04.1 [2740 kB]
Get:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 mysql-client-8.0 amd64 8
.0.45-0ubuntu0.24.04.1 [22.5 kB]
Get:4 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libevent-pthreads-2.1-7t64 amd64
 2.1.12-stable-9ubuntu2 [7982 B]
Get:5 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libmecab2 amd64 0.996-14ubuntu4
[201 kB]
Get:6 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libprotobuf-lite32t64 am
d64 3.21.12-8.2ubuntu0.2 [238 kB]
Get:7 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 mysql-server-core-8.0 am
d64 8.0.45-0ubuntu0.24.04.1 [17.6 MB]
Get:8 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 mysql-server-8.0 amd64 8
.0.45-0ubuntu0.24.04.1 [1441 kB]
Get:9 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libhtml-tagset-perl all 3.20-6 [
11.3 kB]
Get:10 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 liburi-perl all 5.27-1 [88.0 kB
]
Get:11 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libhtml-parser-perl amd64 3.81-
1build3 [85.8 kB]
Get:12 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/main amd64 libcgi-pm-perl all 4.63-1 [185
kB]
Get:13 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble-updates/main amd64 libfcgi0t64 amd64 2.4.2
-2.1ubuntu0.24.04.1 [27.0 kB]
```

ubuntu@ip-172-31-67-189: /

```
No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-67-189:/$ sudo mysql -u usuario -p
Enter password:
ERROR 1045 (28000): Access denied for user 'usuario'@'localhost' (using password: NO)
ubuntu@ip-172-31-67-189:/$ sudo mysql
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 9
Server version: 8.0.45-0ubuntu0.24.04.1 (Ubuntu)

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> ALTER USER 'root'@'localhost' IDENTIFIED WITH mysql_native_password BY
    -> 'password';
Query OK, 0 rows affected (0.02 sec)

mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.00 sec)

mysql> exit
Bye
ubuntu@ip-172-31-67-189:/$ sudo mysql -u usuario -p
Enter password:
ERROR 1045 (28000): Access denied for user 'usuario'@'localhost' (using password: NO)
ubuntu@ip-172-31-67-189:/$ sudo mysql -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 11
Server version: 8.0.45-0ubuntu0.24.04.1 (Ubuntu)

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql>
```

```
ubuntu@ip-172-31-67-189: /
Bye
ubuntu@ip-172-31-67-189:/$ sudo apt install phpmyadmin php-mbstring php-zip php-gd php-json php-curl
Reading package lists... Done
Building dependency tree... Done
Reading state information... Done
php-mbstring is already the newest version (2:8.3+93ubuntu2).
php-zip is already the newest version (2:8.3+93ubuntu2).
php-gd is already the newest version (2:8.3+93ubuntu2).
php-curl is already the newest version (2:8.3+93ubuntu2).
The following additional packages will be installed:
  dbconfig-common dbconfig-mysql icc-profiles-free javascript-common libjs-bootstrap5
  libjs-codemirror libjs-jquery libjs-jquery-metadata libjs-jquery-mousewheel
  libjs-jquery-tablesorter libjs-jquery-timepicker libjs-jquery-ui libjs-popper.js libjs-sizzle
  libjs-sphinxdoc libjs-underscore libmcrypt4 node-jquery php-bz2 php-composer-ca-bundle
  php-fig-http-message-util php-getallheaders php-google-recaptcha php-mariadb-mysql-kbs php-mcrypt
  php-nikic-fast-route php-phpmyadmin-motranslator php-phpmyadmin-shapefile
  php-phpmyadmin-sql-parser php-psr-cache php-psr-container php-psr-http-factory
  php-psr-http-message php-psr-log php-slim-psr7 php-symfony-cache php-symfony-cache-contracts
  php-symfony-config php-symfony-dependency-injection php-symfony-deprecation-contracts
  php-symfony-expression-language php-symfony-filesystem php-symfony-polyfill-php80
  php-symfony-service-contracts php-symfony-var-exporter php-tcpdf php-twig php-twig-i18n-extension
  php-webmozart-assert php8.3-bz2 php8.3-mcrypt
Suggested packages:
  bootstrap-icons libjs-bootstrap5-doc libjs-requirejs libjs-jquery-ui-docs libmcrypt-dev mcrypt
  php-apcu php-dbase php-imagick php-twig-doc php-recode www-browser php-gd2
  php-pragmarx-google2fa-qrcode php-bacon-qr-code php-code-lts-u2f-php-server
The following NEW packages will be installed:
  dbconfig-common dbconfig-mysql icc-profiles-free javascript-common libjs-bootstrap5
  libjs-codemirror libjs-jquery libjs-jquery-metadata libjs-jquery-mousewheel
  libjs-jquery-tablesorter libjs-jquery-timepicker libjs-jquery-ui libjs-popper.js libjs-sizzle
  libjs-sphinxdoc libjs-underscore libmcrypt4 node-jquery php-bz2 php-composer-ca-bundle
  php-fig-http-message-util php-getallheaders php-google-recaptcha php-json php-mariadb-mysql-kbs
  php-mcrypt php-nikic-fast-route php-phpmyadmin-motranslator php-phpmyadmin-shapefile
  php-phpmyadmin-sql-parser php-psr-cache php-psr-container php-psr-http-factory
  php-psr-http-message php-psr-log php-slim-psr7 php-symfony-cache php-symfony-cache-contracts
  php-symfony-config php-symfony-dependency-injection php-symfony-deprecation-contracts
  php-symfony-expression-language php-symfony-filesystem php-symfony-polyfill-php80
  php-symfony-service-contracts php-symfony-var-exporter php-tcpdf php-twig php-twig-i18n-extension
  php-webmozart-assert php8.3-bz2 php8.3-mcrypt phpmyadmin
0 upgraded, 53 newly installed, 0 to remove and 94 not upgraded.
Need to get 17.0 MB of archives.
After this operation, 83.1 MB of additional disk space will be used.
Do you want to continue? [Y/n] y
Get:1 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 libmcrypt4 amd64 2.5.8-7 [68
.8 kB]
Get:2 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 php8.3-mcrypt amd64 3:1.0.5-
4ubuntu1 [17.6 kB]
Get:3 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 php-mcrypt amd64 3:1.0.5-4ub
untu1 [2694 B]
Get:4 http://us-east-1.ec2.archive.ubuntu.com/ubuntu noble/universe amd64 dbconfig-common all 2.0.24 [
596 kB]
```



```
ubuntu@ip-172-31-67-189: /
verifying database phpmyadmin exists: success.
populating database via sql...  done.
dbconfig-common: flushing administrative password
apache2_invoke: Enable configuration phpmyadmin
Processing triggers for libapache2-mod-php8.3 (8.3.6-0ubuntu0.24.04.6) ...
Processing triggers for libc-bin (2.39-0ubuntu8.6) ...
Processing triggers for man-db (2.12.0-4build2) ...
Processing triggers for php8.3-cli (8.3.6-0ubuntu0.24.04.6) ...
Scanning processes...
Scanning linux images...

Running kernel seems to be up-to-date.

No services need to be restarted.

No containers need to be restarted.

No user sessions are running outdated binaries.

No VM guests are running outdated hypervisor (qemu) binaries on this host.
ubuntu@ip-172-31-67-189:/$ sudo mysql -u root -p
Enter password:
ERROR 1045 (28000): Access denied for user 'root'@'localhost' (using password: YES)
ubuntu@ip-172-31-67-189:/$ sudo mysql -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 48
Server version: 8.0.45-0ubuntu0.24.04.1 (Ubuntu)

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE WordPressBD DEFAULT CHARACTER SET utf8 COLLATE
    -> utf8_unicode_ci;
Query OK, 1 row affected, 2 warnings (0.00 sec)

mysql> CREATE USER 'wpuser'@'localhost' IDENTIFIED BY 'wordpress';
Query OK, 0 rows affected (0.01 sec)

mysql> GRANT ALL PRIVILEGES ON WordPressBD.* TO 'wpuser'@'localhost';
Query OK, 0 rows affected (0.00 sec)

mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.00 sec)

mysql>
```



98.92.246.193 / localhost | phpMyAdmin 5.2.1deb3 - Brave

No es seguro 98.92.246.193/phpmyadmi...

Buscar con Google ChatGPT

phpMyAdmin

Reciente Favoritas

- Nueva
- information_schema
- mysql
- performance_schema
- phpmyadmin
- sys
- WordPressBD

Servidor: localhost:3306

Agregar cuenta de usuario

Información de la cuenta

Nombre de usuario: Use el campo de text UsuarioWordPress

Nombre de Host: Cualquier servidor %

Contraseña: Use el campo de text •••••••• Fuerza: Bueno

Debe volver a escribir:

plugin de autenticación: Almacenamiento en caché de la autenticación sha2

Generar contraseña: Generar

Base de datos para la cuenta de usuario

- [ ] Crear base de datos con el mismo nombre y otorgar todos los privilegios.
- [ ] Otorgar todos los privilegios al nombre que contiene comodín (username_%).
- [x] Otorgar todos los privilegios para la base de datos WordPressBD.

Privilegios globales

[x] Seleccionar todo

Nota: Los nombres de los privilegios de MySQL están expresados en inglés.

Datos

- [x] SELECT
- [x] INSERT
- [x] UPDATE
- [x] DELETE

Estructura

- [x] CREATE
- [x] ALTER
- [x] INDEX
- [x] DROP
- [x] CREATE TEMPORARY TABLES

Administración

- [x] GRANT
- [x] SUPER
- [x] PROCESS
- [x] RELOAD
- [x] SHUTDOWN

Consola

98.92.246.193 / localhost | phpMyAdmin 5.2.1deb3 - Brave

No es seguro 98.92.246.193/phpmyadmi...

Buscar con Google ChatGPT

phpMyAdmin

Reciente Favoritas

- Nueva
- information_schema
- mysql
- performance_schema
- phpmyadmin
- sys
- WordPressBD

Servidor: localhost:3306

Ha agregado un nuevo usuario.

```
CREATE USER 'UsuarioWordPress'@'%' IDENTIFIED WITH caching_sha2_password BY
'***';GRANT ALL PRIVILEGES ON *.* TO 'UsuarioWordPress'@'%' WITH GRANT OPTION;ALTER
USER 'UsuarioWordPress'@'%' REQUIRE NONE WITH MAX_QUERIES_PER_HOUR 0
MAX_CONNECTIONS_PER_HOUR 0 MAX_UPDATES_PER_HOUR 0 MAX_USER_CONNECTIONS 0;GRANT ALL
PRIVILEGES ON `WordPressBD`.* TO 'UsuarioWordPress'@'%';
```

[Editar en línea] [Editar] [Crear código PHP]

Base de datos | Tabla | Rutina | Información de la cuenta

Editar los privilegios: Cuenta de usuario *'UsuarioWordPress'@'%'* - Base de datos *WordPressBD*

Privilegios específicos para la base de datos — Seleccionar todo

Nota: Los nombres de los privilegios de MySQL están expresados en inglés.

Datos	Estructura	Administración
SELECT	CREATE	GRANT
INSERT	ALTER	LOCK TABLES
UPDATE	INDEX	REFERENCES
DELETE	DROP	
	CREATE TEMPORARY TABLES	
	SHOW VIEW	
	CREATE ROUTINE	
	ALTER ROUTINE	
	EXECUTE	
	CREATE VIEW	
	EVENT	
	TRIGGER	

Consola

```
ubuntu@ip-172-31-67-189: ~

Enter password:
ERROR 1045 (28000): Access denied for user 'root'@'localhost' (using password: YES)
ubuntu@ip-172-31-67-189:/$ sudo mysql -u root -p
Enter password:
Welcome to the MySQL monitor.  Commands end with ; or \g.
Your MySQL connection id is 48
Server version: 8.0.45-0ubuntu0.24.04.1 (Ubuntu)

Copyright (c) 2000, 2026, Oracle and/or its affiliates.

Oracle is a registered trademark of Oracle Corporation and/or its
affiliates. Other names may be trademarks of their respective
owners.

Type 'help;' or '\h' for help. Type '\c' to clear the current input statement.

mysql> CREATE DATABASE WordPressBD DEFAULT CHARACTER SET utf8 COLLATE
    -> utf8_unicode_ci;
Query OK, 1 row affected, 2 warnings (0.00 sec)

mysql> CREATE USER 'wpuser'@'localhost' IDENTIFIED BY 'wordpress';
Query OK, 0 rows affected (0.01 sec)

mysql> GRANT ALL PRIVILEGES ON WordPressBD.* TO 'wpuser'@'localhost';
Query OK, 0 rows affected (0.00 sec)

mysql> FLUSH PRIVILEGES;
Query OK, 0 rows affected (0.00 sec)

mysql> exit
Bye
ubuntu@ip-172-31-67-189:/$ pwd
/
ubuntu@ip-172-31-67-189:/$ cd /home/ubuntu/
ubuntu@ip-172-31-67-189:~$ wget https://wordpress.org/latest.zip
--2026-02-19 10:12:41--  https://wordpress.org/latest.zip
Resolving wordpress.org (wordpress.org)... 198.143.164.252, 2607:f978:5:8002::c68f:a4fc
Connecting to wordpress.org (wordpress.org)|198.143.164.252|:443... connected.
HTTP request sent, awaiting response... 200 OK
Length: 28685823 (27M) [application/zip]
Saving to: 'latest.zip'

latest.zip                100%[===================================>]  27.36M   109MB/s    in 0.3s

2026-02-19 10:12:41 (109 MB/s) - 'latest.zip' saved [28685823/28685823]

ubuntu@ip-172-31-67-189:~$ sudo unzip latest.zip
sudo: unzip: command not found
ubuntu@ip-172-31-67-189:~$ sudo mv wordpress /var/www/html/
mv: cannot stat 'wordpress': No such file or directory
ubuntu@ip-172-31-67-189:~$
```

```
ubuntu@ip-172-31-67-189: ~
  inflating: wordpress/wp-admin/js/nav-menu.min.js
  inflating: wordpress/wp-admin/js/image-edit.js
  inflating: wordpress/wp-admin/js/custom-background.min.js
  inflating: wordpress/wp-admin/js/application-passwords.js
  inflating: wordpress/wp-admin/js/password-toggle.js
  inflating: wordpress/wp-admin/js/user-profile.min.js
  inflating: wordpress/wp-admin/js/password-toggle.min.js
  inflating: wordpress/wp-admin/js/svg-painter.js
  inflating: wordpress/wp-admin/js/link.js
  inflating: wordpress/wp-admin/js/custom-header.js
  inflating: wordpress/wp-admin/js/widgets.js
  inflating: wordpress/wp-admin/js/gallery.js
  inflating: wordpress/wp-admin/js/word-count.js
  inflating: wordpress/wp-admin/js/accordion.min.js
  inflating: wordpress/wp-admin/js/inline-edit-post.min.js
  inflating: wordpress/wp-admin/js/customize-widgets.min.js
  inflating: wordpress/wp-admin/js/inline-edit-post.js
  inflating: wordpress/wp-admin/js/updates.js
  inflating: wordpress/wp-admin/js/media-upload.js
  inflating: wordpress/wp-admin/js/media.js
  inflating: wordpress/wp-admin/js/editor-expand.min.js
  inflating: wordpress/wp-admin/js/media-gallery.min.js
  inflating: wordpress/wp-admin/js/common.min.js
  inflating: wordpress/wp-admin/js/tags-box.min.js
  inflating: wordpress/wp-admin/js/svg-painter.min.js
  inflating: wordpress/wp-admin/js/custom-background.js
  inflating: wordpress/wp-admin/js/color-picker.min.js
  inflating: wordpress/wp-admin/js/site-icon.min.js
  inflating: wordpress/wp-admin/js/auth-app.js
  inflating: wordpress/wp-admin/js/code-editor.js
  inflating: wordpress/wp-admin/js/common.js
  inflating: wordpress/wp-admin/js/set-post-thumbnail.min.js
  inflating: wordpress/wp-admin/js/postbox.min.js
  inflating: wordpress/wp-admin/js/color-picker.js
  inflating: wordpress/wp-admin/js/password-strength-meter.js
  inflating: wordpress/wp-admin/js/customize-nav-menus.js
  inflating: wordpress/wp-admin/js/editor-expand.js
  inflating: wordpress/wp-admin/js/code-editor.min.js
  inflating: wordpress/wp-admin/js/set-post-thumbnail.js
  inflating: wordpress/wp-admin/options-permalink.php
  inflating: wordpress/wp-admin/widgets.php
  inflating: wordpress/wp-admin/setup-config.php
  inflating: wordpress/wp-admin/install.php
  inflating: wordpress/wp-admin/admin-header.php
  inflating: wordpress/wp-admin/post-new.php
  inflating: wordpress/wp-admin/themes.php
  inflating: wordpress/wp-admin/options-reading.php
  inflating: wordpress/wp-trackback.php
  inflating: wordpress/wp-comments-post.php
ubuntu@ip-172-31-67-189:~$ sudo mv wordpress /var/www/html/
ubuntu@ip-172-31-67-189:~$
```

ubuntu@ip-172-31-67-189: ~

```
  inflating: wordpress/wp-trackback.php
  inflating: wordpress/wp-comments-post.php
ubuntu@ip-172-31-67-189:~$ sudo mv wordpress /var/www/html/
ubuntu@ip-172-31-67-189:~$ sudo chown -R www-data:www-data /var/www/html/wordpress
ubuntu@ip-172-31-67-189:~$ sudo chmod -R 755 /var/www/html/wordpress
ubuntu@ip-172-31-67-189:~$ find /var/www/html -type d -exec chmod 755 {} \;
chmod: changing permissions of '/var/www/html': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/js': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/js/widgets': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/images': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/css': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/css/colors': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/css/colors/light': Operation not perm
itted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/css/colors/modern': Operation not per
mitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/css/colors/ectoplasm': Operation not
permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/css/colors/midnight': Operation not p
ermitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/css/colors/sunrise': Operation not pe
rmitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/css/colors/blue': Operation not permi
tted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/css/colors/ocean': Operation not perm
itted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/css/colors/coffee': Operation not per
mitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/user': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/network': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/maint': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-includes': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-includes/php-compat': Operation not permitt
ed
chmod: changing permissions of '/var/www/html/wordpress/wp-includes/style-engine': Operation not permi
tted
chmod: changing permissions of '/var/www/html/wordpress/wp-includes/sodium_compat': Operation not perm
itted
chmod: changing permissions of '/var/www/html/wordpress/wp-includes/sodium_compat/src': Operation not
permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-includes/sodium_compat/src/PHP52': Operatio
n not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-includes/sodium_compat/src/Core32': Operati
on not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-includes/sodium_compat/src/Core32/ChaCha20'
: Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-includes/sodium_compat/src/Core32/Poly1305'
: Operation not permitted
```

```
ubuntu@ip-172-31-67-189: ~
n not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-content/plugins/akismet/_inc/img': Operatio
n not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-content/plugins/akismet/_inc/fonts': Operat
ion not permitted
ubuntu@ip-172-31-67-189:~$ find /var/www/html -type f -exec chmod 644 {} \;
chmod: changing permissions of '/var/www/html/index.php': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-config-sample.php': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/xmlrpc.php': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/index.php': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-cron.php': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/admin-header.php': Operation not perm
itted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/admin.php': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/ms-sites.php': Operation not permitte
d
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/index.php': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/options-discussion.php': Operation no
t permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/plugin-editor.php': Operation not per
mitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/privacy.php': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/widgets.php': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/credits.php': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/edit-tags.php': Operation not permitt
ed
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/admin.php': Operation not pe
rmitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/class-wp-screen.php': Operat
ion not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/class-wp-filesystem-direct.p
hp': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/class-bulk-plugin-upgrader-s
kin.php': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/class-theme-upgrader-skin.ph
p': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/class-ftp.php': Operation no
t permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/widgets.php': Operation not
permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/credits.php': Operation not
permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/class-custom-background.php'
: Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/class-walker-category-checkl
ist.php': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/class-wp-filesystem-base.php
': Operation not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/update-core.php': Operation
not permitted
chmod: changing permissions of '/var/www/html/wordpress/wp-admin/includes/class-theme-installer-skin.p
```




WordPress › Instalación del archivo de configuración. - Brave
No es seguro
98.92.246.193/wordpress/w...
Buscar con Google
ChatGPT
A continuación tendrás que introducir los detalles de tu conexión con la base de datos. Si no estás seguro de ellos, contacta con tu proveedor de alojamiento.
Nombre de la base de datos
WordPressBD
El nombre de la base de datos que quieres usar con WordPress.
Nombre de usuario
UsuarioWordPress
El nombre de usuario de tu base de datos.
Contraseña
Mostrar
La contraseña de tu base de datos.
Servidor de la base de datos
localhost
Si localhost no funciona, deberías poder obtener esta información de tu proveedor de alojamiento web.
Prefijo de tabla
wp_
Si quieres ejecutar varias instalaciones de WordPress en una sola base de datos cambia esto.
Enviar


WordPress › Instalación del archivo de configuración. - Brave
No es seguro
98.92.246.193/wordpress/w...
Buscar con Google
ChatGPT
¡Muy bien! Ya has terminado esta parte de la instalación. Ahora WordPress puede comunicarse con tu base de datos. Si estás listo, es el momento de...
Realizar la instalación


Instalación de WordPress - Brave
No es seguro
98.92.246.193/wordpress/w...
Buscar con Google
ChatGPT
Hola
¡Este es el famoso proceso de instalación de WordPress en cinco minutos! Simplemente completa la información siguiente y estarás a punto de usar la más enriquecedora y potente plataforma de publicación personal del mundo.
Información necesaria
Por favor, proporciona la siguiente información. No te preocupes, siempre podrás cambiar estos ajustes más tarde.
Título del sitio
Sitio web de Alberto
Nombre de usuario
alberto
Los nombres de usuario pueden tener únicamente caracteres alfanuméricos, espacios, guiones bajos, guiones medios, puntos y el símbolo @.
Contraseña
password
Ocultar
Muy débil
Importante: Necesitas esta contraseña para acceder. Por favor, guárdala en un lugar seguro.
Confirma la contraseña
Confirma el uso de una contraseña débil.
Tu correo electrónico
alberto.puig.parellada@gmail.com
Comprueba bien tu dirección de correo electrónico antes de continuar.
Visibilidad en los motores de búsqueda
Pedir a los motores de búsqueda que no indexen este sitio
Depende de los motores de búsqueda atender esta petición o no.
Instalar WordPress


Instalación de WordPress - Brave
No es seguro
98.92.246.193/wordpress/w...
Buscar con Google
ChatGPT
¡Lo lograste!
WordPress ya está instalado. ¡Gracias, y que lo disfrutes!
Nombre de usuario
alberto
Contraseña
La contraseña que has elegido.
Acceder


Acceder < Sitio web de Alberto — WordPress - Brave
No es seguro
98.92.246.193/wordpress/w...
Buscar con Google
ChatGPT
Nombre de usuario o correo electrónico
alberto
Contraseña
Recuérdame
Acceder
¿Has olvidado tu contraseña?
← Ir a Sitio web de Alberto
Español
Cambiar


Escritorio < Sitio web de Alberto — WordPress - Brave
No es seguro
98.92.246.193/wordpress/w...
Buscar con Google
ChatGPT
Sitio web de Alberto
1
0
Añadir
Hola, alberto
Opciones de pantalla
Ayuda
Escritorio
Descartar
¡Te damos la bienvenida a WordPress!
Aprende más sobre la versión 6.9.1.
Crea contenido rico con bloques y patrones
Los patrones de bloques son diseños de bloques preconfigurados. Úsalos para inspirarte o crear nuevas páginas en un instante.
Añadir una nueva página
Personaliza todo tu sitio con temas de bloques
Diseña todo en tu sitio — Desde la cabecera hasta el pie de página. Todo usando bloques y patrones.
Abrir el editor del sitio
Cambia la apariencia de tu sitio con los estilos
¡Retoca tu sitio o dale un aspecto completamente nuevo! Sé creativo — ¿Qué tal una nueva paleta de color o una nueva fuente?
Editar los estilos
Estado de salud del sitio
Aún no hay información...
Las pruebas de salud del sitio se ejecutarán automáticamente de forma periódica para obtener información sobre tu sitio. También puedes visitar ahora la pantalla de salud del sitio para obtener información sobre tu sitio.
Borrador rápido
Título
Contenido
¿En qué estás pensando?