# Find the nerve. Back the talent.

Royals' Resolve - independent competition entry

## Methodology, evidence dossiers and conditional auction decision memo

RESEARCH BASELINE - participant review required; not submission-ready

Analysis c0db2da4b94d5157 | Version 1.0.0 | Generated 2026-11-12

Real input audit: 200,999 deliveries / 883 matches. Retained 80,902 deliveries / 345 matches. Excluded 1034 observed innings.

Source: supplied SupeRR Selector competition pack. Upstream provider is not established by the files. Raw records remain private.

# Auction decision memo

No firm actionable shortlist: 2027 registration and retention are unverified. Coverage supports further role-matched scouting, not a claim of a roster quality gap. Primary / alternative / fallback remain conditional until shared-context uncertainty and availability are established. No bid prices or purse are assumed. Participant review is required.

## Research priorities

1. Resolve source extras definitions before broadening coverage. 2. Validate role- and venue-matched transfer to IPL. 3. Confirm 2027 retention and registration before turning a statistical finding into a target.

TARGET: none verified. CONDITIONAL WATCH: the statistical selections below. NOT CURRENTLY ACTIONABLE: no 2027 retained/unavailable designation is asserted without an official source.

Current coverage is based on the official page labelled 2026, accessed 2026-11-12. It is not treated as a 2027 contract list. No prices, purse, overseas-slot assumptions or budget optimum are invented.

## Strict-margin coverage result

The proposed margin rule yields 1 eligible batter(s) and 58 bowlers. It fails the two-top-ten coverage requirement. The current run therefore uses the explicit phase/required-rate fallback for both lists. This is a coverage decision, not evidence that the fallback predicts better.

## Baseline and caveat

Chase pressure: 60 or fewer legal balls remaining and required rate at least 8 runs/over. First innings: 30 or fewer legal balls remaining and at least 3 wickets lost. Rank pooled contextual run contribution, not raw strike rate or economy. Wicket value is not yet validated, so rankings are provisional run-only evidence.

# Ordered top ten batters

116 eligible players. Minimum: 30 pressure events in five independent matches. Score units: residual runs per 100 delivery events, shrunk by 60 pseudo-events. Close intervals are not evidence of a precise ability ordering.

| Rank / player | Contribution | 95% interval | Matches / episodes / events |
|---|---|---|---|
| 1. Rashid Khan | +38.31 | +7.0 to +62.0 | 23 / 23 / 148 |
| 2. Nicholas Pooran | +34.19 | -15.6 to +77.6 | 7 / 7 / 69 |
| 3. Sanju Samson | +33.60 | +2.1 to +67.9 | 8 / 9 / 59 |
| 4. Azmatullah Omarzai | +33.25 | -0.1 to +66.6 | 12 / 12 / 137 |
| 5. Suryakumar Yadav | +32.97 | +11.2 to +58.1 | 13 / 16 / 110 |
| 6. Shubman Gill | +30.82 | +7.6 to +51.3 | 8 / 10 / 80 |
| 7. Shashank Singh | +29.76 | +3.3 to +52.5 | 11 / 12 / 174 |
| 8. Sikandar Raza | +24.83 | +1.4 to +40.1 | 10 / 12 / 132 |
| 9. George Linde | +24.20 | -2.4 to +60.6 | 5 / 5 / 47 |
| 10. Josh Inglis | +24.20 | +4.1 to +34.9 | 5 / 5 / 31 |

# Ordered top ten bowlers

132 eligible players. Minimum: 30 pressure events in five independent matches. Score units: residual runs per 100 delivery events, shrunk by 60 pseudo-events. Close intervals are not evidence of a precise ability ordering.

| Rank / player | Contribution | 95% interval | Matches / episodes / events |
|---|---|---|---|
| 1. Yash Dayal | +23.77 | +8.8 to +39.8 | 10 / 10 / 76 |
| 2. Jasprit Bumrah | +23.35 | +5.8 to +42.3 | 22 / 24 / 253 |
| 3. Jofra Archer | +22.85 | +5.5 to +40.5 | 14 / 15 / 111 |
| 4. Shaheen Afridi | +21.08 | +6.4 to +35.5 | 16 / 16 / 127 |
| 5. Sunil Narine | +19.79 | +5.9 to +31.9 | 10 / 10 / 90 |
| 6. Shardul Thakur | +19.43 | +15.7 to +23.1 | 7 / 7 / 89 |
| 7. Axar Patel | +18.83 | -6.6 to +40.1 | 14 / 14 / 105 |
| 8. Sufiyan Muqeem | +16.55 | -5.3 to +36.5 | 8 / 8 / 104 |
| 9. Mustafizur Rahman | +15.17 | +1.0 to +29.3 | 22 / 22 / 260 |
| 10. Matheesha Pathirana | +14.92 | +2.7 to +29.0 | 18 / 20 / 293 |

# Measurement and reproduction

# Measurement contract v1

This is a runnable research baseline, not a validated auction recommendation. The supplied competition pack is the source; Cricsheet or another upstream provider cannot be established from these files. No proprietary rows are published. Config and code hashes identify the run. Thresholds were specified during implementation before selecting names; this is not a prospectively preregistered study.

## One-page room-for-error formulas

For a chase, p(s) estimates batting task success from score, wickets lost, legal balls remaining, runs needed, need per ball, innings indicator and phase. Batting viability q=p; defending q=1-p. First innings uses the probability of reaching the median total of earlier retained complete first innings. The benchmark does not use the innings being assessed. A venue/season-adjusted benchmark is pending because conservative exclusions make individual venue samples sparse. No venue adjustment is claimed.

Batting stress T consumes one legal ball and adds zero runs. Bowling stress T consumes one legal ball and adds four runs. M(s)=max{k: q(T^j(s))>=tau for every j=0..k}, with k<=min(6, balls remaining). If initial q<tau, M=-1 (already below viability). The safe six-event horizon is 6+; batting and bowling stress units are not averaged. Wicket and boundary shocks are separate pre-outcome probability changes. Terminal target attainment, ten wickets and exhausted legal balls override model predictions. Paths are never interpreted as player choices or causal substitutions.

Hypothesis: tau=0.20, live-contest viability 0.20..0.80, tight tolerance M<=1. Illustrative synthetic path [0.42,0.24,0.18] has M=1; [0.16,...] is already below viability. Threshold checks at 0.15 and 0.25 are fixed-fit sensitivity analyses. Live-bound and tolerance-cutoff settings are declared but broader refit validation is pending. Supported-state extrapolation diagnostics remain incomplete; margin results are experimental.

The strict margin hypothesis fails the two-list coverage requirement in this run. A transparent fallback labels chases with <=60 legal balls left and required rate >=8 runs/over; first innings require <=30 balls and >=3 wickets lost. The same fallback applies to both roles. This is an operational late-demand baseline, not proof of pressure psychology or superiority. Margin-threshold scenarios remain labelled as alternative definitions, not merely changes in a fallback parameter.

## Audit, source semantics and exclusions

Runs are provisionally interpreted as bat runs; team runs are runs+extras1_runs+extras_2_runs. Wides are illegal. Byes and leg-byes are legal and excluded from bowler-charged runs. Overstep/other each carry a one-run extra but lack an authoritative definition: all affected matches are quarantined in the primary analysis, including secondary extras without using nonzero extras_2 alone as a rejection rule. Penalty timing and untyped extras are quarantined. The exclusion is conservative and creates major coverage bias. Alternative no-ball interpretations are not promoted to validated results.

Exclude revised-target/length matches because effective revision timing is absent; no final revised target is projected backwards. Exclude super-over matches, ties/eliminators, abandoned/no-result matches, nonterminal or incomplete innings, too many inferred legal balls and winner-reconciliation failures. Preserve every raw file and its SHA-256 hash. Reconcile retained and excluded row counts; exclusion reasons overlap. Per-match reasons and full schema/null diagnostics remain in private artifacts.

Teams join on competition plus team ID. Match and competition joins require many-to-one validation. XI positions are grouped only when consistent for the same match/team/player; ambiguity becomes missing.

Impact substitutes remain separate player IDs and their delivery exposure is retained; starter and substitute are never merged or forced into eleven unique IDs. XI role information is evidence, not a guarantee of actual entry. Source aliases are audited, not silently merged. Original delivery order is by match/innings/innings_ball_num; delivery keys must be unique.

## Six context dimensions and aggregation

Difficulty and resources enter the viability model. Mistake tolerance defines the experimental margin label. Consequence shocks are diagnostic. Six-prior-legal-ball dots/wickets are diagnostic only, avoiding automatic double-counting of state. Environment includes innings/phase and an IPL indicator in run expectations; learned venue, opposition and hierarchical competition/season effects are pending. Missing supported variables stay missing.

The six context dimensions are never summed. Primary provisional ranking is a run-only residual model: batting r=bat runs-E[bat runs|context], bowling r=E[charged runs|context]-charged runs. Expectations are ridge regressions trained on earlier years only, with legal state, innings and IPL context. Striker dismissal and boundary probabilities are separate earlier-year logistic fits. Run-outs are not bowler-credit wickets. No arbitrary wicket bonus, dismissal cost or combined run-equivalent value is asserted.

Player pressure estimate = 100*sum(r)/(n+60), in runs per 100 delivery events. The fixed zero-centred 60-event prior shrinks small samples; it is transparent fixed-prior partial pooling, not an empirically fitted hierarchical posterior. Reference exposure is each player's observed pressure delivery distribution, not a common opponent/venue assignment. Primary rank descends this estimate, then pressure matches descending, player ID ascending. No uncertainty adjustment is silently applied. All estimates are provisional across different roles.

Eligibility: at least 30 pressure delivery events in five independent matches. An episode begins on a false-to-true pressure transition, ends when the label becomes false or the innings ends, and is shared across players exposed in that contiguous passage. Match bootstrap resamples all events from an independent match together, 400 seeded replicates. Intervals are percentile intervals conditional on fixed contextual fits; they omit model-fitting uncertainty. Own usual means nonpressure contextual residual. All-situation overall is separately reported. Pressure-minus-usual is unpooled so it must not be confused with pooled score minus usual. Maintaining a high level is not penalised for a small uplift.

Illustrative synthetic score: 120 pressure events, expected 150 bat runs, observed 168. Residual +18, score=100*18/(120+60)=+10 runs/100. A real reconciliation is printed for every published player in the report and drawer. Wickets, dots, boundaries, extras and uncertainty remain visible beside the score. Early or non-striker dismissals have explicit attribution limitations.

## Role and coach evidence

Role support requires 60 events and five independent matches. Opener evidence uses consistent XI positions 1-2; middle order uses positions 3-5. Death exposure supports a finishing capability, with actual entry-phase dossiers shown separately; it does not prove every finisher is a late-entry specialist. Powerplay, middle and death phases are legal balls 1-36, 37-90 and 91-120. Shortened matches are quarantined rather than forcing normal phases onto them.

Entry readiness counts the first six legal balls faced per innings, retaining early dismissals and illegal events before the sixth legal ball. Display bat-run pace on legal balls and dismissal probability per observed innings, stratified by actual first-striker exposure phase and collapse condition. First-striker exposure can lag non-striker arrival; exact arrival timing is not claimed. Collapse requires >=2 wickets in the preceding 12 legal balls at entry. Recovery versus stable-entry residuals describe assignments, not mental toughness. Source position is not used as a reputation label.

Non-boundary scoring = non-boundary bat runs per 100 legal balls, non-boundary scoring-event rate, legal-ball dot rate and boundary share of legal-ball bat runs. Extras never enter bat-run numerators. Wides are not balls faced; legal-ball views are labelled. No claim of actual strike rotation is made.

Bowling damage-control evidence uses all observed delivery events after the first boundary in the same over. Consecutive boundaries remain follow-up opportunities, counted once. Show remaining legal opportunities, actual and expected boundaries and charged runs. Terminal or unfinished overs have fewer follow-up events; this selection bias prevents causal bounce-back claims. Costly exposure reports verified wides per recorded delivery event and legal-ball boundary rate. No-ball rates are unavailable because source no-ball semantics remain unresolved. Event counts are not falsely labelled scheduled overs or measured delivery quality.

Downside is the distribution of independent-match unpooled contextual pressure contributions, including unfavourable matches and losing sides. Show quartile, median and unfavourable counts only with five matches. This variability differs from uncertainty in mean ability. Supporting metrics do not change the primary score.

## Same assignment, different answer

Formal comparisons restrict to common innings/phase/IPL strata, each requiring ten events and three matches per player. Overall overlap requires 30 events and five matches each. Standardise with equal weight over retained shared strata. Bootstrap the union of match clusters jointly, preserving shared-match dependence; report a difference interval and excluded non-overlap events. A stronger case requires the entire interval above or below zero; otherwise inconclusive. These are expected-contribution comparisons, not predictive match-win probabilities. Candidate/incumbent comparisons use the same method. Opponent/venue/position confounds remain, so an interval alone is not an auction upgrade recommendation.

Assignment and alternative scenario switches load saved results. Leave-best-match-out removes the match with greatest total residual; IPL-only, recent 2026 and tau 0.15/0.25 checks are fixed-fit calculations with the same eligibility minimum. These do not refit contextual models. Numerical order reversals are distinct from evidence-supported recommendations. No continuous robustness threshold or fabricated probability is displayed.

## Validation and limits

Rolling annual fits train on all earlier retained years and test on whole later matches. 2022 is warm-up, 2023-2025 development, 2026 later holdout. Linear logistic is the frozen simple reference; a quadratic logistic alternative is evaluated with Brier, log loss and calibration bins. These metrics assess task viability, not the truth of pressure labels. Model metrics are delivery-weighted and retain within-match dependence; no model-superiority claim follows.

Retrospective selection checks compare pooled contextual, conservative lower-bound, ordinary-stat and phase/required-rate lists, measuring later contribution and observed-player attrition. Under the fallback, phase/rate and contextual lists coincide. The checks show mixed outcomes rather than uniform superiority. A holdout first inspected during this build is not a prospectively sealed evaluation; further independent validation is necessary before final submission.

First/chase contributions are shown separately. The provisional overall list combines comparable run-residual units over observed exposure, not viability scales, but the exposure mix is unvalidated. A logistic GAM, empirical transition distribution, contextual wicket values, hierarchical effects, source alternative semantics refits and full prospective validation remain pending. The report and dashboard disclose these rather than inventing results.

## RR auction evidence and submission

The official RR page is labelled Squad 2026; accessed 2026-11-12. It establishes a latest verified season roster, not 2027 retention, auction registration, injuries, purse or overseas eligibility. No supported quality gap or price is manufactured. Conditional cases include capability, verified coverage, uncertainty, alternative, risk and dated actionability. Names not matched to supplied data are not assessed, never zero quality. Current public rules, availability and prices must be verified before actionable purchasing advice.

The bundled Round 1 brief requires two ordered top-ten lists selected through Unstop dropdowns and a methodology upload. It does not publish a detailed numeric judging rubric. No Unstop account/dropdown access is available here, so name/ID compatibility remains for participant verification. No submission is sent. Participant review must own the final recommendations.

Methods use established logistic regression, ridge regression, shrinkage and cluster bootstrap. References: scikit-learn official LogisticRegression and Ridge documentation; Efron and Tibshirani (1993), An Introduction to the Bootstrap; partial-pooling motivation from Gelman et al., Bayesian Data Analysis. This implementation's fixed pseudo-exposure shrinkage is explicitly simpler than a hierarchical Bayesian fit.

# Audit and exclusions

| Disposition | Observed count |
|---|---|
| deliveries | 200999 |
| matches | 883 |
| retained_matches | 345 |
| retained_innings | 690 |
| retained_deliveries | 80902 |
| excluded_matches | 538 |
| excluded_innings | 1034 |
| excluded_deliveries | 120097 |
| oos_matches | 271 |
| oos_deliveries | 63226 |
| warmup_deliveries | 17676 |

Reasons overlap; their counts are not additive.

| Reason | Matches |
|---|---|
| ambiguous extras semantics / penalty timing | 486 |
| incomplete or inconsistent regulation innings | 24 |
| nonterminal chase | 17 |
| revised length or target timing unknown | 34 |
| missing regulation innings | 22 |
| abandoned / tied / eliminator | 46 |
| untyped extras | 2 |
| winner reconciliation failed | 9 |
| super over | 6 |
| over has more than six inferred legal deliveries | 1 |

# Chronological reference-model validation

| Year | Train / test matches | Model | Brier | Log loss |
|---|---|---|---|---|
| 2023 | 74 / 48 | logistic | 0.1272 | 0.4056 |
| 2023 | 74 / 48 | quadratic_logistic | 0.1294 | 0.4267 |
| 2024 | 122 / 77 | logistic | 0.1479 | 0.4426 |
| 2024 | 122 / 77 | quadratic_logistic | 0.1545 | 0.4592 |
| 2025 | 199 / 93 | logistic | 0.1343 | 0.3982 |
| 2025 | 199 / 93 | quadratic_logistic | 0.1364 | 0.4035 |
| 2026 | 292 / 53 | logistic | 0.1351 | 0.4118 |
| 2026 | 292 / 53 | quadratic_logistic | 0.1382 | 0.4240 |

Earlier-data first-innings benchmarks: 2023: 165.0 runs; 2024: 165.0 runs; 2025: 165.0 runs; 2026: 167.0 runs

Calibration bins (linear logistic): each interval is [lower, lower+0.2); predicted versus observed task-success frequency. These describe model calibration, not psychological-pressure accuracy.

| Year / bin | Events | Predicted | Observed |
|---|---|---|---|
| 2023 / 0.0 | 2775 | 0.057 | 0.07 |
| 2023 / 0.2 | 1336 | 0.297 | 0.292 |
| 2023 / 0.4 | 1640 | 0.494 | 0.495 |
| 2023 / 0.6 | 1372 | 0.706 | 0.685 |
| 2023 / 0.8 | 3920 | 0.93 | 0.919 |
| 2024 / 0.0 | 4630 | 0.067 | 0.068 |
| 2024 / 0.2 | 2173 | 0.296 | 0.338 |
| 2024 / 0.4 | 2763 | 0.497 | 0.493 |
| 2024 / 0.6 | 2489 | 0.702 | 0.621 |
| 2024 / 0.8 | 5291 | 0.933 | 0.862 |
| 2025 / 0.0 | 5246 | 0.058 | 0.042 |
| 2025 / 0.2 | 2486 | 0.303 | 0.397 |
| 2025 / 0.4 | 3516 | 0.498 | 0.516 |
| 2025 / 0.6 | 3249 | 0.704 | 0.619 |

| Year / bin | Events | Predicted | Observed |
|---|---|---|---|
| 2025 / 0.8 | 6282 | 0.933 | 0.914 |
| 2026 / 0.0 | 3234 | 0.061 | 0.12 |
| 2026 / 0.2 | 1513 | 0.305 | 0.396 |
| 2026 / 0.4 | 1726 | 0.501 | 0.598 |
| 2026 / 0.6 | 1753 | 0.701 | 0.75 |
| 2026 / 0.8 | 3500 | 0.928 | 0.934 |

# Later-match selection check: batters

Retrospective diagnostic; eligibility and future participation are shown. Ordinary batting uses bat runs/event; ordinary bowling uses charged runs/legal ball. The phase/rate policy equals contextual policy under the fallback; it is not an independent win.

| Year / policy | Observed / selected | Later events | Later runs / 100 |
|---|---|---|---|
| 2024 / contextual | 6 / 6 | 166 | -13.989 |
| 2024 / conservative | 6 / 6 | 166 | -13.989 |
| 2024 / ordinary | 6 / 6 | 166 | -13.989 |
| 2024 / phase_rate_baseline | 6 / 6 | 166 | -13.989 |
| 2024 / ordinary_average | 6 / 6 | 166 | -13.989 |
| 2025 / contextual | 9 / 10 | 250 | 0.356 |
| 2025 / conservative | 10 / 10 | 339 | 4.58 |
| 2025 / ordinary | 9 / 10 | 305 | 12.002 |
| 2025 / phase_rate_baseline | 9 / 10 | 250 | 0.356 |
| 2025 / ordinary_average | 9 / 10 | 351 | 9.893 |
| 2026 / contextual | 6 / 10 | 176 | 29.637 |
| 2026 / conservative | 7 / 10 | 222 | 34.833 |
| 2026 / ordinary | 5 / 10 | 115 | 27.132 |
| 2026 / phase_rate_baseline | 6 / 10 | 176 | 29.637 |
| 2026 / ordinary_average | 7 / 10 | 109 | 8.763 |

# Rashid Khan

## Finisher

## Score audit

148 pressure events / 136 legal balls -> 23 episodes -> 23 matches. Expected runs 192.3085; observed runs 272; signed residual sum +79.6915. Score = 100 x 79.6915 / (148 + 60) = +38.3132. 95% match-bootstrap interval [6.9652, 61.9733].

## Six evidence dimensions

Contribution +38.31 runs/100. Nonpressure usual -5.33 over 31 events; all-situation usual +43.60. Unpooled pressure-minus-nonpressure +59.18. Repeatability: 23 matches / 23 episodes. Between-match SD 99.54. Coverage: 80 IPL events; first innings 81, chase 67.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 115 / 21 | 55.49 | 108 |
| Middle overs | 64 / 8 | 22.22 | 40 |

## Potential RR contribution - six-part case

Capability demonstrated: Finisher

Current verified rr coverage: Ravindra Jadeja

Measured gap or uncertainty: Unresolved: Inconclusive under common assignments; difference 31.601 runs / 100, interval [-70.218, 65.628]

Primary alternative: Ravindra Jadeja

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile -32.72, median 23.63 unpooled runs/100 events; 7 unfavourable of 23 pressure matches. Mean interval [-16.11, 63.31]; performance variability and mean uncertainty are distinct.

First-six readiness / Death / stable: 7 innings, 28 legal balls; 250.0 bat runs/100 legal balls; dismissal probability 0.5714 per innings.

First-six readiness / Death / collapse: 10 innings, 24 legal balls; 187.5 bat runs/100 legal balls; dismissal probability 0.4 per innings.

First-six readiness / Middle overs / collapse: 5 innings, 30 legal balls; 136.67 bat runs/100 legal balls; dismissal probability 0.0 per innings.

Non-boundary scoring: 42.51 bat runs/100 legal balls; 31.14% scoring events excluding boundaries; boundary share 76.57% of legal-ball bat runs. 167 legal balls in 25 innings.

Entry assignment / Death / stable: 34 events in 7 matches, +97.17 contextual runs/100 events.

Entry assignment / Death / collapse: 34 events in 10 matches, +0.65 contextual runs/100 events.

Entry assignment / Middle overs / collapse: 93 events in 5 matches, +50.52 contextual runs/100 events.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 107 / 21 | 60.73 / [9.93, 102.67] |
| pace_or_spin / Spin | 41 / 8 | 35.88 / [-6.59, 66.68] |
| batting_type / RHB | 148 / 23 | 53.85 / [16.26, 86.29] |

## Fixed-fit verdict checks

Leave best match out: 25.9097

IPL only: {'score': 20.4412, 'matches': 13, 'balls': 80}

Recent 2026: {'score': 39.1083, 'matches': 6, 'balls': 46}

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# Nicholas Pooran

## Middle order, Finisher

## Score audit

69 pressure events / 64 legal balls -> 7 episodes -> 7 matches. Expected runs 102.8906; observed runs 147; signed residual sum +44.1094. Score = 100 x 44.1094 / (69 + 60) = +34.1933. 95% match-bootstrap interval [-15.6245, 77.5823].

## Six evidence dimensions

Contribution +34.19 runs/100. Nonpressure usual +19.16 over 464 events; all-situation usual +24.95. Unpooled pressure-minus-nonpressure +44.77. Repeatability: 7 matches / 7 episodes. Between-match SD 109.08. Coverage: 69 IPL events; first innings 44, chase 25.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 73 / 9 | 57.02 | 46 |
| Middle overs | 303 / 25 | 19.54 | 23 |
| Powerplay | 157 / 16 | 20.49 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Middle order, Finisher

Current verified rr coverage: Ravindra Jadeja

Measured gap or uncertainty: Unresolved: Inconclusive under common assignments; difference 75.426 runs / 100, interval [-49.491, 119.253]

Primary alternative: Ravindra Jadeja

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile -55.17, median -14.36 unpooled runs/100 events; 4 unfavourable of 7 pressure matches. Mean interval [-69.32, 67.86]; performance variability and mean uncertainty are distinct.

First-six readiness / Middle overs / stable: 13 innings, 70 legal balls; 117.14 bat runs/100 legal balls; dismissal probability 0.3077 per innings.

First-six readiness / Powerplay / stable: 12 innings, 69 legal balls; 114.49 bat runs/100 legal balls; dismissal probability 0.3333 per innings.

Non-boundary scoring: 39.53 bat runs/100 legal balls; 35.27% scoring events excluding boundaries; boundary share 75.06% of legal-ball bat runs. 516 legal balls in 33 innings.

Entry assignment / Middle overs / stable: 225 events in 13 matches, +35.94 contextual runs/100 events.

Entry assignment / Powerplay / stable: 183 events in 12 matches, +3.60 contextual runs/100 events.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 60 / 7 | 51.46 / [-67.57, 122.55] |
| batting_type / LHB | 69 / 7 | 63.93 / [-47.27, 139.63] |

## Fixed-fit verdict checks

Leave best match out: 5.9738

IPL only: {'score': 34.1933, 'matches': 7, 'balls': 69}

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# Sanju Samson

## Opener, Middle order

## Score audit

59 pressure events / 58 legal balls -> 9 episodes -> 8 matches. Expected runs 78.0157; observed runs 118; signed residual sum +39.9843. Score = 100 x 39.9843 / (59 + 60) = +33.6003. 95% match-bootstrap interval [2.0912, 67.9097].

## Six evidence dimensions

Contribution +33.60 runs/100. Nonpressure usual +7.16 over 606 events; all-situation usual +12.53. Unpooled pressure-minus-nonpressure +60.61. Repeatability: 8 matches / 9 episodes. Between-match SD 118.78. Coverage: 51 IPL events; first innings 0, chase 59.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Middle overs | 334 / 24 | 15.26 | 57 |
| Powerplay | 324 / 30 | 9.92 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Opener, Middle order

Current verified rr coverage: Shimron Hetmyer

Measured gap or uncertainty: Unresolved: A stronger case under common assignments; difference 72.822 runs / 100, interval [17.36, 121.191]

Primary alternative: Shimron Hetmyer

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile -43.65, median 47.18 unpooled runs/100 events; 3 unfavourable of 8 pressure matches. Mean interval [-58.55, 104.36]; performance variability and mean uncertainty are distinct.

First-six readiness / Middle overs / stable: 6 innings, 32 legal balls; 96.88 bat runs/100 legal balls; dismissal probability 0.1667 per innings.

First-six readiness / Powerplay / stable: 28 innings, 159 legal balls; 120.75 bat runs/100 legal balls; dismissal probability 0.1071 per innings.

Non-boundary scoring: 44.02 bat runs/100 legal balls; 40.18% scoring events excluding boundaries; boundary share 69.44% of legal-ball bat runs. 652 legal balls in 36 innings.

Entry assignment / Middle overs / stable: 71 events in 6 matches, -25.26 contextual runs/100 events.

Entry assignment / Powerplay / stable: 536 events in 28 matches, +12.65 contextual runs/100 events.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Spin | 41 / 7 | 87.12 / [7.13, 154.11] |
| batting_type / RHB | 59 / 8 | 67.77 / [0.11, 128.22] |

## Fixed-fit verdict checks

Leave best match out: 16.2227

IPL only: {'score': 37.1155, 'matches': 7, 'balls': 51}

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# Azmatullah Omarzai

## Middle order, Finisher

## Score audit

137 pressure events / 126 legal balls -> 12 episodes -> 12 matches. Expected runs 200.5010; observed runs 266; signed residual sum +65.4990. Score = 100 x 65.4990 / (137 + 60) = +33.2482. 95% match-bootstrap interval [-0.0722, 66.627].

## Six evidence dimensions

Contribution +33.25 runs/100. Nonpressure usual +5.04 over 197 events; all-situation usual +22.58. Unpooled pressure-minus-nonpressure +42.77. Repeatability: 12 matches / 12 episodes. Between-match SD 78.45. Coverage: 35 IPL events; first innings 120, chase 17.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 151 / 14 | 44.35 | 124 |
| Middle overs | 162 / 16 | 12.41 | 13 |

## Potential RR contribution - six-part case

Capability demonstrated: Middle order, Finisher

Current verified rr coverage: Dasun Shanaka

Measured gap or uncertainty: Unresolved: Inconclusive under common assignments; difference 51.453 runs / 100, interval [-11.945, 111.074]

Primary alternative: Dasun Shanaka

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile -21.12, median 10.33 unpooled runs/100 events; 6 unfavourable of 12 pressure matches. Mean interval [-21.04, 71.06]; performance variability and mean uncertainty are distinct.

First-six readiness / Middle overs / stable: 9 innings, 53 legal balls; 111.32 bat runs/100 legal balls; dismissal probability 0.1111 per innings.

First-six readiness / Powerplay / collapse: 6 innings, 21 legal balls; 80.95 bat runs/100 legal balls; dismissal probability 0.5 per innings.

Non-boundary scoring: 54.43 bat runs/100 legal balls; 48.1% scoring events excluding boundaries; boundary share 65.46% of legal-ball bat runs. 316 legal balls in 24 innings.

Entry assignment / Middle overs / stable: 123 events in 9 matches, +14.31 contextual runs/100 events.

Entry assignment / Powerplay / collapse: 94 events in 6 matches, +65.07 contextual runs/100 events.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 104 / 12 | 44.88 / [-4.67, 97.17] |
| pace_or_spin / Spin | 33 / 7 | 57.03 / [-14.52, 99.87] |
| batting_type / RHB | 137 / 12 | 47.81 / [-0.56, 90.49] |

## Fixed-fit verdict checks

Leave best match out: 20.2506

IPL only: insufficient pressure coverage

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# Suryakumar Yadav

## Middle order, Finisher

## Score audit

110 pressure events / 107 legal balls -> 16 episodes -> 13 matches. Expected runs 160.9490; observed runs 217; signed residual sum +56.0510. Score = 100 x 56.0510 / (110 + 60) = +32.9712. 95% match-bootstrap interval [11.1534, 58.1295].

## Six evidence dimensions

Contribution +32.97 runs/100. Nonpressure usual +16.41 over 625 events; all-situation usual +21.58. Unpooled pressure-minus-nonpressure +34.55. Repeatability: 13 matches / 16 episodes. Between-match SD 144.66. Coverage: 99 IPL events; first innings 46, chase 64.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 89 / 12 | 32.49 | 55 |
| Middle overs | 485 / 31 | 29.77 | 55 |
| Powerplay | 161 / 22 | -9.12 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Middle order, Finisher

Current verified rr coverage: Ravindra Jadeja

Measured gap or uncertainty: Unresolved: A stronger case under common assignments; difference 58.416 runs / 100, interval [1.567, 111.988]

Primary alternative: Ravindra Jadeja

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile -4.2, median 43.96 unpooled runs/100 events; 4 unfavourable of 13 pressure matches. Mean interval [7.29, 160.33]; performance variability and mean uncertainty are distinct.

First-six readiness / Middle overs / stable: 17 innings, 87 legal balls; 137.93 bat runs/100 legal balls; dismissal probability 0.2941 per innings.

First-six readiness / Powerplay / stable: 16 innings, 83 legal balls; 95.18 bat runs/100 legal balls; dismissal probability 0.1875 per innings.

First-six readiness / Powerplay / collapse: 6 innings, 36 legal balls; 105.56 bat runs/100 legal balls; dismissal probability 0.0 per innings.

Non-boundary scoring: 50.35 bat runs/100 legal balls; 43.74% scoring events excluding boundaries; boundary share 68.92% of legal-ball bat runs. 711 legal balls in 41 innings.

Entry assignment / Middle overs / stable: 265 events in 17 matches, +31.96 contextual runs/100 events.

Entry assignment / Powerplay / stable: 287 events in 16 matches, +9.82 contextual runs/100 events.

Entry assignment / Powerplay / collapse: 143 events in 6 matches, +11.04 contextual runs/100 events.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 73 / 11 | 42.21 / [1.59, 85.22] |
| pace_or_spin / Spin | 37 / 6 | 68.21 / [17.03, 115.92] |
| batting_type / RHB | 110 / 13 | 50.96 / [19.52, 91.49] |

## Fixed-fit verdict checks

Leave best match out: 23.1532

IPL only: {'score': 32.7843, 'matches': 10, 'balls': 99}

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# Shubman Gill

## Opener, Finisher

## Score audit

80 pressure events / 77 legal balls -> 10 episodes -> 8 matches. Expected runs 131.8481; observed runs 175; signed residual sum +43.1519. Score = 100 x 43.1519 / (80 + 60) = +30.8228. 95% match-bootstrap interval [7.5662, 51.3043].

## Six evidence dimensions

Contribution +30.82 runs/100. Nonpressure usual +8.49 over 969 events; all-situation usual +11.95. Unpooled pressure-minus-nonpressure +45.45. Repeatability: 8 matches / 10 episodes. Between-match SD 76.01. Coverage: 59 IPL events; first innings 39, chase 41.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 86 / 8 | 14.06 | 49 |
| Middle overs | 432 / 21 | 6.3 | 31 |
| Powerplay | 531 / 43 | 16.21 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Opener, Finisher

Current verified rr coverage: Shimron Hetmyer

Measured gap or uncertainty: Unresolved: Inconclusive under common assignments; difference 16.536 runs / 100, interval [-73.508, 104.49]

Primary alternative: Shimron Hetmyer

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile -46.22, median 29.34 unpooled runs/100 events; 3 unfavourable of 8 pressure matches. Mean interval [-36.45, 67.93]; performance variability and mean uncertainty are distinct.

First-six readiness / Powerplay / stable: 43 innings, 235 legal balls; 137.45 bat runs/100 legal balls; dismissal probability 0.1628 per innings.

Non-boundary scoring: 58.65 bat runs/100 legal balls; 49.36% scoring events excluding boundaries; boundary share 62.16% of legal-ball bat runs. 1011 legal balls in 43 innings.

Entry assignment / Powerplay / stable: 1049 events in 43 matches, +11.95 contextual runs/100 events.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 56 / 7 | 70.44 / [29.69, 102.94] |
| batting_type / RHB | 80 / 8 | 53.94 / [15.67, 88.54] |

## Fixed-fit verdict checks

Leave best match out: 16.7112

IPL only: {'score': 16.7112, 'matches': 7, 'balls': 59}

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# Shashank Singh

## Finisher

## Score audit

174 pressure events / 167 legal balls -> 12 episodes -> 11 matches. Expected runs 256.3556; observed runs 326; signed residual sum +69.6444. Score = 100 x 69.6444 / (174 + 60) = +29.7626. 95% match-bootstrap interval [3.2504, 52.5493].

## Six evidence dimensions

Contribution +29.76 runs/100. Nonpressure usual -8.54 over 89 events; all-situation usual +23.59. Unpooled pressure-minus-nonpressure +48.57. Repeatability: 11 matches / 12 episodes. Between-match SD 72.41. Coverage: 174 IPL events; first innings 76, chase 98.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 139 / 12 | 37.64 | 137 |
| Middle overs | 109 / 8 | 8.57 | 37 |

## Potential RR contribution - six-part case

Capability demonstrated: Finisher

Current verified rr coverage: Ravindra Jadeja

Measured gap or uncertainty: Unresolved: Inconclusive under common assignments; difference 35.965 runs / 100, interval [-2.876, 67.577]

Primary alternative: Ravindra Jadeja

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile -36.79, median 37.57 unpooled runs/100 events; 4 unfavourable of 11 pressure matches. Mean interval [-19.26, 61.75]; performance variability and mean uncertainty are distinct.

First-six readiness: insufficient evidence

Non-boundary scoring: 60.24 bat runs/100 legal balls; 51.81% scoring events excluding boundaries; boundary share 64.45% of legal-ball bat runs. 249 legal balls in 15 innings.

Recovery assignment: insufficient evidence

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 141 / 11 | 49.7 / [10.54, 78.97] |
| pace_or_spin / Spin | 33 / 8 | -1.32 / [-71.99, 62.78] |
| batting_type / RHB | 174 / 11 | 40.03 / [3.32, 68.62] |

## Fixed-fit verdict checks

Leave best match out: 22.5867

IPL only: {'score': 29.7626, 'matches': 11, 'balls': 174}

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# Sikandar Raza

## Middle order

## Score audit

132 pressure events / 126 legal balls -> 12 episodes -> 10 matches. Expected runs 168.3232; observed runs 216; signed residual sum +47.6768. Score = 100 x 47.6768 / (132 + 60) = +24.8317. 95% match-bootstrap interval [1.4144, 40.1152].

## Six evidence dimensions

Contribution +24.83 runs/100. Nonpressure usual +0.44 over 237 events; all-situation usual +13.20. Unpooled pressure-minus-nonpressure +35.68. Repeatability: 10 matches / 12 episodes. Between-match SD 43.26. Coverage: 36 IPL events; first innings 12, chase 120.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Middle overs | 235 / 16 | 6.17 | 79 |
| Powerplay | 78 / 11 | 21.48 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Middle order

Current verified rr coverage: Shared supported incumbent assignment unavailable

Measured gap or uncertainty: No supported quality-gap conclusion

Primary alternative: Insufficient overlap for an alternative

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile -12.21, median 8.75 unpooled runs/100 events; 4 unfavourable of 10 pressure matches. Mean interval [-13.66, 35.07]; performance variability and mean uncertainty are distinct.

First-six readiness / Middle overs / stable: 5 innings, 30 legal balls; 73.33 bat runs/100 legal balls; dismissal probability 0.4 per innings.

First-six readiness / Powerplay / collapse: 7 innings, 40 legal balls; 135.0 bat runs/100 legal balls; dismissal probability 0.1429 per innings.

Non-boundary scoring: 64.33 bat runs/100 legal balls; 50.28% scoring events excluding boundaries; boundary share 51.99% of legal-ball bat runs. 356 legal balls in 19 innings.

Entry assignment / Middle overs / stable: 68 events in 5 matches, -13.89 contextual runs/100 events.

Entry assignment / Powerplay / collapse: 170 events in 7 matches, +18.34 contextual runs/100 events.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 75 / 8 | 33.36 / [-11.38, 69.16] |
| pace_or_spin / Spin | 57 / 7 | 39.75 / [21.31, 76.52] |
| batting_type / RHB | 132 / 10 | 36.12 / [1.16, 55.26] |

## Fixed-fit verdict checks

Leave best match out: 13.4811

IPL only: insufficient pressure coverage

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# George Linde

## Insufficient role evidence

## Score audit

47 pressure events / 45 legal balls -> 5 episodes -> 5 matches. Expected runs 60.1010; observed runs 86; signed residual sum +25.8990. Score = 100 x 25.8990 / (47 + 60) = +24.2047. 95% match-bootstrap interval [-2.411, 60.5581].

## Six evidence dimensions

Contribution +24.20 runs/100. Nonpressure usual +0.00 over 0 events; all-situation usual +55.10. Unpooled pressure-minus-nonpressure +55.10. Repeatability: 5 matches / 5 episodes. Between-match SD 84.01. Coverage: 17 IPL events; first innings 26, chase 21.

## Potential RR contribution - six-part case

Capability demonstrated: insufficient role evidence

Current verified rr coverage: Shared supported incumbent assignment unavailable

Measured gap or uncertainty: No supported quality-gap conclusion

Primary alternative: Insufficient overlap for an alternative

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile 4.93, median 22.54 unpooled runs/100 events; 1 unfavourable of 5 pressure matches. Mean interval [-13.07, 115.01]; performance variability and mean uncertainty are distinct.

First-six readiness: insufficient evidence

Non-boundary scoring: 44.44 bat runs/100 legal balls; 33.33% scoring events excluding boundaries; boundary share 76.74% of legal-ball bat runs. 45 legal balls in 5 innings.

Recovery assignment: insufficient evidence

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 37 / 5 | 36.57 / [-9.52, 95.8] |
| batting_type / LHB | 47 / 5 | 55.1 / [-9.51, 128.86] |

## Fixed-fit verdict checks

Leave best match out: 4.2071

IPL only: insufficient pressure coverage

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# Josh Inglis

## Middle order

## Score audit

31 pressure events / 30 legal balls -> 5 episodes -> 5 matches. Expected runs 44.9762; observed runs 67; signed residual sum +22.0238. Score = 100 x 22.0238 / (31 + 60) = +24.2020. 95% match-bootstrap interval [4.0948, 34.8685].

## Six evidence dimensions

Contribution +24.20 runs/100. Nonpressure usual +14.04 over 267 events; all-situation usual +19.97. Unpooled pressure-minus-nonpressure +57.01. Repeatability: 5 matches / 5 episodes. Between-match SD 203.32. Coverage: 19 IPL events; first innings 15, chase 16.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Middle overs | 179 / 10 | 28.74 | 16 |
| Powerplay | 97 / 13 | 5.21 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Middle order

Current verified rr coverage: Shared supported incumbent assignment unavailable

Measured gap or uncertainty: No supported quality-gap conclusion

Primary alternative: Insufficient overlap for an alternative

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile 70.89, median 85.07 unpooled runs/100 events; 1 unfavourable of 5 pressure matches. Mean interval [-15.78, 310.81]; performance variability and mean uncertainty are distinct.

First-six readiness / Powerplay / stable: 11 innings, 58 legal balls; 175.86 bat runs/100 legal balls; dismissal probability 0.2727 per innings.

Non-boundary scoring: 50.88 bat runs/100 legal balls; 43.16% scoring events excluding boundaries; boundary share 69.08% of legal-ball bat runs. 285 legal balls in 16 innings.

Entry assignment / Powerplay / stable: 230 events in 11 matches, +19.39 contextual runs/100 events.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| batting_type / RHB | 31 / 5 | 71.04 / [10.59, 131.97] |

## Fixed-fit verdict checks

Leave best match out: 17.7824

IPL only: insufficient pressure coverage

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# Later-match selection check: bowlers

Retrospective diagnostic; eligibility and future participation are shown. Ordinary batting uses bat runs/event; ordinary bowling uses charged runs/legal ball. The phase/rate policy equals contextual policy under the fallback; it is not an independent win.

| Year / policy | Observed / selected | Later events | Later runs / 100 |
|---|---|---|---|
| 2024 / contextual | 7 / 10 | 354 | -4.208 |
| 2024 / conservative | 7 / 10 | 354 | -4.208 |
| 2024 / ordinary | 8 / 10 | 432 | -3.934 |
| 2024 / phase_rate_baseline | 7 / 10 | 354 | -4.208 |
| 2025 / contextual | 10 / 10 | 349 | -7.602 |
| 2025 / conservative | 9 / 10 | 486 | 4.258 |
| 2025 / ordinary | 9 / 10 | 294 | 6.959 |
| 2025 / phase_rate_baseline | 10 / 10 | 349 | -7.602 |
| 2026 / contextual | 6 / 10 | 137 | -13.468 |
| 2026 / conservative | 6 / 10 | 147 | -12.755 |
| 2026 / ordinary | 6 / 10 | 83 | -19.114 |
| 2026 / phase_rate_baseline | 6 / 10 | 137 | -13.468 |

# Yash Dayal

## Death, Middle overs, Powerplay

## Score audit

76 pressure events / 73 legal balls -> 10 episodes -> 10 matches. Expected runs 110.3231; observed runs 78; signed residual sum +32.3231. Score = 100 x 32.3231 / (76 + 60) = +23.7670. 95% match-bootstrap interval [8.8439, 39.8384].

## Six evidence dimensions

Contribution +23.77 runs/100. Nonpressure usual -9.03 over 231 events; all-situation usual +3.73. Unpooled pressure-minus-nonpressure +51.56. Repeatability: 10 matches / 10 episodes. Between-match SD 43.10. Coverage: 76 IPL events; first innings 26, chase 50.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 71 / 11 | 48.88 | 52 |
| Middle overs | 60 / 8 | 13.6 | 24 |
| Powerplay | 176 / 15 | -17.84 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Death, Middle overs, Powerplay

Current verified rr coverage: Sandeep Sharma

Measured gap or uncertainty: Unresolved: A stronger case under common assignments; difference 74.113 runs / 100, interval [36.068, 113.172]

Primary alternative: Sandeep Sharma

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile 11.14, median 64.58 unpooled runs/100 events; 3 unfavourable of 10 pressure matches. Mean interval [29.58, 75.8]; performance variability and mean uncertainty are distinct.

Observed same-over boundary follow-up: 114 events / 113 legal balls / 15 matches; boundary frequency 21.05% versus 21.32% expected; 158 runs conceded, +4.16 contextual runs prevented. Follow-ups are selected opportunities, not causal evidence of recovery.

Costly exposure: 6 verified wides in 307 events (1.95/100); 20.6 boundaries/100 legal balls; wides cost 10 charged runs. No-ball rate is not estimated because ambiguous records were quarantined.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 76 / 10 | 42.53 / [18.83, 72.56] |
| batting_type / LHB | 45 / 8 | 20.66 / [-10.48, 69.08] |
| batting_type / RHB | 31 / 10 | 74.27 / [53.17, 93.8] |

## Fixed-fit verdict checks

Leave best match out: 19.5196

IPL only: {'score': 23.767, 'matches': 10, 'balls': 76}

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# Jasprit Bumrah

## Death, Middle overs, Powerplay

## Score audit

253 pressure events / 247 legal balls -> 24 episodes -> 22 matches. Expected runs 366.0764; observed runs 293; signed residual sum +73.0764. Score = 100 x 73.0764 / (253 + 60) = +23.3471. 95% match-bootstrap interval [5.7521, 42.3231].

## Six evidence dimensions

Contribution +23.35 runs/100. Nonpressure usual +22.60 over 373 events; all-situation usual +25.14. Unpooled pressure-minus-nonpressure +6.28. Repeatability: 22 matches / 24 episodes. Between-match SD 53.20. Coverage: 129 IPL events; first innings 130, chase 123.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 203 / 20 | 24.24 | 186 |
| Middle overs | 151 / 20 | 46.93 | 67 |
| Powerplay | 272 / 26 | 13.72 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Death, Middle overs, Powerplay

Current verified rr coverage: Ravi Bishnoi

Measured gap or uncertainty: Unresolved: A stronger case under common assignments; difference 58.205 runs / 100, interval [16.485, 97.312]

Primary alternative: Ravi Bishnoi

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile -23.07, median 32.23 unpooled runs/100 events; 6 unfavourable of 22 pressure matches. Mean interval [0.07, 41.31]; performance variability and mean uncertainty are distinct.

Observed same-over boundary follow-up: 203 events / 194 legal balls / 25 matches; boundary frequency 15.76% versus 21.14% expected; 235 runs conceded, +66.52 contextual runs prevented. Follow-ups are selected opportunities, not causal evidence of recovery.

Costly exposure: 25 verified wides in 626 events (3.99/100); 15.47 boundaries/100 legal balls; wides cost 38 charged runs. No-ball rate is not estimated because ambiguous records were quarantined.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 253 / 22 | 28.88 / [7.8, 49.1] |
| batting_type / LHB | 69 / 14 | 39.78 / [8.6, 66.63] |
| batting_type / RHB | 184 / 21 | 24.8 / [-1.91, 48.37] |

## Fixed-fit verdict checks

Leave best match out: 18.6691

IPL only: {'score': 21.9196, 'matches': 12, 'balls': 129}

Recent 2026: {'score': 0.0582, 'matches': 7, 'balls': 78}

Tau 0.15: insufficient pressure coverage

Tau 0.25: {'score': 9.3401, 'matches': 10, 'balls': 35}

# Jofra Archer

## Death, Middle overs, Powerplay

## Score audit

111 pressure events / 106 legal balls -> 15 episodes -> 14 matches. Expected runs 173.0673; observed runs 134; signed residual sum +39.0673. Score = 100 x 39.0673 / (111 + 60) = +22.8464. 95% match-bootstrap interval [5.4556, 40.5171].

## Six evidence dimensions

Contribution +22.85 runs/100. Nonpressure usual -7.35 over 430 events; all-situation usual +1.38. Unpooled pressure-minus-nonpressure +42.55. Repeatability: 14 matches / 15 episodes. Between-match SD 51.61. Coverage: 81 IPL events; first innings 62, chase 49.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 147 / 18 | 17.46 | 94 |
| Middle overs | 60 / 9 | 36.51 | 17 |
| Powerplay | 334 / 23 | -12.01 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Death, Middle overs, Powerplay

Current verified rr coverage: Sandeep Sharma

Measured gap or uncertainty: Unresolved: Inconclusive under common assignments; difference 42.339 runs / 100, interval [-1.852, 87.058]

Primary alternative: Sandeep Sharma

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile 12.0, median 41.68 unpooled runs/100 events; 3 unfavourable of 14 pressure matches. Mean interval [5.44, 57.91]; performance variability and mean uncertainty are distinct.

Observed same-over boundary follow-up: 188 events / 180 legal balls / 23 matches; boundary frequency 24.47% versus 20.96% expected; 291 runs conceded, -19.73 contextual runs prevented. Follow-ups are selected opportunities, not causal evidence of recovery.

Costly exposure: 23 verified wides in 541 events (4.25/100); 21.24 boundaries/100 legal balls; wides cost 32 charged runs. No-ball rate is not estimated because ambiguous records were quarantined.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 111 / 14 | 35.2 / [3.56, 61.74] |
| batting_type / LHB | 48 / 9 | 28.84 / [-5.02, 79.46] |
| batting_type / RHB | 63 / 11 | 40.04 / [6.17, 71.26] |

## Fixed-fit verdict checks

Leave best match out: 17.2168

IPL only: {'score': 24.7655, 'matches': 10, 'balls': 81}

Recent 2026: {'score': 19.8656, 'matches': 5, 'balls': 49}

Tau 0.15: insufficient pressure coverage

Tau 0.25: {'score': -4.025, 'matches': 11, 'balls': 52}

# Shaheen Afridi

## Death, Middle overs, Powerplay

## Score audit

127 pressure events / 117 legal balls -> 16 episodes -> 16 matches. Expected runs 171.4233; observed runs 132; signed residual sum +39.4233. Score = 100 x 39.4233 / (127 + 60) = +21.0820. 95% match-bootstrap interval [6.4453, 35.4588].

## Six evidence dimensions

Contribution +21.08 runs/100. Nonpressure usual +11.78 over 304 events; all-situation usual +17.46. Unpooled pressure-minus-nonpressure +19.26. Repeatability: 16 matches / 16 episodes. Between-match SD 47.29. Coverage: 0 IPL events; first innings 47, chase 80.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 107 / 15 | 28.01 | 107 |
| Middle overs | 69 / 10 | 44.53 | 20 |
| Powerplay | 255 / 19 | 5.7 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Death, Middle overs, Powerplay

Current verified rr coverage: Ravi Bishnoi

Measured gap or uncertainty: Unresolved: Inconclusive under common assignments; difference 70.136 runs / 100, interval [-17.069, 146.157]

Primary alternative: Ravi Bishnoi

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile 23.89, median 43.11 unpooled runs/100 events; 3 unfavourable of 16 pressure matches. Mean interval [12.13, 58.84]; performance variability and mean uncertainty are distinct.

Observed same-over boundary follow-up: 134 events / 125 legal balls / 19 matches; boundary frequency 14.18% versus 17.54% expected; 146 runs conceded, +29.50 contextual runs prevented. Follow-ups are selected opportunities, not causal evidence of recovery.

Costly exposure: 20 verified wides in 431 events (4.64/100); 14.6 boundaries/100 legal balls; wides cost 25 charged runs. No-ball rate is not estimated because ambiguous records were quarantined.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 127 / 16 | 31.04 / [8.73, 50.63] |
| batting_type / LHB | 38 / 9 | 28.12 / [-18.21, 59.04] |
| batting_type / RHB | 89 / 15 | 32.29 / [6.57, 58.37] |

## Fixed-fit verdict checks

Leave best match out: 18.7272

IPL only: insufficient pressure coverage

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: {'score': -5.4682, 'matches': 8, 'balls': 36}

# Sunil Narine

## Middle overs

## Score audit

90 pressure events / 90 legal balls -> 10 episodes -> 10 matches. Expected runs 123.6907; observed runs 94; signed residual sum +29.6907. Score = 100 x 29.6907 / (90 + 60) = +19.7938. 95% match-bootstrap interval [5.8985, 31.9467].

## Six evidence dimensions

Contribution +19.79 runs/100. Nonpressure usual +4.69 over 311 events; all-situation usual +11.04. Unpooled pressure-minus-nonpressure +28.30. Repeatability: 10 matches / 10 episodes. Between-match SD 40.70. Coverage: 90 IPL events; first innings 36, chase 54.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Middle overs | 291 / 18 | 9.91 | 42 |

## Potential RR contribution - six-part case

Capability demonstrated: Middle overs

Current verified rr coverage: Ravi Bishnoi

Measured gap or uncertainty: Unresolved: Inconclusive under common assignments; difference 57.452 runs / 100, interval [-8.754, 114.822]

Primary alternative: Ravi Bishnoi

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile 3.51, median 41.45 unpooled runs/100 events; 3 unfavourable of 10 pressure matches. Mean interval [14.07, 62.53]; performance variability and mean uncertainty are distinct.

Observed same-over boundary follow-up: 95 events / 92 legal balls / 17 matches; boundary frequency 16.84% versus 18.31% expected; 140 runs conceded, -4.52 contextual runs prevented. Follow-ups are selected opportunities, not causal evidence of recovery.

Costly exposure: 5 verified wides in 401 events (1.25/100); 13.13 boundaries/100 legal balls; wides cost 6 charged runs. No-ball rate is not estimated because ambiguous records were quarantined.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Spin | 90 / 10 | 32.99 / [9.89, 55.95] |

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| batting_type / RHB | 74 / 10 | 33.25 / [8.49, 61.94] |

## Fixed-fit verdict checks

Leave best match out: 16.6189

IPL only: {'score': 19.7938, 'matches': 10, 'balls': 90}

Recent 2026: {'score': 19.7928, 'matches': 5, 'balls': 36}

Tau 0.15: insufficient pressure coverage

Tau 0.25: {'score': 10.2635, 'matches': 7, 'balls': 40}

# Shardul Thakur

## Death, Middle overs, Powerplay

## Score audit

89 pressure events / 78 legal balls -> 7 episodes -> 7 matches. Expected runs 137.9452; observed runs 109; signed residual sum +28.9452. Score = 100 x 28.9452 / (89 + 60) = +19.4263. 95% match-bootstrap interval [15.7342, 23.0664].

## Six evidence dimensions

Contribution +19.43 runs/100. Nonpressure usual -27.48 over 196 events; all-situation usual -8.74. Unpooled pressure-minus-nonpressure +60.00. Repeatability: 7 matches / 7 episodes. Between-match SD 9.53. Coverage: 89 IPL events; first innings 33, chase 56.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 95 / 11 | 28.55 | 58 |
| Middle overs | 71 / 9 | 7.45 | 31 |
| Powerplay | 119 / 13 | -48.18 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Death, Middle overs, Powerplay

Current verified rr coverage: Sandeep Sharma

Measured gap or uncertainty: Unresolved: A stronger case under common assignments; difference 46.477 runs / 100, interval [13.385, 75.743]

Primary alternative: Sandeep Sharma

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile 26.14, median 28.33 unpooled runs/100 events; 0 unfavourable of 7 pressure matches. Mean interval [26.53, 38.23]; performance variability and mean uncertainty are distinct.

Observed same-over boundary follow-up: 123 events / 115 legal balls / 14 matches; boundary frequency 22.76% versus 22.01% expected; 187 runs conceded, -1.65 contextual runs prevented. Follow-ups are selected opportunities, not causal evidence of recovery.

Costly exposure: 20 verified wides in 285 events (7.02/100); 24.53 boundaries/100 legal balls; wides cost 20 charged runs. No-ball rate is not estimated because ambiguous records were quarantined.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 89 / 7 | 32.52 / [27.51, 38.25] |
| batting_type / LHB | 32 / 5 | 44.52 / [20.68, 68.6] |
| batting_type / RHB | 57 / 7 | 25.79 / [1.31, 40.96] |

## Fixed-fit verdict checks

Leave best match out: 16.8307

IPL only: {'score': 19.4263, 'matches': 7, 'balls': 89}

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# Axar Patel

## Middle overs, Powerplay

## Score audit

105 pressure events / 105 legal balls -> 14 episodes -> 14 matches. Expected runs 142.0620; observed runs 111; signed residual sum +31.0620. Score = 100 x 31.0620 / (105 + 60) = +18.8255. 95% match-bootstrap interval [-6.5727, 40.0744].

## Six evidence dimensions

Contribution +18.83 runs/100. Nonpressure usual +11.95 over 548 events; all-situation usual +14.79. Unpooled pressure-minus-nonpressure +17.63. Repeatability: 14 matches / 14 episodes. Between-match SD 72.16. Coverage: 30 IPL events; first innings 42, chase 63.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Middle overs | 406 / 31 | 16.82 | 54 |
| Powerplay | 196 / 23 | 5.93 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Middle overs, Powerplay

Current verified rr coverage: Dasun Shanaka

Measured gap or uncertainty: Unresolved: Inconclusive under common assignments; difference 51.533 runs / 100, interval [-29.552, 102.292]

Primary alternative: Dasun Shanaka

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile 21.55, median 56.28 unpooled runs/100 events; 3 unfavourable of 14 pressure matches. Mean interval [-11.87, 64.49]; performance variability and mean uncertainty are distinct.

Observed same-over boundary follow-up: 177 events / 173 legal balls / 28 matches; boundary frequency 12.99% versus 17.45% expected; 220 runs conceded, +21.04 contextual runs prevented. Follow-ups are selected opportunities, not causal evidence of recovery.

Costly exposure: 8 verified wides in 653 events (1.23/100); 12.4 boundaries/100 legal balls; wides cost 16 charged runs. No-ball rate is not estimated because ambiguous records were quarantined.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Spin | 105 / 14 | 29.58 / [-8.59, 65.01] |
| batting_type / RHB | 78 / 14 | 25.0 / [-29.12, 65.76] |

## Fixed-fit verdict checks

Leave best match out: 13.5951

IPL only: insufficient pressure coverage

Recent 2026: {'score': -6.6341, 'matches': 5, 'balls': 33}

Tau 0.15: insufficient pressure coverage

Tau 0.25: {'score': 19.1326, 'matches': 17, 'balls': 73}

# Sufiyan Muqeem

## Middle overs

## Score audit

104 pressure events / 101 legal balls -> 8 episodes -> 8 matches. Expected runs 121.1368; observed runs 94; signed residual sum +27.1368. Score = 100 x 27.1368 / (104 + 60) = +16.5468. 95% match-bootstrap interval [-5.3054, 36.4955].

## Six evidence dimensions

Contribution +16.55 runs/100. Nonpressure usual +15.22 over 216 events; all-situation usual +18.75. Unpooled pressure-minus-nonpressure +10.87. Repeatability: 8 matches / 8 episodes. Between-match SD 37.42. Coverage: 0 IPL events; first innings 0, chase 104.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Middle overs | 283 / 15 | 16.77 | 67 |

## Potential RR contribution - six-part case

Capability demonstrated: Middle overs

Current verified rr coverage: Dasun Shanaka

Measured gap or uncertainty: Unresolved: A stronger case under common assignments; difference 48.541 runs / 100, interval [10.191, 92.943]

Primary alternative: Dasun Shanaka

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile 35.83, median 44.94 unpooled runs/100 events; 1 unfavourable of 8 pressure matches. Mean interval [12.72, 57.31]; performance variability and mean uncertainty are distinct.

Observed same-over boundary follow-up: 59 events / 59 legal balls / 11 matches; boundary frequency 18.64% versus 13.28% expected; 85 runs conceded, -10.74 contextual runs prevented. Follow-ups are selected opportunities, not causal evidence of recovery.

Costly exposure: 5 verified wides in 320 events (1.56/100); 9.21 boundaries/100 legal balls; wides cost 5 charged runs. No-ball rate is not estimated because ambiguous records were quarantined.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Spin | 104 / 8 | 26.09 / [-7.68, 60.25] |

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| batting_type / RHB | 75 / 8 | 17.61 / [-17.02, 70.67] |

## Fixed-fit verdict checks

Leave best match out: 9.5534

IPL only: insufficient pressure coverage

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# Mustafizur Rahman

## Death, Middle overs, Powerplay

## Score audit

260 pressure events / 246 legal balls -> 22 episodes -> 22 matches. Expected runs 371.5367; observed runs 323; signed residual sum +48.5367. Score = 100 x 48.5367 / (260 + 60) = +15.1677. 95% match-bootstrap interval [1.0376, 29.2613].

## Six evidence dimensions

Contribution +15.17 runs/100. Nonpressure usual +13.66 over 322 events; all-situation usual +15.90. Unpooled pressure-minus-nonpressure +5.01. Repeatability: 22 matches / 22 episodes. Between-match SD 46.63. Coverage: 53 IPL events; first innings 196, chase 64.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 248 / 22 | 22.4 | 235 |
| Middle overs | 163 / 18 | 12.12 | 25 |
| Powerplay | 171 / 21 | 10.07 | 0 |

## Potential RR contribution - six-part case

Capability demonstrated: Death, Middle overs, Powerplay

Current verified rr coverage: Jofra Archer

Measured gap or uncertainty: Unresolved: Inconclusive under common assignments; difference -0.326 runs / 100, interval [-59.578, 55.136]

Primary alternative: Jofra Archer

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile -5.86, median 22.77 unpooled runs/100 events; 9 unfavourable of 22 pressure matches. Mean interval [0.58, 37.02]; performance variability and mean uncertainty are distinct.

Observed same-over boundary follow-up: 198 events / 187 legal balls / 23 matches; boundary frequency 12.12% versus 18.57% expected; 229 runs conceded, +49.62 contextual runs prevented. Follow-ups are selected opportunities, not causal evidence of recovery.

Costly exposure: 24 verified wides in 582 events (4.12/100); 14.52 boundaries/100 legal balls; wides cost 33 charged runs. No-ball rate is not estimated because ambiguous records were quarantined.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 260 / 22 | 18.67 / [2.0, 36.74] |
| batting_type / LHB | 59 / 10 | 6.18 / [-26.03, 37.33] |
| batting_type / RHB | 201 / 21 | 22.33 / [1.37, 47.31] |

## Fixed-fit verdict checks

Leave best match out: 12.1753

IPL only: insufficient pressure coverage

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: {'score': 29.1496, 'matches': 10, 'balls': 50}

# Matheesha Pathirana

## Death, Middle overs

## Score audit

293 pressure events / 261 legal balls -> 20 episodes -> 18 matches. Expected runs 420.6642; observed runs 368; signed residual sum +52.6642. Score = 100 x 52.6642 / (293 + 60) = +14.9190. 95% match-bootstrap interval [2.7329, 28.951].

## Six evidence dimensions

Contribution +14.92 runs/100. Nonpressure usual +3.95 over 180 events; all-situation usual +12.64. Unpooled pressure-minus-nonpressure +14.03. Repeatability: 18 matches / 20 episodes. Between-match SD 38.50. Coverage: 202 IPL events; first innings 132, chase 161.

| Phase | Events / matches | Runs / 100 | Pressure events |
|---|---|---|---|
| Death | 247 / 20 | 15.7 | 224 |
| Middle overs | 213 / 19 | 9.44 | 69 |

## Potential RR contribution - six-part case

Capability demonstrated: Death, Middle overs

Current verified rr coverage: Ravi Bishnoi

Measured gap or uncertainty: Unresolved: A stronger case under common assignments; difference 49.05 runs / 100, interval [12.139, 80.089]

Primary alternative: Ravi Bishnoi

Biggest risk: Run-only ranking omits wicket value; intervals and cross-competition transport remain uncertain.

Actionability: CONDITIONAL WATCH; official 2026 squad page accessed 2026-11-12; 2027 availability unknown

## Supporting coach evidence

Match downside: lower quartile -8.67, median 15.13 unpooled runs/100 events; 5 unfavourable of 18 pressure matches. Mean interval [-0.54, 34.31]; performance variability and mean uncertainty are distinct.

Observed same-over boundary follow-up: 161 events / 140 legal balls / 20 matches; boundary frequency 11.18% versus 17.68% expected; 185 runs conceded, +47.77 contextual runs prevented. Follow-ups are selected opportunities, not causal evidence of recovery.

Costly exposure: 50 verified wides in 473 events (10.57/100); 15.37 boundaries/100 legal balls; wides cost 65 charged runs. No-ball rate is not estimated because ambiguous records were quarantined.

## Supported descriptive pressure splits

| Context | Events / matches | Runs per 100 / interval |
|---|---|---|
| pace_or_spin / Pace | 293 / 18 | 17.97 / [0.63, 33.45] |
| batting_type / LHB | 107 / 16 | 15.74 / [-7.93, 39.78] |
| batting_type / RHB | 186 / 18 | 19.26 / [0.75, 38.24] |

## Fixed-fit verdict checks

Leave best match out: 11.3346

IPL only: {'score': 18.3359, 'matches': 10, 'balls': 202}

Recent 2026: insufficient pressure coverage

Tau 0.15: insufficient pressure coverage

Tau 0.25: insufficient pressure coverage

# RR coverage matrix

Phase evidence requires 60 events across five matches. Missing is not zero quality; source-name aliases are not guessed.

Dhruv Jurel: batting Death +10.9 (143 events / 14 matches), Middle overs -22.0 (192 events / 17 matches); bowling not assessed

Donovan Ferreira: batting Middle overs +23.9 (83 events / 9 matches); bowling not assessed

Lhuan-dre Pretorius: batting not assessed; bowling not assessed

Ravi Singh: batting not assessed; bowling not assessed

Aman Perala: batting not assessed; bowling not assessed

Shimron Hetmyer: batting Death -10.9 (158 events / 18 matches), Middle overs +22.9 (173 events / 18 matches); bowling not assessed

Shubham Dubey: batting not assessed; bowling not assessed

Vaibhav Sooryavanshi: batting Middle overs +84.1 (125 events / 9 matches), Powerplay +64.3 (226 events / 16 matches); bowling not assessed

Yashasvi Jaiswal: batting Middle overs -3.9 (195 events / 13 matches), Powerplay +33.6 (407 events / 33 matches); bowling not assessed

Dasun Shanaka: batting Death +3.3 (113 events / 12 matches), Middle overs +5.2 (78 events / 10 matches); bowling Middle overs -5.0 (169 events / 13 matches)

Emanjot Chahal: batting not assessed; bowling not assessed

Ravindra Jadeja: batting Death -2.2 (186 events / 19 matches), Middle overs -22.8 (157 events / 15 matches); bowling Middle overs +12.2 (421 events / 22 matches)

Riyan Parag: batting Death +21.8 (102 events / 12 matches), Middle overs +1.7 (292 events / 21 matches), Powerplay -4.6 (60 events / 9 matches); bowling Middle overs -0.3 (100 events / 9 matches)

Yudhvir Singh: batting not assessed; bowling not assessed

Adam Milne: batting not assessed; bowling Powerplay -4.9 (68 events / 6 matches)

Brijesh Sharma: batting not assessed; bowling not assessed

Jofra Archer: batting not assessed; bowling Death +17.5 (147 events / 18 matches), Middle overs +36.5 (60 events / 9 matches), Powerplay -12.0 (334 events / 23 matches)

Kuldeep Sen: batting not assessed; bowling not assessed

Kwena Maphaka: batting not assessed; bowling not assessed

Nandre Burger: batting not assessed; bowling Powerplay -20.8 (132 events / 9 matches)

Ravi Bishnoi: batting not assessed; bowling Death -28.2 (99 events / 15 matches), Middle overs -2.1 (554 events / 33 matches), Powerplay -9.6 (99 events / 15 matches)

Sandeep Sharma: batting not assessed; bowling Death -10.7 (198 events / 18 matches), Middle overs -0.1 (83 events / 10 matches), Powerplay +2.3 (178 events / 18 matches)

Sushant Mishra: batting not assessed; bowling not assessed

Tushar Deshpande: batting not assessed; bowling Death -11.0 (164 events / 20 matches), Middle overs -2.2 (109 events / 13 matches), Powerplay -8.6 (204 events / 19 matches)

Vignesh Puthur: batting not assessed; bowling not assessed

Yash Punja: batting not assessed; bowling not assessed

# Sources and limitations

Rajasthan Royals | https://www.rajasthanroyals.com/rr-players | accessed 2026-11-12 | Official page labelled Rajasthan Royals Squad 2026. Listed players provide latest verified season roster context only; this is not a 2027 retention list.

Unstop / Rajasthan Royals competition listing | https://unstop.com/hackathons/crp-superr-selector-season-2-help-shape-rajasthan-royals-ipl-2027-auction-strategy-rajasthan-royals-1792758 | accessed 2026-11-12 | Public listing describes Round 1 pressure-performance analysis. Submission details are taken from the PDF inside the supplied pack; no numeric judging rubric or account dropdowns verified.

No validated combined wicket/run-equivalent model: rankings use contextual run residuals and publish wickets separately. Strict margin coverage failed; the fallback is not a validated superior pressure measure.

Primary model is linear logistic; quadratic candidate evaluated but no superiority claim or automatic selection.

Margin labels are an operational hypothesis; no psychological pressure ground truth. Stress support/extrapolation validation is pending.

First-innings median benchmark is a modelling assumption; first/chase figures are separate. Overall run residual ranking pools their exposure without claiming identical viability scales.

Opponent strength, venue effects, hierarchical season effects and supported pace/spin comparisons are not yet fitted.

Player estimates use fixed exposure shrinkage and match bootstrap, not a fitted hierarchical posterior.

2026 holdout metrics are reported; models and policy were developed in this implementation, not prospectively preregistered. Policy comparisons are retrospective and not confirmatory evidence of superiority.

Auction availability, 2027 rules, purse and submission dropdown IDs are unverified. No actionable TARGET list is asserted.

Overall ranks compare observed player exposure. Pairwise comparisons instead standardise over shared innings/phase/IPL strata with match-cluster intervals; venue/opponent/position confounds remain.

## Provenance

Analysis ID c0db2da4b94d5157

{"code_sha256": "db45948d033bf7ec7532ebf1a680285c3452c8c53d9279836727f89ae40a9425", "config_sha256": "cea5d0f6f9b555d9c185cf160bcf1ffc856d780b42a7279b8b98db23fea1ddb9", "python": "3.10.4", "input_zip_sha256": "82da62e94840e614ef136f0bb24168fe72b567c3eff71bf6b58488ac9b2b7f7d", "input_manifest": [{"name": "Data Pack/competitions.csv", "bytes": 7624, "sha256": "507ceb7189f972d4e4f299ddcfc97f3c3247af1913f6291106f161fa8353fd9b"}, {"name": "Data Pack/teams.csv", "bytes": 6922, "sha256": "a65e5922a9b3bf49247b24fc9471782e700efb31f8dcc5042923238b87c50a5d"}, {"name": "Data Pack/matches.csv", "bytes": 123864, "sha256": "bb100ab84b8b9a15160c1f2315cf675210131a30e779ec5079fd5403dcf56eef"}, {"name": "Data Pack/ball_by_ball.csv", "bytes": 41071837, "sha256": "01e2b4379edfbab6a6e456d304cb3c70f554cb312ef93d9588f3f32a82cb396e"}, {"name": "Data Pack/competition_team_player_mapping.csv", "bytes": 462969, "sha256": "1ded4e42a933618572d6e2c3a521c3257eb1844fab4456d567d77cbb2d3bbb12"}, {"name": "Data Pack/playing_eleven.csv", "bytes": 966287, "sha256": "7517c73722a28d5d61c808ccf0cbed315a8780586d02e946eb9a7f5daf011c27"}, {"name": "Data Pack/Round 1 Problem Statement _ SupeRR Selector Season 2.docx.pdf", "bytes": 254082, "sha256": "8f7965c616d4a64b779e770a6b2c17dde6a2d6ccbf7de12a58b04db792162489"}]}