

Assignment 2 – DynamoDB Screenshot Evidence

Microblog Application • Amazon DynamoDB • MicroblogPosts Table • EC2: 3.111.37.11

Figure 1: EC2 console – Microblog-DynamoDB-EC2-Role successfully attached to the instance

The screenshot displays the AWS Management Console interface for the EC2 service. At the top, a green notification banner states: "Successfully attached Microblog-DynamoDB-EC2-Role to instance i-0afd3d12c5d858ec4". The left sidebar contains navigation links for EC2, including Dashboard, AWS Global View, Events, Instances, Instance Types, Launch Templates, Spot Requests, Savings Plans, Reserved Instances, Dedicated Hosts, Capacity Reservations, Capacity Manager, Images, AMIs, AMI Catalog, Elastic Block Store, Volumes, Snapshots, and Lifecycle Manager. The main content area shows the "Instances (1/1)" page with buttons for "Connect", "Instance state", "Actions", and "Launch instances". Below these are filter sets and a search bar. A table lists the instance "i-0afd3d12c5d858ec4 (CCLab-Exp4-Ex3-Microblog)". The "Details" tab is selected, showing the "Instance summary" with fields for Instance ID, Public IPv4 address (3.111.37.11), Private IPv4 addresses (172.31.2.173), and IPv6 address.

aws | Asia Pacific (Mumbai) | Aditya (765377173137) | Aditya

EC2 > Instances

EC2

- Dashboard
- AWS Global View
- Events
- ▼ **Instances**
 - Instances**
 - Instance Types
 - Launch Templates
 - Spot Requests
 - Savings Plans
 - Reserved Instances
 - Dedicated Hosts
 - Capacity Reservations
 - Capacity Manager [New](#)
- ▼ **Images**
 - AMIs
 - AMI Catalog
- ▼ **Elastic Block Store**
 - Volumes
 - Snapshots
 - Lifecycle Manager

Instances (1/1) Info

[Refresh](#) [Connect](#) [Instance state](#) [Actions](#)

[Launch instances](#)

Saved filter sets: Choose filter set

Find instance by attribute or tag (case-sensitive)

< 1 > ⚙️

☒	Name	Instance ID	Instance s
	i-0afd3d12c5d858ec4 (CCLab-Exp4-Ex3-Microblog)		

< **Details** Status and alarms Monitoring >

▼ **Instance summary** Info

Instance ID i-0afd3d12c5d858ec4	Public IPv4 address 3.111.37.11 open address
Private IPv4 addresses 172.31.2.173	IPv6 address -

CloudShell | Agent Toolkit for AWS | Feedback | Console Mobile App

Privacy | Terms | Cookie preferences

© 2026, Amazon Web Services, Inc. or its affiliates.

Figure 2: aws sts get-caller-identity – confirms the EC2 instance is using the assumed IAM role

```
Microblog-DynamoDB-EC2-Roleubuntu@ip-172-31-2-173:/tmp$ aws sts get-caller-i
aws sts get-caller-identity
{
  "UserId": "ARO3ENAI22IXMXUT57R4:i-0afd3d12c5d858ec4",
  "Account": "765377173137",
  "Arn": "arn:aws:sts::765377173137:assumed-role/Microblog-DynamoDB-EC2-Ro
le/i-0afd3d12c5d858ec4"
}
ubuntu@ip-172-31-2-173:/tmp$
```

Figure 3: aws dynamodb describe-table – MicroblogPosts table confirmed ACTIVE

```
ubuntu@ip-172-31-2-173:/tmp$ aws dynamodb describe-table --table-name MicroblogPosts --region ap-south-1 --query "Table.[TableName,TableStatus,TableArn]"
[
  "MicroblogPosts",
  "ACTIVE",
  "arn:aws:dynamodb:ap-south-1:765377173137:table/MicroblogPosts"
]
ubuntu@ip-172-31-2-173:/tmp$ |
```

Figure 4: put-item (CREATE) and get-item (READ) – item id=1 written and retrieved

```
ubuntu@ip-172-31-2-173:/tmp$ aws dynamodb put-item \
--table-name MicroblogPosts \
--region ap-south-1 \
--item '{
  "id": {"S": "1"},
  "username": {"S": "aditya"},
  "age": {"N": "21"},
  "active": {"BOOL": true},
  "tags": {"L": [{"S": "cloud"}, {"S": "aws"}, {"S": "dynamodb"}]},
  "profile": {"M": {
    "city": {"S": "Mumbai"},
    "course": {"S": "Computer Engineering"}
  }},
  "created_at": {"S": "2026-08-19"}
}'
ubuntu@ip-172-31-2-173:/tmp$ aws dynamodb get-item \
--table-name MicroblogPosts \
--region ap-south-1 \
--key '{"id":{"S":"1"}}'
{
  "Item": {
    "active": {
      "BOOL": true
    },
    "created_at": {
      "S": "2026-08-19"
    },
    "profile": {
      "M": {
        "city": {
          "S": "Mumbai"
        },
        "course": {
          "S": "Computer Engineering"
        }
      }
    },
    "username": {
      "S": "aditya"
    },
    "id": {
      "S": "1"
    },
    "tags": {
      "L": [
```

Figure 5: get-item output continued – username, tags (List), and age (Number) attributes

```
    },
    "username": {
      "S": "aditya"
    },
    "id": {
      "S": "1"
    },
    "tags": {
      "L": [
        {
          "S": "cloud"
        },
        {
          "S": "aws"
        },
        {
          "S": "dynamodb"
        }
      ]
    },
    "age": {
      "N": "21"
    }
  }
}
ubuntu@ip-172-31-2-173:/tmp$ |
```

Figure 6: update-item (UPDATE) – age 21→22 and active true→false, returned via ALL_NEW

```
ubuntu@ip-172-31-2-173:/tmp$ aws dynamodb update-item \
--table-name MicroblogPosts \
--region ap-south-1 \
--key '{"id":{"S":"1"}}' \
--update-expression "SET age = :age, active = :active" \
--expression-attribute-values '{":age":{"N":"22"},":active":{"BOOL":false}}' \
--return-values ALL_NEW \
--output json
{
  "Attributes": {
    "active": {
      "BOOL": false
    },
    "username": {
      "S": "aditya"
    },
    "id": {
      "S": "1"
    },
    "tags": {
      "L": [
        {
          "S": "cloud"
        },
        {
          "S": "aws"
        },
        {
          "S": "dynamodb"
        }
      ]
    },
    "age": {
      "N": "22"
    },
    "profile": {
      "M": {
        "city": {
          "S": "Mumbai"
        },
        "course": {
          "S": "Computer Engineering"
        }
      }
    }
  }
}
```


Figure 7: delete-item (DELETE) – item id=1 deleted, full record returned via ALL_OLD

```
ubuntu@ip-172-31-2-173:/tmp$ aws dynamodb delete-item \
--table-name MicroblogPosts \
--region ap-south-1 \
--key '{"id":{"S":"1"}}' \
--return-values ALL_OLD \
--output json
{
  "Attributes": {
    "active": {
      "BOOL": false
    },
    "username": {
      "S": "aditya"
    },
    "id": {
      "S": "1"
    },
    "tags": {
      "L": [
        {
          "S": "cloud"
        },
        {
          "S": "aws"
        },
        {
          "S": "dynamodb"
        }
      ]
    },
    "age": {
      "N": "22"
    },
    "profile": {
      "M": {
        "city": {
          "S": "Mumbai"
        },
        "course": {
          "S": "Computer Engineering"
        }
      }
    }
  }
}
```

Figure 8: aws dynamodb scan after deletion – Count: 0, confirming the item is gone

```
ubuntu@ip-172-31-2-173:/tmp$ aws dynamodb scan \  
--table-name MicroblogPosts \  
--region ap-south-1 \  
--output json  
{  
  "Items": [],  
  "Count": 0,  
  "ScannedCount": 0,  
  "ConsumedCapacity": null  
}  
ubuntu@ip-172-31-2-173:/tmp$ |
```


Figure 9: EC2 Microblog application – login page, confirming the app is live and running



The screenshot shows a web browser window with the address bar displaying `http://3.111.37.11/auth/login?next=%2F`. The page title is "Microblog". A light blue message box at the top states "Please log in to access this page." Below this is the "Sign In" section, which includes a "Username" label and an input field, a "Password" label and an input field, and a "Remember Me" checkbox. A blue "Sign In" button is positioned below the password field. At the bottom of the form, there are two links: "New User? [Click to Register!](#)" and "Forgot Your Password? [Click to Reset It](#)".

Microblog

Please log in to access this page.

Sign In

Username

Password

☐ Remember Me

[Sign In](#)

New User? [Click to Register!](#)

Forgot Your Password? [Click to Reset It](#)

Figure 10: CREATE – user aditya2 submits a new post; “Your post is now live!”




Figure 11: UPDATE – post text edited; “Your post has been updated.”




Figure 12: DELETE – browser confirmation dialog accepted before the post is removed

