840 830		50	100	150	200)	250	300		350	400	0	450		500	5	50
820 810																	
—810 —800																	
7 90																	
-790 -780																	
-770 -760																	
-760 -750 -740 -730 -720																	
-740																	
-730 -720																	
-7 10																	
-710 -700 -690																	
680																	
-670 -660																	
-660 -650																	
-640 -630																	
-630																	
-620 -610 -600																	
-600																	
590														H			
-580 -570											Ш						
-560																	
550																	
-560 -550 -540 -530																	
-520 -510																	
-510 -500																	
—500 —490 —480																	
-480																	
-470 -460																	
-460 -450																	
-440 -430 -420																	
-430 -420																	
-410																	
-400 -390																	
-380																	
-370																	
-360 -350																	
-340																	
330																	
-310																	
-300																	
-290 -280																	
260																	
-240																	
-230											#						
220																	
200																	
190														H			
170																	
160																	
150																	
130																+	
-120																	
110																	
-90																	
-80																	
-60 -60																	
-50																	
40																	
20																	
-10	Ш	50	100	150	200		250	300		350	400		450		500	5	50
Positioned box	c's drawa	able rect.									170		1.70				

-840 -830		50	100)	150	200		250	300	350		400	450		500	550	
820 810																	
-810 -800																	
-790 -780																	
-780																	
-770 -760																	
750																	
740																	
-760 -750 -740 -730 -720																	
-710 -700 -690																	
-700 -690																	
-680																	
670 660																	
-660 -650																	
640 630																	
-630 -630																	
-620 -610 -600																	
600			\blacksquare							\blacksquare		\blacksquare					
—590 —580																	
-580 -570																	
560																	
-560 -550 -540 -530														H			
530													Ш				
-520 -510													Ш				
500																	
—500 —490 —480																	
-480 -470																	
-460 -450																	
-450 -440																	
-440 -430 -420																	
-420																	
-410 -400																	
-390																	
-380 -370																	
360																	
350																	
-340 -330																	
-320																	
-310 -300																	
280																	
-210 -260													Ш				
250													Ш				
-240 -230													Ш				
-220																	
210			+							+#				H			
190																	
180																	
170																	
150																	
140												\blacksquare					
130	Ш				Ш								Ш				
-110													Ш				
100																	
-80	H										H						
70																	
-60 -50																	
-40																	
30																	
-10		50	40-		150	200		250	300	250		400	AFO		EOC	EEO	
Positioned bo	x's dray	50 vable rect.	100		150	200		250	300	350		400	450		500	550	

840 830	50	100	150	200	2	250	300	350	0	400	450	500		550
820														
-820 -810 -800														
-7 90														
780														
-770 -760														
750														
740														
790 760 7760 7760 7750 7740 7730 7720 7710 7700 6990 680 6670 660														
-7 10														
700														
680														
-670														
-660 -650														
-640														
630														
610														
600														
-590 -580														
570														
560														
540														
-530														
-520 -510														
-640 -630 -620 -610 -600 -590 -560 -570 -560 -550 -540 -530 -520 -510 -500 -490 -460														
-490														
-480 -470														
-460 -450														
-450														
-440 -430 -420 -410														
-420														
-410 -400														
390														
380														
360														
350														
-340 -330														
-320														
310														
_290														
280														
-250														
240														
-220														
210														
190														
-180														
170														
-150														
140														
130														
-110														
100														
-80														
-70														
-60 Positioned box's o	drawable rect.													
Positioned box's.c 40 30 20 10														
30														
-10	50	100	150	200		250	200			400	450			550
	50	100	150	200		250	300	350	V	400	450	500	++++++	550

	50			100		15	50	200	2	50	300	38	50	40	00	450		50	00	550	
820																					
810																					
-7 90																					
-780																					
-770 -760																					
-75 0																					
740																					
-730																					
-7 10																					
-700																					
-680																					
-670																					
660 650																					
-640																					
-630																					
610																					
-600									H			Ħ		\blacksquare			H				
-590 -580									Ш				Ш								
-570									Ш												
-560 -550																					
-540									H		H										
-530									H					+							
-520 -510									Ш				Ш								
-500																					
-490																					
-480 -470																					
-460																					
-450 -440																					
-430																					
-420																					
-410 -400																					
-390																					
-380																					
-360																					
350																					
-340 -330																					
-320																					
-310																					
-290																					
-280 -270														Ħ							
260									H												
-250									H					+							
-240 -230									Ш												
-220									Ш					\parallel							
-210 -200																					
-190									H				Ш								
-180									H					\blacksquare							
-170 -160									H												
-150									Н												
-140 -130																					
120			H	H					H		H		H	H		H		H			
-110									H				Ш								
-100 -90									Ш												
-80									Ш												
70									H					H			H				
-50									П					\blacksquare			H				
-40									H		Ш		Ш	\parallel							
-30 -20									Ш				Ш								
10	50			100		15	50	200		50	300	31	50	40	00	450		50	00	550	
	50 Pos	itioned bo	ox's draw	100 able rec	t.	115	-V	200		50	300	3.	, V	4(00	450		50		550	

840 830	50		100	150	2	00	250	300	350	400	450	500	550	
-820														
-810 -800														
-7 90														
780														
760														
-750	x's drawable	rect												
-740 -730	A.G.GIANGOO.	10.00												
-720														
710														
														
-680														
-670														
-650														
640														
-620														
-610														
-590														
-580														
-570														
-550														
-540														
-520														
-510														
-500 -490														
-480														
-470														
-460 -450														
-440														
-430 -420														
-410														
-400														
-380														
-370														
350														
-340														
-330 -320														
-310														
300														
-280														
-270														
820 810 810 800 790 780 770 770 770 770 770 770 690 680 670 660 650 660 650 660 650 660 650 660 650 640 630 630 640 630 640 630 640 640 630 640 640 630 640 640 630 640 640 640 630 640 640 630 640 640 640 630 640 640 640 640 640 640 640 640 640 64														
-240														
-230 -220														
-210														
-200 -190														
-180														
170														
-150 -150														
-140														
-130 -120														
-110														
100														
-80														
70														
-60 -50														
-40														
30														
10	50		100	150	b	00	250	300	350	400	450	500	550	
	DU		100	150		00	250	300	350	400	450	500	550	

	50	0 1	00	150	200	250	300	35	50	400	4	50	500	550	
820															
810															
790															
780															
770															
750															
740															
730															
710															
700															
690															
670															
660															
640															
630															
620															
600															
590															
570															
560															
550															
530															
520															
510															
490															
480															
-470 -460															
450															
440															
420															
410															
-400 -390															
380															
370															
350															
340															
330															
310															
300															
280															
270															
260 250															
240															
230															
210															
200															
190															
170															
160															
150															
130															
120															
100															
90															
80															
-60															
50		ositioned.box's.drawal	ble rect.												
	Po														
30	Po														
820 840 840 840 7780 7780 7780 7780 7780 7	Po														

-840 -830	50	100	150		200		250	300	350		400	450	500	550	
-820															
810															
-800 -790															
780															
-77 0															
760															
-750 -740															
-730															
-720															
-710															
-700 -690												Positioned	wable rect.		
-680															
-670															
-660															
-640															
-630															
-620															
610															
590															
-580				###											
570				++++											
560				###											
-540															
-530															
-520															
510				###											
-500 -490															
-480															
-47 0															
-460															
-450 -440															
-430															
-420															
-410															
-400															
380															
-370															
360															
340															
-330															
-320															
-310 -300															
290															
-280															
270															
-250 -250															
-240															
-230															
220				###											
200															
190															
-180															
170															
150															
-140															
130															
120															
100															
-90				###											
-80				$\pm \pm \pm \pm$											
70															
-60															
40															
-30					$\overline{}$	+++	++++			+++		 \Box			
840	50	100	150		200		250	300	350		400	450	 500	550	

840 830 830 830 830 830 830 830 830 830 83	50			100			150	0	200		250	300		350		400	450	0		500		550	
-820																							
-810 -800																							
-79 0																							
780																							
-760																							
-750																							
-740 -730																							
-72 0																							
-710 -700																							
-690																							
-680																							
-670 -660																							
-650																							
-640 -630																							
-620																							
-610 -600																							
-590																							
-580		H																П					
-570 -560		Ш																					
-550		Ш						\boxplus												\blacksquare			
-540 -530		Ш																					
-520																							
-510																							
-490																							
-480																							
-470 -460																							
-450																							
-440 -430																							
-420																							
-410 -400																							
-390																							
380																							
-360																							
-350																							
-340 -330																							
-320																							
-310 -300																							
-290																							
-280 -270																							
-260		Ш																					
-250 -240																							
-230			H					H															
-220																							
-200																							
-190		Ш																					
-180 -170		Ш																					
-160		Ш																					
-150 -140																							
-130																							
-120 -140																							
-100																							
-90																							
-80 -70		Ш																					
-60	Doc	itioned b	oox's.dra	wahl-	roct			\blacksquare															
-50 -40	-cosi		oox.s.dra	.xxciUIE																			
-30		Ш																					
-20 -10		Ш																					
19	 50			100		\Box	150		200		250	300		350		400	450	<u> </u>		500	++++	550	+++++

SAO	50		100	1	50	200		250	300	35	0	400	450			50)	550	
-820																			
-810 -800																			
-790																			
-780																			
-770 -760																			
-750																			
740																			
-730 -720																			
-710																			
-700																			
-680																			
-670																			
-660 -650																			
-640																			
-630 -630																			
-610														H					
-600														H					
-590 -580												Ш						Ш	
-570																			
-560 -550																			
-540																			
-530		Ш								Ш								Ш	
-520 -510										Ш									
-500																			
-490																			
-480 -470																			
-460																			
-450																			
-430																			
-420																			
-410 -400																			
-390																			
-380																			
-360																			
-350																			
-340 -330																			
-320																			
-310																			
-290																			
-280																			
-270 -260																			
250							\blacksquare												
-240 -230																			
220				Ш															
-210 -200																			
190																			
-180																			
170																			
-150																			
-140																			
130 -120																			
-110																			
100																			
-80							H							H					
70																			
-60 -50							\blacksquare						Positio	ned.b	ox's.dra	wable r	ect.		
-40										Ш									
30																			
10	50		100	A	50	200		250	300	25		400	AEO			EO		550	
	50		100		50	200		250	300	35	4	400	450			50	1	550	

-840 -830	50	100	150	20	0	250	300	350	4	100	450	500		550	
-820															
810															
-800 -790															
780															
-77 0															
760															
-750 -740												Positi	oned box's dra	wable rect.	
-730															
-720															
710															
-690											Positioned bo	x's.drawable.re	ect.		
-680															
-670															
-660															
-650 -640															
-630															
-620															
610															
590															
-580															
570									\blacksquare						
560															
540															
530															
-520															
510															
-500 -490															
-480															
-470															
-460															
-450 -440															
-430															
-420															
-410															
															
-380															
-370															
-360															
-350 -340															
-330															
320															
310															
290															
-280															
-270															
-260 -250															
240															
-230															
-220															
-210 -200															
190															
-180															
170															
150															
-140															
-130															
-120															
110															
-90						Ш	Ш		+						
-80															
-70							 \cdots	 							
-70 -60															
-70 -60 -50 -40															
-70 -60 -50 -40 -30															
840															