


	<del></del> 840 <del></del> 830	50		100	150	200	250		800		350		400	450		500	550	
	810																	
	790																	
### Company of the co	780																	
### Company of the co	-770 -760																	
### Company of the co	750																	
### Company of the co	<del>-740</del>																	
### Company of the co	-730 -720																	
	710																	
	700																	
	-690 -680																	
	670																	
Produced box's drawable Resiliend by a drawable rest	660																	
	640																	
	630																	
	620 610																	
	600																	
Produced box's drawable Resiliend by a drawable rest	590																	
	570																	
Produced box's drawable Resiliend by a drawable rest	560													Ш				
	550																	
Produced box's drawable Resiliend by a drawable rest	530																	
Produced box's drawable Resiliend by a drawable rest	520													Ш				
Produced box's drawable Resiliend by a drawable rest	-510 -500																	
Produced box's drawable Resiliend by a drawable rest	490																	
Positional ton's diswable Bestiment by a diswable rect	480																	
### Calculated box & drawable Maclicodd box &	—470 —460						i	1										
	<del>-450</del>																	
400 -990 -990 -990 -990 -990 -990 -990 -	<del>-440</del>						- Hosmon	ed box's dra	iwable <b>kéd</b>	bitioned b	ox's drawa	ble rect.						
400 -990 -990 -990 -990 -990 -990 -990 -	<del>-420</del>																	
Positioned box's drawable Relationed byx's drawable rect.	410																	
-940 -250 -270 -260 -250 -250 -240 -250 -240 -230 -230 -240 -230 -210 -200 -190 -190 -190 -110 -170 -160 -140 -130							1				1							
-940 -250 -270 -260 -250 -250 -240 -250 -240 -230 -230 -240 -230 -210 -200 -190 -190 -190 -110 -170 -160 -140 -130	380						1 Position	ed box's dra	wable <b>Rec</b>	titioned b	x's drawa	ble rect.						
-940 -250 -270 -260 -250 -250 -240 -250 -240 -230 -230 -240 -230 -210 -200 -190 -190 -190 -110 -170 -160 -140 -130	370						Page_contair	er's drawat	le_rect		'							
-940 -250 -270 -260 -250 -250 -240 -250 -240 -230 -230 -240 -230 -210 -200 -190 -190 -190 -110 -170 -160 -140 -130	350																	
-940 -250 -270 -260 -250 -250 -240 -250 -240 -230 -230 -240 -230 -210 -200 -190 -190 -190 -110 -170 -160 -140 -130	340																	
-940 -250 -270 -260 -250 -250 -240 -250 -240 -230 -230 -240 -230 -210 -200 -190 -190 -190 -110 -170 -160 -140 -130	<del>-330</del>																	
-940 -250 -270 -260 -250 -250 -240 -250 -240 -230 -230 -240 -230 -210 -200 -190 -190 -190 -110 -170 -160 -140 -130	310																	
280   280	300																	
270 250 250 250 250 250 250 250 250 250 25	280																	
250   250	270																	
240 250 220 240 260 270 270 280 280 280 280 280 280 280 280 280 28	260 -250													Ш				
-230 -240 -240 -410 -410 -410 -410 -410 -410 -410 -4	240																	
210 -210 -110 -180 -170 -160 -150 -140 -140 -140 -130 -130 -140 -110 -100 -90 -90 -90 -80 -70	230																	
-260 -190 -180 -170 -160 -160 -160 -160 -160 -140 -140 -140 -140 -100 -100 -100 -10	210													Ш	Ш			
-140 -170 -160 -150 -150 -150 -140 -150 -140 -110 -110 -120 -110 -100 -90 -80 -70	200													Ш				
-170 -160 -150 -140 -130 -120 -110 -100 -90 -90 -90	190																	
160 -150 -140 -130 -120 -110 -100 -90 -80 -70 -60	170													H				
150 -140 -130 -130 -120 -110 -100 -90 -90 -80 -70 -60	160																	
-130 -120 -110 -100 -90 -80 -70 -60	150													Ш				
-120 -110 -100 -90 -80 -70 -60	130																	
110 -100 -90 -80 -70 -60	120																	
90 -80 -70 -60	100													Ш	Ш			
-80 -70 -60	90													Ш				
60 -50	80																	
50	-60													H				
	50													Ш				
	30													Ш				
_20	20																	
	10	50		100	150	200	250		800		350		400	450		500	550	



-830	50	100		150		2	00	250	300	350	400		450	5	500		550	
-820																		
<del>-</del> 810																		
<del>-800</del>																		
<del>-780</del>																		
<del>-77</del> 0																		
<del>-76</del> 0																		
-750 -740																		
<del>-730</del>																		
<del>-720</del>																		
<del>-710</del>																		
<del>-700</del>																		
-680																		
-670																		
-660																		
-650 -640																		
-630																		
-620					Ш													
610											+				+			
-600 -500																		
-580																		
-570																		
-560											+							
530																		
-520																		
-510											+							
-500 -490																		
-480																		
<del>-47</del> 0					111					1111.								
<del>-460</del>																		
-450 -440		ed box's drawa	able rect.												Po		ı ox's drawab	le rect.
<del>-430</del>	1																	
	1																	
-420	1																	
-440 -430 -420 -410	]  -  -																	
-420 -410 -400 -390	1 1 1 1																	
-420 -410 -400 -390 -380	I I I I Positior	ed box's drawa													₽c	ositioned bo	I L I I I qx's drawab	le rect.
-420 -410 -400 -390 -380 -370	I I I I Positior	ed box's drawa										<del></del>				ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -260 -270 -260 -250 -240	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -290 -280 -270 -260 -250 -240 -230	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -190 -180 -170 -160 -150 -140 -130 -120 -110	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -180 -170 -160 -150 -140 -130 -120 -110 -100	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -260 -270 -260 -250 -240 -230 -220 -110 -100 -110 -100 -90	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 -100 -90 -80	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -260 -250 -240 -230 -220 -210 -200 -190 -160 -150 -140 -130 -120 -110 -100 -90 -80 -70 -60	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 -100 -90 -80 -70 -60	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -190 -160 -170 -160 -150 -140 -130 -120 -110 -100 -90 -80 -70 -60 -50 -40	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
	I I I I Positior															ositioned bo	I L I I I Qx's drawab	le rect.
-420 -410 -460 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -260 -270 -260 -250 -240 -230 -220 -210 -200 -110 -100 -90 -80 -70 -60 -50 -40 -30 -20 -10	I I I I Positior			150			00	250		350	400					ositioned bo	I L I I I Qx's drawab	le rect.