

-840 -84Padding color (10, 10, 10) 150 200 -820 -810 -800	250 300	350 400	450 500 550
-820 -840			
-800 -700			
-790 -790			
770			
-760 -760			
-790 -760 -770 -760 -750 -740 -730 -720 -710 -700 -690 -680			
-730 			
-720 -710			
			
-690 -680			
-870			
-670 -660 -650			
-640			
-630 -630			
610			
-640 -630 -620 -610 -600			
_580			
-570			
-550			
-540			
-580 -570 -560 -550 -540 -530 -520 -510 -500 -490 -480			
-510			
-500 -490			
-480			
470			
-460 -450			
-440 -430 -420 -410			
-430 -420			
-410			
-400 -390			
 380			
- 370 - 360			
-350			
-340 -330			
-320			
-310 -300			
-280 -270			
-260			
-230			
-220 -240			
2.00			
_190			
14U -170			
-160			
150 140			
-130			
-120 -110			
100			
90			
-70			
-60			
5U -40			
-30			
10			
10 50 100 150 200	250 300	350 400	450 500 550

Alagnmen -580	t to	op_x 50	left	100		150		200		250	3	00	350)	40	00	4:	50		500	550	
-570																						
-560																						
—550 —540	Ш																					
-530																						
-520 -510																						
 510 500																						
-490 -480																						
-470 -460	Ш																					
-450																						
-440																						
-430 -420																						
-410																						
-400 -390	H																		\mathbb{H}			
-390 -380																			П			
-370 -360	Ш																					
-360 -350																						
-340 -330	Н																					
-320 -310																						
—310 —300																						
-290																						
-280 -270																						
-260																						
-250 -240																						
-240 -230																						
-220																						
-210																						
—200 —190																						
-180																						
-170																						
—160 —150	H														H				$+\Pi$			
-150 -140 -130 -120 -110 -100 -90 -80 -70 -60 -50 -40 -30 -20 -10	Н													Ш								
130																			Ш			
-110																						
-100																						
-90 -80																			Ш			
70																						
-60	H																					
40														Ш					Ш			
-30																			Ш			
20																						
10	Ш	50		100		150		200		250	3	00	350		40	00	4:	50		500	550	

590 580 570	50)	100	1	50		200	2	Align≀	nent 1	op x	cent	er	350	40	00	450		500)	550	
-570																						
-560																						
-550 -540																						
-530																						
-520 -510																						
-510 -500																						
-490 -480																						
-480 -470																						
-460																						
-450																						
-440 -430																						
-430 -420																						
-410 -400																						
-400 -390																						
-380				Ш		Ш		Ш										H			Ш	
-370 -360								Ш													Ш	
350																						
-340 -330																						
-330 -320																						
-310 -300																						
-300 -290																						
-280 -270																						
-260 -250																						
-250 -240																						
-230 -220																						
-210																						
-200																						
-190 -180																						
-170																						
-160																						
-140								Ш										Ħ				
-150 -140 -130 -120 -110 -100 -90 -80 -70 -60 -50 -40 -30 -20 -10								Ш										H				
-120 -110																						
100																						
-90																						
70																						
-60																		Ħ				
-50 -40																						
-30																						
-20																						
-10	50	j i	100	1	50		200	2	50		300			350	40	00	450		500		550	

-590 -580 -570	50		100	150	200	250	300	350		100	450		500 A	lignment	top	x right
570																
-560																
-550 -540																
-530																
-520 -510																
-510 -500																
-490 -480																
-480 -470																
-460 -450																
-440 -430																
-430 -420																
-410 -400																
-400 -390																
-380									Ш			Ш				
-370 -360												Ш				
350																
-350 -340 -330																
-330 -320																
-310 -300																
-300																
-290 -280 -270																
-270																
-260 -250 -240																
-240																
-230 -230																
-220 -210																
-200																
-190 -180																
—170 —160																
-140									Ш							
-150 -140 -130 -120 -110 -100 -90 -80 -70 -60 -50 -40 -30 -20 -10									Ш			H				
-120 -110																
-100																
-90																
70																
-60									Ш							
-50 -40																
-30																
-20																
10	50		100	150	200	250	300	350		100	450		500		550	

590 580 570		50	100)	150	200	250	300	350	400	450	500	550	
-570														
-560														
-550 -540														
530														
-520 -510														
-510 -500														
-490 -480														
-470 -460														
-460 -450														
-440														
-430 -420														
-410														
-400 -390														
-390														
-370 -360														
-360 -350														
-340 -330														
-320 -310														
A i gan	ment c	enter x	left											
-290 -280														
-270														
-260 -250														
-250 -240														
-230 -220														
-210														
-200														
-190 -180														
-170														
160														
-150 -140 -130 -120 -110 -100 -90 -80 -70 -60 -50 -40 -30 -20 -10														
-130														
-120 -110														
-100														
-90														
-60														
-50														
-30														
-20													 	

-590 -580 -570	50	100	150	2	00	250			300		350)	400	450	500)	550	
-570																		
-560																		
-550 -540																		
-530																		
-520 -510																		
-510 -500																		
-490 -480																		
-470 -460																		
-460 -450																		
440																		
-430 -420																		
-410																		
-400 -390																		
-380																		
-370 -360																		
-360 -350																		
-340 -330																		
-330 -320																		
-310 -300							Aligi	nment	cen	ter								
-290 -280																		
-270																		
-260 -250																		
-250 -240																		
-230																		
-220 -210																		
-200																		
-190 -180																		
—170																		
-160																		
-150 -140																		
150 140 130 120 110 100 90 80 70 60 50 40 90 90 90 90 90 90 90 90 90 9																		
-120 -110																		
100																		
-90																		
-80 -70																		
-60																		
-50																		
-40 -30																		
-20																		
-10	50	100	150	2	00	250			300		350		400	450	500		550	

-590 -580 -570	50	100	150	200)	250	300	3	50	400	450	500	550
-570													
-560													
-550 -540													
-530													
-520 -510													
-510 -500													
-490 -480													
-480 -470													
-460 -450													
-450 -440													
-430 -420													
-410 -400													
-400 -390													
-380 -370													
-370 -360													
350													
-340 -330													
-320													
-310 -300												A Li gaman t	center x righ
-290 -280												Arrgiment	center x righ
-280 -270													
-260 -250 -240													
-230													
-220 -210													
-210 -200													
190													
-180													
-170 -160													
130													
-120													
-110 -100													
-90													
-80 -70													
-60													
-50													
-30													
150 140 130 120 110 100 90 80 70 60 50 40 30 20 10				200									

-590 -580	50		100	150	200	250	300		350	400	45	0	500		550	
-570																
-560																
-550																
-540																
-530																
-520																
-510 -500																
-490 -480																
-470																
-460																
-450 -440																
-430 -420																
-410																
-400																
-390																
-370																
-360																
-350																
-340																
-330 -320																
310																
-300																
-290																
-280																
-270 -260																
-250																
-240																
-230																
-220																
-210 -200																
-190																
-180																
-17 0																
160																
-150 -140														Ш		
-150 -140 -130																
-120																
-110														Ш		
100																
-120 -110 -100 -90 -80 -70 -60 -50 -40 -30 -20																
70																
-60																
-50																
40													#			
20																
			100	150	200	250	200		250	400	AF		E00		550	
Align	ment boffom	x left	100	150	200	250	300		350	400	45	V	500	\Box	550	

590 580 570	50		100		150		200		250			300			350			400	450			500		550	
-570																									
-560																									
-550 -540																									
-540																									
-530 -530																									
-520 -510																									
-500																									
-490 -480																									
-480																									
-470 -460																									
-460 -450																									
-440																									
-430 -420																									
-420 -410																									
-410 -400																	П								
-400 -390																									
-380					Ш	Ш													Ш	Ш					
-370 -360 -350																$\parallel \parallel$	+			+					
350						Ш														Ш					
-340																									
-340 -330																									
-320																									
310																									
-310 -300 -290																									
-280 -270																									
-260																									
-250 -240																									
-230																									
-220																									
-210																									
-200 -190																									
-190 -180																	#								
-170 -160					Ш	Ш											Н		Ш	Ш	Ш				
																+	+								
-150 -140 -130 -120 -110 -100 -90 -80 -70 -60 -50 -40 -30 -20 -10						Ш						Ш							Ш	Ш					
-130																									
-120																									
-110																									
100																									
-80																	П		Ш	П					
-70																									
-60																			Ш						
-50																									
30		Ш			Ш	Ш											Ш		Ш	Ш	Ш				
-20																									
-10	50		100		150		200		/ 250			300.1			350			400	450	Ш		500		550	
	1 10		1,00		130		200		Affig	nmen	t bot	t'om	x ce	nter				1700	730			500		700	

—590 —580 —570	50	100	150		200	250		300		350	400	45	0	500			550	
-570																		
-550																		
-560 -550 -540 -530 -520 -510																		
-530																		
-520																		
-510 -500																		
-500 -490																		
-490 -480 -470																		
-470																		
-460 -450																		
-450																		
-440																		
-430 -430																		
-410																		
-400																		
-430 -420 -410 -400 -390 -380 -370 -360 -340 -320 -310 -360 -290 -260 -270 -260 -250 -240 -220 -220 -220								Ш										
-380																		
370																		
360																		
340																		
-330																		
-320																		
-310																		
-300																		
-290																		
-270																		
-260																		
-250																		
-240																		
-230																		
-220																		
-200																		
190																		
-190 -180				++														
-170 -160																		
160																		
150																		
-150 -140 -130 -120 -110 -100 -90 -80 -70 -60 -50 -40 -30 -20 -10																		
-120				Ш														
-110																		
-100																		
-90																		
-80																		
-60																		
-50														Ш	Ш			
-40																		
-30											Ш							
-20																		
-10	50	100	150		200	250		300		350	400	45	0	Aqo;	anmer	nt bo	t tom	x right

830 830	50	100	150	200	250	300		350	400	4:	50	500	550)	
80rder 830 820 810 800 -790 -780 -770 -760 -750 -740 -730 -720															
810															
790															
770															
760															
740															
730															
710															
-710 -700 -690															
-680															
-670 -660															
-650															
630															
620															
-600															
-590 -580															
-570															
560 550															
540															H
670 660 660 660 640 630 620 610 600 590 580 570 560 550 540 530 520 510 600 490 480															H
-510															
-490															
480															
-460															
-450 -440															
-430															
-460 -450 -440 -430 -420 -410															
-400															
380															
370															
-350															
-340 -330															
-320															
310															
-290															
270															
-260 -250															
240															
-230 -220															
210															
190															
180															
160															
150															
130															
120															
-100															
- 90 - 80															
-400 -390 -360 -370 -360 -340 -3370 -360 -340 -339 -320 -316 -300 -290 -280 -270 -260 -250 -240 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 -100 -90 -80 -70 -60 -50 -40 -30 -20 -10															H
-50 -50															H
40															H
20															
10	50	100	150	200	250	300		350	400	4:	50	500	550	0	

840 830	50	10	00	150	200	250	300	3	50	400	450			500		550	
-820																	
—800																	
-790 -780												AII	page	prop	ertie	S	
-770																	
─760 ─750																	
-740																	
-720																	
-710 -700																	
-690																	
 680 670																	
-660 -650																	
-640																	
-630 -620																	
-610																	
- 590																	
-580 -570																	
-560																	
820 810 800 790 780 770 760 770 760 770 770 770 770 770 77																	
-530 -520																	
-510																	
—500 —490																	
-480																	
—470 —460																	
-450 -440																	
-440 -430 -420																	
—420 —410																	
-380																	
-370 -360																	
-350 -340																	
-330																	
-320 -310																	
-300																	
— 280																	
—270 —260																	
-230																	
-220 -210																	
-200																	
190																	
—170 —160																	
-150																	
-140 -130																	
-120 -110																	
100																	
-90 -80																	
-70																	
-50																	
-40 -30																	
-20																	
10	50	10	00	150	200	250	300	3	50	400	450			500		550	