







| | 50 | 100 | 150 | 200 | | 250 | 300 | 350 | | 400 | 450 | 500 | 550 |
|--|----|-----|-----|-----|-------|-------------------|--------------------------------|----------------|--------------|-----|-----|-----|-----|
| -810 | | | | | | | | | | | | | |
| 000 | | | | | | | | | | | | | |
| -790 | | | | | | | | | | | | | |
| -780 | | | | | | | | | | | | | |
| -770 -760 | | | | | | | | | | | | | |
| -750 | | | | | | | | | | | | | |
| -740 | | | | | | | | | | | | | |
| -730 -720 | | | | | | | | | | | | | |
| -710 | | | | | | | | | | | | | |
| 700 | | | | | | | | | | | | | |
| -690 -680 | | | | | | | | | | | | | |
| -670 | | | | | | | | | | | | | |
| -660 | | | | | | | | | | | | | |
| -640 | | | | | | | | | | | | | |
| -630 | | | | | | | | | | | | | |
| 620 | | | | | | | | | | | | | |
| -600 | | | | | | | | | | | | | |
| -590 | | | | | | | | | | | | | |
| -580 -570 | | | | | | | | | | | | | |
| -560 | | | | | | | | | | | | | |
| -550 | | | | | | | | | | | | | |
| -540 -530 | | | | | | | | | | | | | |
| -520 | | | | | | | | | | | | | |
| -510 | | | | | | | | | | | | | |
| -500 -490 | | | | | | | | | | | | | |
| -480 | | | | | | | | | | | | | |
| -470 | | | | | | dage rect. | | | | | | | |
| -450 | | | | | | | | | | | | | |
| -440 -430 -420 | | | | | | Positioned bo | d's drawable leos ition | oned box's dra | awable rect. | | | | |
| -430 -420 | | | | | | | | | | | | | |
| -410 | | | | | | | | | | | | | |
| -400 | | | | | | | | | | | | | |
| -390 | | | | | | Positioned bo | c's drawable Ros itio | oned box's dra | awable rect. | | | | |
| -370 | | | | | le le | age container's o | rawable rect | | | | | | |
| -360 -350 | | | | | | | | | | | | | |
| -340 | | | | | | | | | | | | | |
| -330 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| -320 -310 | | | | | | | | | | | | | |
| | | | | | | | | | | | | | |
| -320 -310 -300 -290 | | | | | | | | | | | | | |
| -320 -310 -300 -290 -260 -270 | | | | | | | | | | | | | |
| -320 -310 -300 -290 -260 -260 | | | | | | | | | | | | | |
| -320 -310 -300 -290 -280 -270 -260 -250 -240 | | | | | | | | | | | | | |
| -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 | | | | | | | | | | | | | |
| -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 | | | | | | | | | | | | | |
| -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 | | | | | | | | | | | | | |
| 320 310 300 290 280 270 260 250 240 230 220 210 200 190 | | | | | | | | | | | | | |
| 320 310 300 290 280 270 260 250 240 230 220 210 200 190 180 | | | | | | | | | | | | | |
| -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 | | | | | | | | | | | | | |
| 320 310 300 290 280 270 260 250 240 230 220 210 200 190 180 170 160 150 | | | | | | | | | | | | | |
| 320 310 300 290 280 270 260 250 240 230 220 210 200 190 170 160 150 140 | | | | | | | | | | | | | |
| -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 | | | | | | | | | | | | | |
| -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 | | | | | | | | | | | | | |
| -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 | | | | | | | | | | | | | |
| -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 | | | | | | | | | | | | | |
| -300 -290 -280 -270 -260 -250 -240 -230 -210 -200 -190 -180 -170 -160 -150 -140 -130 | | | | | | | | | | | | | |
| -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 | | | | | | | | | | | | | |
| -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 | | | | | | | | | | | | | |
| -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 | | | | | | | | | | | | | |
| 320 310 300 290 280 270 260 250 240 230 220 210 200 190 180 170 160 150 140 130 120 110 100 90 80 70 60 50 40 30 20 110 | 50 | 100 | 150 | 200 | | | 300 | 350 | | 400 | 450 | 500 | 550 |

| -830 50 100 150 200 250 300 -820 -820 -810 -800 -790 -780 -770 -760 -750 -740 -730 -720 | 350 400 450 500 550 |
|---|---------------------------------|
| -810 -800 | |
| 700 | |
| 7/90 | |
| -780 | |
| -770 -760 | |
| -750 | |
| -740 | |
| -730 -720 | |
| -710 | |
| -710 -700 -690 -680 | |
| -690 -680 | |
| -870 | |
| -660 -cfo | |
| -670 -660 -650 -640 -630 | |
| -630 | |
| -620 -610 -600 -590 -580 | |
| -600 | |
| -590 -590 | |
| -580 -570 | |
| - 560 | |
| -560 -540 | |
| -530 | |
| -560 -550 -540 -530 -520 -510 -500 -490 | |
| -510 -500 | |
| -490 | |
| -480 -470 | |
| 470 -460 | |
| -450 | |
| 440 Positioned box's drawable rect. 430 Positioned box's drawable rect. | eositioned bdx's drawable rect. |
| 420 | |
| -410 | |
| | |
| Positioned box's drawable rect. | Positioned bdx's drawable rect. |
| -400 -390 -380 -380 -370 -360 -350 -340 -330 -320 -310 | , |
| | |
| -340 | |
| -330 -320 | |
| -310 | |
| _300 | |
| | |
| -270 | |
| | |
| - , , , , , , , , , , , , , , , , , , , | |
| -240 | |
| -240 -230 | |
| -240 -230 -220 -210 | |
| -240 -230 -220 -210 -200 | |
| -240 -230 -220 -210 -200 -190 | |
| -240 -230 -220 -210 -200 -190 -160 -170 | |
| -240 -230 -220 -210 -200 -190 -180 -170 | |
| -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 | |
| -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -146 -130 | |
| -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -160 -170 -160 -150 -140 -130 -140 | |
| -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 -100 | |
| -240 -230 -220 -210 -200 -190 -160 -170 -160 -150 -140 -130 -120 -110 -100 -90 | |
| -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 -100 -90 -90 | |
| -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 -100 -90 -80 | |
| -240 -230 -220 -210 -200 -190 -160 -170 -160 -150 -140 -130 -120 -110 -100 -90 -80 -70 -60 -50 | |
| -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -140 -130 -170 -100 -90 -80 -80 -70 -60 -50 -40 | |
| -240 -230 -220 -210 -200 -190 -180 -170 -160 -160 -140 -130 -120 -110 -100 -100 -000 -000 -000 -00 | |

| -830 | 50 | 0 | 100 | | 150 | 200 | 250 | 300 | 350 | 4 | 100 | 4 | 50 | 500 | | 550 | |
|---|----|--------------|--------------------|---------|---------|-------|-----|-----|-----|---|-----|---|----|-----|-----------|-------------------|-------------|
| -820 | | | | | | | | | | | | | | | | | |
| -820 -810 | | | | | | | | | | | | | | | | | |
| -800 | | | | | | | | | | | | | | | | | |
| -780 | | | | | | | | | | | | | | | | | |
| -77 0 | | | | | | | | | | | | | | | | | |
| -760 | | | | | | | | | | | | | | | | | |
| -750 -740 | | | | | | | | | | | | | | | | | |
| -730 | | | | | | | | | | | | | | | | | |
| -800 -790 -780 -770 -760 -750 -740 -730 -720 -710 -700 -690 -680 | | | | | | | | | | | | | | | | | |
| -71 0 | | | | | | | | | | | | | | | | | |
| -700 -600 | | | | | | | | | | | | | | | | | |
| -680 | | | | | | | | | | | | | | | | | |
| -670 | | | | | | | | | | | | | | | | | |
| - 660 | | | | | | | | | | | | | | | | | |
| -650 -640 | | | | | | | | | | | | | | | | | |
| -630 | | | | | | | | | | | | | | | | | |
| -620 | | | | | | | | | | | | | | | | | |
| 670 660 650 640 630 620 610 600 590 580 | | | | | | | | | | | | | | | | | |
| -600 -590 | | | | | | | | | | | | | | | | | |
| -580 | | | | | | | | | | | | | | | | | |
| -570 | | | | | | | | | | | | | | | | | |
| 560 | | | | | | | | | | | | | | | | | |
| 570 560 550 540 530 520 510 500 490 | | | | | | | | | | | | | | | | | |
| -530 | | | | | | | | | | | | | | | | | |
| -520 | | | | | | | | | | | | | | | | | |
| 510 | | | | | | | | | | | | | | | | | |
| -500 -490 | | | | | | | | | | | | | | | | | |
| -480 | | | | | | | | | | | | | | | | | |
| -470 -460 | | | | | | 11111 | | | | | | | | | | | |
| -460 -450 | | age a rect. | | | | | | | | | | | | | | | |
| -440 -440 | | Positioned I | box's drawable | e rect. | | | | | | | | | | | Positione | ı d bqx's drav | wable rect. |
| -430 | | | | | | | | | | | | | | | | - | |
| | | | | | | | | | | | | | | | | | |
| -420 | | | | | | | | | | | | | | | | | |
| -440 -430 -420 -410 | | · | | | | | | | | | | | | | | | |
| -420 -410 -400 -390 | | | | | | | | | | | | | | | | | |
| -420 -410 -400 -390 -380 | | | box's drawable | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 | | | box's drawable.rec | | | | | | | | | | | | Positione | d box's draw | |
| -420 -410 -460 -390 -380 -370 -360 -350 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 | | | | | | | | T | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 | | | | | T T T T | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -320 -310 -300 -290 -280 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -460 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -360 -290 -280 -270 -260 -250 -240 -230 -220 -210 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -360 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -360 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -140 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 -100 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 -100 -90 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 -100 -90 -80 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 -100 -96 -80 -70 -660 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 -100 -90 -80 -70 -60 -50 | | | | | | | | | | | | | | | | d box's draw | |
| -420 -410 -400 -390 -380 -370 -360 -350 -340 -330 -320 -310 -300 -290 -280 -270 -260 -250 -240 -230 -220 -210 -200 -190 -180 -170 -160 -150 -140 -130 -120 -110 -100 -90 -80 -70 -60 -50 -40 | | | | | | | | | | | | | | | | d box's draw | |
| - 420 - 410 - 400 - 390 - 380 - 370 - 360 - 350 - 340 - 330 - 320 - 310 - 300 - 290 - 280 - 270 - 260 - 250 - 240 - 230 - 220 - 210 - 200 - 190 - 180 - 170 - 160 - 150 - 140 - 130 - 120 - 110 - 100 - 90 - 80 - 70 - 660 - 50 - 40 - 300 - 20 | | | | | | | | | | | | | | | | d box's draw | |
| 420 410 410 400 390 380 370 360 350 340 330 320 310 320 220 260 270 260 220 210 220 110 110 110 110 110 110 11 | Pa | | | | 150 | 200 | 250 | | 350 | | | | 50 | | | d box's draw | |