


MY Github URL

Vercel URL

Video: W13-P1: Use fetch API to replace xhr approach



f224305 apple550678

Thu May 15 19:24:04 2025 +0800

Video: W13-P1: Use fetch API to replace

Video: W13-P2: Use Async Await to replace fetch API approach


The screenshot shows a web application running in a browser at 127.0.0.1:5500/demo/w13_fetch_... The application has a title "Asynchronous JS - Async Await Demo" and a button labeled "click me". Below the button, the fetched data is displayed as a list: 李國蘋, 213410102, apple, and karina. The browser's DevTools console shows the data array: [{"id": 1, "name": "李國蘋"}, {"id": 2, "name": "213410102"}, {"id": 3, "name": "apple"}, {"id": 4, "name": "karina"}]. The background shows the source code in VS Code, with two functions highlighted in red boxes: `getDataAsyncAwait` using `async/await` and `getDataByFetchAPI2` using the `fetch` API. The `displayItems` function is also visible, which renders the data into the DOM.

```
5 btn.addEventListener('click', async () => {
6   getDataAsyncAwait(url)
7 })
8
9
10 const getDataAsyncAwait = async (url) => {
11   try {
12     const response = await fetch(url)
13     const data = await response.json()
14     console.log('data', data)
15     displayItems(data)
16   } catch (err) {
17     console.log(err)
18   }
19 }
20
21 > const getDataByFetchAPI = (url) => { ...
22
23
24
25
26 const getDataByFetchAPI2 = (url) => {
27   fetch(url)
28   .then((response) => response.json())
29   .then((data) => {
30     console.log('data', data)
31     displayItems(data)
32   })
33   .catch((err) => console.log(err))
34 }
35
36
37
38 > const displayItems = (persons) => { ...
39
40
41
42 > const getDataByXHR = () => { ...
```

6720ecb apple550678

Thu May 15 19:44:52 2025 +0800 Video: W13-P2: Use Async Await to replac

Video: W13-P3: Get meals about cheese from TheMealDB



5c0f159 apple550678

Thu May 15 20:12:53 2025 +0800 git log --pretty=format:%h%x09%an%x09%ac

Video: W13-P4: Get Products from local json and from API

=> Get products from local json

The screenshot displays a web application running in a browser, showing a list of products. The code editor on the left shows the JavaScript code for fetching products from a local JSON file. The browser window shows the rendered HTML, and the DevTools console shows the JSON data.

Code Editor (Left):

```
1 const productContainer =  
2   document.querySelector('.  
3     products-container')  
4  
5   const url = './api/  
6     javascript-store-products.json'  
7  
8   let products_02 = []  
9  
10  const fetchProducts = async  
11    (url) => {  
12    try {  
13      const response = await fetch  
14        (url)  
15      const data = await response.  
16        json()  
17      console.log('data', data)  
18      return data  
19      // displayProducts(data.  
20        meals)  
21    } catch (err) {  
22      console.log(err)  
23    }  
24  }  
25  
26  const displayProducts =  
27    (products) => {  
28    let productsContent = products  
29    .map((product) => {  
30      const { name, price,  
31        image } = product.fields  
32      return`  
33        <div  
34          class="single-product">  
35          <img  
36            src=${image[0].url}  
37            class="single-product-  
38              img img"  
39            alt=${name}  
40          />  
41          <h3 class="name">${  
42            {name}</h3>  
43          <span class="price">${  
44            {price}</span>  
45          </div>  
46        }  
47      }  
48    )  
49    .join('')  
50    productContainer.innerHTML =  
51      productsContent  
52  }  
53  
54  document.addEventListener  
55    ('DOMContentLoaded', async ()  
56    => {  
57      products_02 = await  
58        fetchProducts(url)  
59      // console.log('products_02',  
60        products_02)  
61      displayProducts(products_02)  
62    })
```

Browser Window (Center):

Supabase Products Demo

127.0.0.1:55...

Get Products from Local JSON

李國蘋, 213410102

High-Back Bench

\$999

DevTools Console (Right):

```
product_localjson_02.js:11  
data  
(12) [(-), (-), (-), (-),  
(-), (-), (-), (-), (-),  
(-), (-), (-)]  
0:  
  fields:  
    colors: Array(2)  
      0: "#f15025"  
      1: "#222"  
      length: 2  
    [[Prototype]]: Arr  
    company: "ikea"  
    featured: true  
    image: Array(1)  
      0: {id: 'attcvDDMi',  
        length: 1  
      }  
    [[Prototype]]: Arr  
    name: "high-back ber  
    price: 999  
    [[Prototype]]: Objec  
    id: 'rec43w3ipxvP28vo  
    [[Prototype]]: Objec  
    1: {id: 'rec4f2RiftFcB7,  
    2: {id: 'rec8kkCmSiMbk:  
    3: {id: 'recBohCqQsot4Q  
    4: {id: 'recDG1JRZnbpRH  
    5: {id: 'recNMgyP7kjFhS  
    6: {id: 'recZEougL5bY4  
    7: {id: 'recjMK1jgTb2l  
    8: {id: 'recmp2a1ctaEJN
```

=> Get products from API

The screenshot displays a web development environment with a code editor, a browser, and a console.

Code Editor: The file `product_api_02.html` is open. The JavaScript code defines a `productContainer` and a `url` pointing to `https://www.course-api.com/javascript-store-products`. It uses `fetch` to retrieve data and `displayProducts` to render it. The `product_api_02.js` file is also open, showing the `fetchProducts` function.

Browser: The browser shows the page title "Get Products from API" and the URL `127.0.0.1:5500/demo/w13_prod...`. The page displays a "High-Back Bench" for \$999.

Console: The console shows the data received from the API, including the product details for the "High-Back Bench".

```
data product_api_02.js:11
(12) [(-), (-), (-), (-), (-), (-), (-), (-), (-), (-), (-), (-)]
  0: {
    fields: {
      colors: (2) ['#f15025', '#2...
      company: "ikea"
      featured: true
      image: [(-)]
      name: "high-back bench"
      price: 999
      [[Prototype]]: Object
      id: "rec43w3ipXvP28vog"
    }
  }
  1: {id: 'rec4f2RIftFc7aHh', f...
  2: {id: 'rec8kkCmSiMkbkiko', f...
  3: {id: 'recBohCqQsot4Q4II', f...
  4: {id: 'recD613RZnbpRHpoy', f...
  5: {id: 'recNWGyp7KjFhSqw3', f...
  6: {id: 'recZEougl5bbY4AEX', f...
  7: {id: 'recjMK1jgTb2ld7sv', f...
  8: {id: 'recmg2a1ctaE3NZhu', f...
  9: {id: 'recvKNWR3YFw0bEt3', f...
  10: {id: 'recxaXfy5lW539sgM', f...
  11: {id: 'recyqRtLgNGt04Q5', f...
  length: 12
  [[Prototype]]: Array(0)
```

2c114c6 apple550678

Sun May 18 16:53:32 2025 +0800 Video: W13-P4: Get Products from local ;