

Apple Software Engineer Interview Questions

May 23, 2016

- Implement a peek using a existing iterator next and has-next function.
- What is the difference between weak and strong pointers
- Reverse a linked list recursively
- Why can't you use primitives in a hash-map.
- Traverse a binary tree recursively.
- Write a basic Fibonacci sequence implementation.
- How does delegation work?
- How does ARC work in Objective C, and how is it different from garbage collection?
- How would you design a data structure that is an array, but with so many elements such that the array almost fills up the entire RAM?
- How would you reverse a singly-linked list?
- What is the run time of a binary search tree.
- Find the most frequent element in an integer array.
- Is Java pass by value or pass by reference?
- What data structure would you use to auto complete a dialer when the phone may have thousands or hundreds of thousands of entries.
- Find the Kth largest number in an array.
- What is deadlock and how is it prevented? Intersection of two arrays with optimal Big O.
- What is the instruction used in Matlab to compute the standard deviation?
- Write a simple C++ algorithm involving standard input and output. Provide test cases.

- How do you design a system for detecting people around a door, predict whether this man will go into the door.
- Skyline problem.
- Given a set of interval tuples, find the longest overlapping interval.
- Given a huge log file of a web server, find the IP addresses that had exactly 1 request.
- A network is connected in a line, so that servers can talk only to the servers to their left or right. Servers know if they are the leftmost or rightmost servers. What's a protocol for every server to learn the full topology? How long does it take?
- Implement a queue using array or linked-list.
- What is polymorphism?
- How could you approximate a non-linear function with only multiplication and additions.
- What are the techniques for allocating static and dynamic memory.
- Find the first non-repeated element in C.
- Given a binary search tree, print the nodes at each level on a separate line. With $O(n)$ time complexity and $O(1)$ space complexity.
- Describe the process of an interaction on a web page button from the click to the response.
- What is NTP and explain how TCP works?
- Given an iTunes type of an application that pulls down lots of images that get stale over time, what strategy would you use to flush disused images over time?
- Is there a difference between `performSelector` and `performSelector with delay of 0?`
- Write a function to reverse a string.
- If you have 2 eggs, and you want to figure out what's the highest floor from which you can drop the egg without breaking it, how would you do it? What's the optimal solution?
- What is polymorphism?
- What does `final` keyword do in Java?
- How would you go through a list of country music words?

- Write code to find out the frequency of common words.
- Given a deck of cards, write a method to determine if it is "flush".
- Given busy slots as a data-set in a person's calendar (ex: (1000,1200),(1415,1530),...) and the time required for a meeting (ex: 45 minutes). Write a method to find an open available slot for scheduling a meeting.
- Assume you have many pages of slides, you want to change the order when you are editing them, say, you would like to insert the 7th page after the 3rd page and before the 4th page. Design and implement your idea.