Overall Flow:
https://cdn.botpress.cloud/webchat/v3.6/shareable.html?configUrl=https://files.bpcontent.cloud/2026/03/28/13/20260328131013-PU7I9QAI.json


Start
Login
Execute code
user
pwd
always
Add Card
Quiz_me
Single Choice
Topic 1 – Set
Topic 2 – Dictionary
Topic 3 – Anonymous Function (Lambda)
→ Main Menu
Add Card
Autonomous
Q_Set
Instructions
You are the examiner, provide 4 MC / fill_in_blank questions about Python - Set 1 by 1....
Search Knowledge
1
workflow.quizType === 'set'
Add Card
Save_results
"Workflow for Saving Results ...
Single Choice
Try again
Back to Quiz Me
Back to Main Menu
Insert Record
Add Card
Login_validation
User Authentication and Logi...
workflow.loginOK === true
workflow.loginOK === false
Add Card
Main_Menu
Welcome to PolyU SPEED Chatbot
POLYU SPEED
Single Choice
Quiz me
Encourage me
Chat with me
Logout
Exit
Add Card
Encouragement_me
Practice makes perfect!
"Retrieve User Scores and Lo...
Top scorer! Best: @user.bestSc...
Great last attempt: @user.lastS...
Practice makes perfect ! You h...
Single Choice
Go To Quiz
→ Main Menu
Add Card
Autonomous
Q_Dict
Instructions
You are the examiner, provide 4 MC / fill_in_blank questions about Python - Set 1 by 1....
Search Knowledge
1
workflow.quizType === 'dict'
Add Card
Quiz_router
"Assign Current Quiz Type to ...
Back to Set Quiz
Back to Dictation Quiz
Back to Lambda Quiz
Add Card
Autonomous
Q_Lambda
Instructions
You are the examiner, provide 4 MC / fill_in_blank questions about Python - Set 1 by 1....
Search Knowledge
1
workflow.quizType === 'lambda'
Add Card
End
Autonomous
Chat_with_me
Instructions
You are a friendly, conversational assistant.
...
Search Knowledge
1
workflow.goto === 1
Add Card

Knowledge Base:



Login Flow:

Logic: Preset loginOK = false when login node. Whenever enter username and password, enter login_validation to execute the code to find the records from userTable, if username and password is not match, back to login; if username and password is match userTable, set loginOK to true and go to Main_menu node.

Login - Execute code: workflow.loginOK = false

Login_validation – Execute code:

```
const rltUser = workflow.rlt_user as any

// Default: assume login fails

workflow.loginOK = false

// Query UserTable for matching credentials

const results = await UserTable.findRecords({

 filter: {

  user: { $eq: workflow.user },

  pwd: { $eq: workflow.pwd }

 }

})

if (results?.length !== 0) {

 // Set login success flag for Expression card routing

 workflow.loginOK = true

 // Clear password from memory immediately

 workflow.pwd = ''
```

```
  // Store matched user info into Object variable
  rltUser.uid = results[0].id
  rltUser.user = results[0].user
  workflow.rlt_user = rltUser
  // Increment login counter (persists across sessions)
  user.loginCount = (user.loginCount || 0) + 1
  // Log this login session
  try {
    await loginLogTable.createRecord({
      uid: workflow.rlt_user.uid
    })
  } catch (error) {
    console.error('Failed to insert login log:', error)
  }
}
```



- Login Failed:



- Login success:



Main Flow:

Logic: There are 5 options: Quiz, Encourage, Chat, Logout (back to Login), Exit is end the bot.





Quiz Flow:

Logic: there are 4 options to choose: set, dictionary, lambda, Main Menu(back to Main Menu). There are 3 topic of autonomous (same knowledge base with “Chat with Me”) nodes, each node provide 4 questions, after complete 4 question, the marks and the quiz topic will be recorded to the variables workflow.score and workflow.quizType respectively . And default the workflow.quizType is null. After workflow.quizType is

recorded , it will go to save_results to save the workflow.score, workflow.quizType, workflow.rlt_user.uid to scoreTable. After that, if user choose “Try again”, it will go to Quiz_router to see whats the quiz type then router back to the quiz that previous step do.



Save_results – execute code:

workflow.quizTypeTmp = ''

Quiz_router - execute code:

workflow.quizTypeTmp = workflow.quizType

workflow.quizType = '';

Great! Let's start the Python Set quiz. Here's your first question:

Question 1: What is the correct way to create an empty set in Python?

A) `empty_set = {}`
B) `empty_set = set()`
C) `empty_set = []`
D) `empty_set = ()`

B

wrong ❌
The correct way to create an empty set in Python is `empty_set = set()`.

- 0 marks

Question 2:
Which of the following statements about Python sets is **TRUE**?

A) Sets can contain duplicate elements
B) Sets are ordered collections
C) Sets are mutable
D) Sets can have elements of any type, including lists

B

correct ✅

- 5 marks

Question 4:
What will be the output of the following code?

```python
s = {1, 2, 3}
s.add(2)
print(len(s))
```

A) 2
B) 3
C) 4
D) Error

B

correct ✅

- 5 marks

Quiz Completed!
Your total score: **10 / 20**

B

Make a choice from the list below

B Try again | Back to Quiz Me | Back to Main Menu

Encourage Me Flow:


Share Workflow
Encourage_me
Practice makes perfect!
"Retrieve User Scores and Lo...
Top scorer! Best: {{ user.bestS...
Great last attempt: {{ user.lastS...
Good Job ! You have played {{ ...
Single Choice
Go To Quiz
→ Main Menu
Add Card
Capture Informa
Type of value to e
Question to ask th
Make a choice fr
Store result in
Choices (2 ite
Items
Go To Qu
→ Main Men
Knowledge Ba
Included Knowl
Select in which K
All KBs selected



Encourage_me -execute code:

```
const bestScore = await scoreTable.findRecords({
 filter: { uid: { $eq: workflow.rlt_user.uid } },
 group: {
  uid:  'key',
  score: ['max']
 }
```

```
})
user.bestScore = bestScore[0]?.scoreMax ?? 0
const recent = await scoreTable.findRecords({
  filter:       { uid: { $eq: workflow.rlt_user.uid } },
  orderBy:       'Created At',
  orderDirection: 'desc',
  limit:         1
})
user.lastScore = recent[0]?.score ?? 0
const played = await scoreTable.findRecords({
  filter: {uid:{$eq: workflow.rlt_user.uid}}
})
user.playedTimes = played.length
const logs = await loginLogTable.findRecords({
  filter: { uid: { $eq: workflow.rlt_user.uid } }
})
user.loginCount = logs.length   // total login records for this user
```

Chat with Me Flow:


Share Workflow
Autonomous
Chat_with_me
Instructions
You are a friendly, conversational assistant.
...
Search Knowledge
1
workflow.goto === 1
Add Card



LoginLogTable:



#	Created At	Updated At	uid 123
1	17 hours ago	17 hours ago	1
2	17 hours ago	17 hours ago	1
3	17 hours ago	17 hours ago	6
4	6 minutes ago	6 minutes ago	1

UserTable:

Tables 0.0%

New Table

Feedback

loginLogTable

scoreTable

UserTable

Add Record R | Refresh ⇧+R | Filter

#	Created At	Updated At	user Tt	pwd Tt
1	21 hours ago	21 hours ago	Emp001	Emp001
2	21 hours ago	21 hours ago	Emp002	Emp002
3	21 hours ago	21 hours ago	Emp003	Emp003
4	21 hours ago	21 hours ago	Emp004	Emp004
5	21 hours ago	21 hours ago	Emp005	Emp005
6	21 hours ago	21 hours ago	SpvrB01	SpvrB01
7	21 hours ago	21 hours ago	SpvrB02	SpvrB02
8	21 hours ago	21 hours ago	SpvrB03	SpvrB03
9	21 hours ago	21 hours ago	SpvrB04	SpvrB04
10	21 hours ago	21 hours ago	SpvrB05	SpvrB05

ScoreTable:

Tables 0.0%

New Table

Feedback

loginLogTable

scoreTable

UserTable

Add Record R | Refresh ⇧+R | Filter

#	Created At	Updated At	score 123	quizType Tt	uic
1	16 hours ago	16 hours ago	5	set	1
2	16 hours ago	16 hours ago	15	set	1
3	16 hours ago	16 hours ago	15	set	1
4	16 hours ago	16 hours ago	20	set	1