


A Evidence types across compartments

Programme	Blood	CSF	Peripheral nerve
CXCL8 recruitment	Whole blood test q = 0.045 Pooled P = 0.114	Published findings Innate immune and inflammatory proteins	Expression context Myeloid genes and endothelial trafficking
Complement	Whole blood test q = 0.0076 Pooled P = 0.234	Published findings Complement proteins	Expression localisation Macrophage complement genes
Fc receptor	Whole blood test q = 0.038 Mixed cohort directions	Not assessed	Macrophage test q = 0.0087 within 8 modules q = 0.087 across 80 tests
Interferon response	Whole blood test q = 0.045 Mixed cohort directions	Published annotation Antiviral defence	Published atlas markers [27] OAS1 and MX1 localisation Published PNP versus control [27] Lower MX1 in nmSC
Endothelial adhesion	Migration module test Whole blood q = 0.126 Mixed cohort directions	Not assessed	Expression localisation ICAM1 and VCAM1 in BNB EC
Schwann repair	Not assessed	Published findings Axonal domain peptide degradation	Expression localisation Schwann repair and stress genes

B CIDP nerve expression of genetic candidates



C Published genetic evidence

<i>CDH4</i>	GWAS in women OR 4.37
<i>DIRAS1</i>	MR and colocalisation β -0.45 PP.H4 0.94
<i>GNG7</i>	MR and colocalisation β -2.11 PP.H4 0.93
<i>SLC39A3</i>	MR and colocalisation β -1.42 PP.H4 0.87

D CIDP-CIAP expression

