

C4-B Used Space in Work-Site

Approved by:	Confirmed by:	Prepared by:
P. Bautista	L. Tan	J. Lambit
PE Manager	PE SPV	PE Engineer



Contents



- 1 Purpose of "Used Space in Work-Site"
- 2 Grasp used space and area rate.
- **③ Consideration of mixed production on the same line.**
- **4** Pursue efficiency of used space.



Purpose of "Used Space in Work-Site"



Purpose

To understand used space in production area and pursue area efficiency with awareness of cost.

*"Used space in production area" – areas under production's control such as production line, kitting area, indirect material warehouse.



Grasp Used Space and Area Rate



RULES



Must grasp used space and area rate per square meter.


Must be able to answer the used space and its area rate per square meter.

- Should grasp the used space at the time of layout change.
- Should obtain information from area management section (General Affairs) and budget control section (Finance).



Grasp Used Space and Area Rate





Basically, only
Managers (GA and
FI) have the data of
cost per square
meter

F2-3F ACTUAL LAYOUT FEB2018
(USED AREA PER SQUARE METER IS INCLUDED IN LAYOUT BELOW)

Consideration of mixed production on the same line.





RULES



Consider mixed production when reviewing production system of new model and transfer model.

❖ Item is not applicable if there is no reviewing of production system of new model and transfer model in the past year.





In one line, can run different models

There is a record of considering mixed production (if there's actual production line with mixed production, then it'll be checked in the production line).



Consideration of mixed production on the same line.

- ☐ It is desirable to think when the number of orders became low compared to the start of production of new models, and consider mixed-flow production with the same model and other models when studying the production method of the new model.
- ☐ The results of the study (to apply or not) are not required.
- Mixed-flow production is a production method that aims to incorporate the cost reduction effect of high-volume production into lowvolume production. It is done to collect products with low production volumes and similar production to secure production volumes that can be effective for mass production. It is also expressed as a multiple models low-volume production.

Pursue efficiency of used space.




RULES

#3

Must pursue efficiency of the used space.

Improvement of used area efficiency



Pursue efficiency of used space.

brother at your side

- Must conduct discussion or improvement of layout change according to production plan (production fluctuation).
- Grasp Muda, Muri, Muri of used space and carry out used area efficiency improvement activity.
 - There is an activity record of used area efficiency improvement activity in the past year.



Muda, Mura, Muri on the use of area:



Idle equipment, inventory, & accessories left unattended for layout change and decide if not to implement or do the change on layout.

Mura

The layout or the area used is different at the same line or cell.



