

Data Folder Structure

APPN Aerial SOP — Locked revision 1.0

Data Folder Structure

APPN aerial data follows a standard folder layout so raw, processed, and metadata artefacts are consistent across nodes, sites, sensors, and runs.

Reference

Full specification: APPN_GenricFileStorage wiki.

Standard path

```
./{NodeName}/{Project}/{Site}/{Sensor}/  
  {YYYYMMDD}/Run_{XX}/T0_raw
```

Per-run / per-day artefacts

All paths below are relative to the per-day folder:

```
./{NodeName}/{Project}/{Site}/{Sensor}/{YYYYMMDD}/
```

Artefact	Suffix under day folder	Notes
Raw capture data	Run_{XX}/T0_raw	Hyperspec cubes, LiDAR, GNSS-INS, .graw
GCP data	Run_{XX}/T0_raw/Vault	Location may change; see fieldbook
Field notes	FieldNotes.txt	Per-day, free-text issues log
Run overview	RunOverview.csv	Per-run metadata (APEX conditions, RunFailed)
Processed data	Run_{XX}/T1_proc	.gpro from APPN GPT pipeline

Important

When data from a failed run is being kept (e.g. for debugging with GRYFN), set the **RunFailed** boolean column of **RunOverview.csv** to **True**.

Related

- CALViS Fieldbook
- GOBI M350 Fieldbook
- GOBI IF1200 Fieldbook
- QA Process