SecItem attributes for keys



This thread has been locked. Questions are automatically locked after two months of inactivity, or sooner if deemed necessary by a moderator.



I can never remember which key attributes perform which function, so I've created a summary and I'm posting it here for the



benefit of Future Quinn™ (and possibly others :-).

- **1.4**k
- CFString
- Is **not** a component of key uniqueness

kSecAttrLabel ('labl')

- kSecKeyPrintName (1) in the legacy keychain on macOS
- This is the user-visible description of the key; this is not particularly useful on iOS but super handy on macOS because it shows up in the Name column in Keychain Access
- kSecAttrApplicationLabel ('klbl')
 - CFData (but may be a CFString containing a UUID)
 - Is a component of key uniqueness
 - kSecKeyLabel (6) in the legacy keychain on macOS
 - Not user visible
 - o For asymmetric keys this holds the public key hash which allows digital identity formation (to form a digital identity, this value must match the kSecAttrPublicKeyHash ('pkhh') attribute of the certificate)
- kSecAttrApplicationTag ('atag')
 - CFData
 - Is a component of key uniqueness
 - kSecKeyApplicationTag (7) in the legacy keychain on macOS
 - o On macOS, this shows up in the Comments field in the info window in Keychain Access (accessed via File > Get Info)
 - The content of this is entirely up to the app

In the context of kSecAttrApplicationLabel, the public key hash is a SHA-1 digest of the bytes in the subjectPublicKey element of the SubjectPublicKeyInfo structure within the certificate (see Section 4.1 of RFC 5280). For example, with this key:

```
1 $ dumpasn1 -p key.asn1
2 SEQUENCE {
3 SEQUENCE {
      OBJECT IDENTIFIER ecPublicKey (1 2 840 10045 2 1)
      OBJECT IDENTIFIER prime256v1 (1 2 840 10045 3 1 7)
6
     }
    BIT STRING
      04 07 88 9B 18 EF 92 93 6C B1 04 7F F3 81 A4 31
      0A 08 1A CE 9D E7 13 B4 B9 5A E9 04 0C 10 A2 02
      C0 0D 78 71 01 21 EE 57 C4 40 C3 86 AE 05 25 F3
11
      31 96 49 C9 28 31 10 A8 B9 0A 57 E1 E3 36 2C 3D
12
      F7
13 }
```

the digest covers the bytes 04 07 88 9B ... 36 2C 3D F7.

Note dumpasn1 is a third-party tool for inspecting ASN.1 files. Download its source code from www.cs.auckland.ac.nz/~pgut001/dumpasn1.c.

Share and Enjoy

Quinn "The Eskimo!" @ Developer Technical Support @ Apple let myEmail = "eskimo" + "1" + "@" + "apple.com"

Changes:

- 17 Jan 2017 First posted.
- 13 Mar 2019 Added a note about the public key hash. Made minor editorial changes.
- 18 Mar 2019 Added a download link for dumpasn1. Made minor typographical changes.
- 1 Apr 2021 Fixed the formatting.

Security

Asked 4 years ago by eskimo • 🐧

Reply to this question

This site contains user submitted content, comments and opinions and is for informational purposes only. Apple disclaims any and all liability for the acts, omissions and conduct of any third parties in connection with or related to your use of the site. All postings and use of the content on this site are subject to the Apple Developer Forums Participation Agreement.

© Developer Apple Developer Forums

Distribute Discover Design Develop Support **Human Interface Guidelines** macOS **Developer Program** Articles Xcode iOS Resources Swift App Store Developer Forums watchOS Videos Swift Playgrounds Feedback & Bug Reporting App Review tvOS Apple Design Awards TestFlight Mac Software System Status Safari and Web Documentation Apps for Business Contact Us Fonts Accessibility Videos Safari Extensions Games Account Business Internationalization Downloads Marketing Resources Certificates, Identifiers & Education

Trademark Licensing Accessories **Profiles**

App Store Connect

To view the latest developer news, visit News and Updates.

WWDC