Stock Researcher + OpenClaw

Quick Start After a Long Break — Render API + Requesty

Current checkpoint: 11 October 2026. Render showed Deploy succeeded / Live. The health endpoint returned healthy, and the TCS research endpoint returned a ResearchResult v1 payload with overall_status PARTIAL. Requesty inference was separately tested successfully. Confirm the OpenClaw-to-Render skill wiring before assuming automatic invocation.

Account reference — which login to use

Service	Account email / purpose
Requesty model API	ajjw2025@gmail.com — Requesty account for model/API access
Render deployment	ajjw2025@gmail.com — Render dashboard, service settings and logs

These emails are account identifiers only. They are not API keys or passwords. Do not save passwords, recovery codes, or secret values in this guide.

1. Check the existing OpenClaw VM

```
ssh -i ssh-key-2026-08-27.key ubuntu@129.225.120.74
cd ~/openclaw/stock-intelligence/stock-researcher
source .venv-market/bin/activate
openclaw --version
systemctl --user status openclaw-gateway --no-pager
```

2. Verify the Render API

Service URL: https://stock-researcher-agent.onrender.com

```
curl -i https://stock-researcher-agent.onrender.com/health
curl -i https://stock-researcher-agent.onrender.com/research/TCS
```

Expected health body: {"ok":true,"service":"stock-researcher-api","status":"healthy"}. Free Render instances may spin down after inactivity, delaying the first request. Retry and inspect Render logs before assuming an outage.

3. Verify Requesty in OpenClaw

Setting	Recorded value
Requesty account	ajjw2025@gmail.com
Base URL	https://router.requesty.ai/v1
Model ID	google/gemma-4-31b-it
API-key environment variable	REQUESTY_API_KEY
Secrets file	~/.openclaw/.env
OpenClaw config	~/.openclaw/openclaw.json

```
openclaw models list
openclaw agent --agent main --message "Reply with exactly: Requesty connection OK." --timeout 60
```

The successful response was previously observed. Never display or commit the Requesty API key or .env contents.

4. Understand the two services

Requesty provides the LLM inference API used by OpenClaw. **Render** hosts the deterministic stock research REST API. A live Render service does not automatically configure an OpenClaw tool or skill; verify that the stock-research skill explicitly calls the endpoint.

5. Troubleshooting and legacy setup

Use GET /health for health checks; a 404 from GET / or HEAD / is not proof the service is down. A research response with overall_status PARTIAL may still be a successful run; inspect field statuses and provenance. Older Bedrock instructions are historical: the current known-good model route is Requesty.

Last updated: 11 October 2026.

Stock Researcher Agent

Account Directory & Current Development / Runtime Framework

Updated: 11 October 2026 · Companion addendum for the operational documents

1. Account directory

Platform / purpose	Account identifier / notes
Oracle Cloud VM	Account label: ajjw2025 (Root user, as supplied). VM: 129.225.120.74. Existing SSH command uses Linux user ubuntu; this is distinct from the OCI account label.
Render	ajjw2025@gmail.com — deployment dashboard, service settings, logs, and production service.
Requesty API	ajjw2025@gmail.com — model/API account. Base URL: https://router.requesty.ai/v1. Model: google/gemma-4-31b-it.
GitHub / source repository	appurajacool2015@gmail.com — repository owner/account for appurajacool2015/stock-researcher-agent.
ChatGPT setup notes	<link href="https://chatgpt.com/share/6acb63bd-5eb0-83ec-8f20-d573edb9ace1" color="#276FBF">Open shared ChatGPT setup discussion</link> — setup questions and decisions.
Gemini setup notes	<link href="https://gemini.google.com/app/a4890209f82bbe83" color="#276FBF">Open Gemini setup discussion</link> — setup questions and decisions.

Account emails and labels are identifiers, not passwords or API keys. Keep API-key values, passwords, recovery codes, and .env contents out of documentation, Git, screenshots, chat, and logs.

2. Current development framework

Stage	Current workflow
Local development	Use Antigravity as the local development environment to edit and validate the Stock Researcher Agent code.
Source control	Push approved code to the GitHub repository appurajacool2015/stock-researcher-agent using the GitHub account appurajacool2015@gmail.com.
Deployment	Render is connected to the repository/branch and deploys the API from the source code. The documented production service is https://stock-researcher-agent.onrender.com.

3. Current user request and runtime flow

Request path: a user asks for a stock through Telegram or WhatsApp; OpenClaw handles the conversation and uses Requesty for LLM inference. The stock-research skill/tool should call the Render HTTPS API, receive the deterministic ResearchResult payload, and format the response for the user.

Important architecture distinction

GitHub is the code repository and deployment source; it should not be treated as the live market-data endpoint. Based on the existing operational evidence, Render is the live research API. If “github.io” means a separately configured GitHub Pages site or a data-publishing endpoint, that is not evidenced in the supplied operational documents and would need to be documented and verified separately.

4. Current service references

Component	Reference
Render health	https://stock-researcher-agent.onrender.com/health
Render research example	https://stock-researcher-agent.onrender.com/research/TCS
FastAPI interactive docs	https://stock-researcher-agent.onrender.com/docs
Requesty base URL	https://router.requesty.ai/v1
OpenClaw gateway status	systemctl --user status openclaw-gateway --no-pager

Operational guardrail: numerical metrics, status tags, and provenance must come from the deterministic research payload. The LLM must not invent or independently calculate financial indicators.