Stock Researcher — Operational Runbook

Render REST API + OpenClaw on Oracle Cloud + Requesty

Version 2.1 | Updated 11 October 2026 | Account identifiers and current deployment evidence included

1. Executive checkpoint and account references

Component / setting	Current recorded details
Requesty account	ajjw2025@gmail.com
Requesty base URL / model	https://router.requesty.ai/v1 / google/gemma-4-31b-it
Requesty key reference	REQUESTY_API_KEY in ~/.openclaw/.env; never expose value
Render account	ajjw2025@gmail.com
Render service URL	https://stock-researcher-agent.onrender.com
Render status	Dashboard showed Deploy succeeded / Live
Deployment label / source commit	added rest api / 7ef7c63
Startup command observed	uvicorn interfaces.api:app --host 0.0.0.0 --port $PORT
Health check	GET /health returned healthy
Research check	GET /research/TCS returned ResearchResult v1; overall_status PARTIAL

Account emails identify which login to use; they are not credentials. Do not store passwords, recovery codes or API key values in this document.

2. Architecture and service responsibilities

Intended flow: OpenClaw stock-research skill/tool → HTTPS Render API → interfaces.api FastAPI app → existing deterministic research pipeline → adapters for fundamentals, market data and news → ResearchResult v1 JSON.

Requesty provides LLM inference for OpenClaw. Render exposes deterministic stock research results. The pipeline remains the source of truth for calculations, statuses and provenance; the API should not duplicate calculations. A live API does not prove OpenClaw automatically calls it. Verify the skill/tool implementation.

3. Render deployment configuration

Setting	Recorded value
Render account	ajjw2025@gmail.com
Service / environment	stock-researcher-agent / Production
Repository / branch	appurajacool2015/stock-researcher-agent / main
Runtime / region	Python 3 / Singapore
Root directory / plan	Blank (repository root) / Free instance
Deployment label / source commit	added rest api / 7ef7c63
Deployment time shown	11 Oct 2026, 3:08:17 AM IST
Start command in logs	uvicorn interfaces.api:app --host 0.0.0.0 --port $PORT
Build command	Not visible in screenshot; verify in Render Settings

The logs showed Uvicorn listening on 0.0.0.0:10000. Keep $PORT in the command rather than hard-coding 10000. Confirm the exact Build Command in Render Settings before recreating or changing the service.

4. API smoke tests and observed evidence

Health check

```
curl -i https://stock-researcher-agent.onrender.com/health
```

Observed response: {"ok":true,"service":"stock-researcher-api","status":"healthy"}.

Research endpoint

```
curl -i https://stock-researcher-agent.onrender.com/research/TCS
```

The observed TCS result had schema_version 1.0, symbol TCS, exchange NSE, company name Tata Consultancy Services Ltd, symbol_match_confidence EXACT, and overall_status PARTIAL. Its data quality summary showed 25 verified, 4 derived, 2 unavailable, 0 stale, 0 conflicting and 0 failed. This is a dated sample, not a promise that values remain current; inspect field provenance and as_of_date.

5. Requesty and OpenClaw verification

Setting	Recorded value
Requesty account	ajjw2025@gmail.com
Base URL / model	https://router.requesty.ai/v1 / google/gemma-4-31b-it
API-key environment variable	REQUESTY_API_KEY
Secret file / OpenClaw config	~/.openclaw/.env / ~/.openclaw/openclaw.json

```
openclaw --version
systemctl --user status openclaw-gateway --no-pager
openclaw models list
openclaw agent --agent main --message "Reply with exactly: Requesty connection OK." --timeout 60
```

The exact Requesty test response was previously observed. Never print the environment file or commit the API key.

6. Deployment and recovery procedure

1. Sign in to Render using **ajjw2025@gmail.com** and open stock-researcher-agent.
2. Inspect Deploys and Logs; confirm the latest deployment is Live and record its commit hash.
3. Run /health, then a representative /research/{symbol} request.
4. Review HTTP status, overall_status, data_quality_summary, field statuses and provenance.
5. Test OpenClaw/Requesty separately.
6. Verify the stock-research skill/tool actually calls Render.
7. After approved changes, run tests, deploy and repeat smoke tests.

7. Troubleshooting

Symptom	Checks / response
Slow first request	Free instance may have spun down; retry and inspect Render logs.
Build failure	Review full logs and exact Build Command; avoid guessing dependencies.
Startup / port failure	Verify Uvicorn uses --host 0.0.0.0 and --port $PORT.
GET / returns 404	Use /health; root route may not exist. A HEAD / 404 appeared in logs.
Research status PARTIAL	Inspect missing fields, provenance and as-of dates; PARTIAL is not automatically failure.
OpenClaw model failure	Check gateway, model list and Requesty configuration; don't default to obsolete Bedrock instructions.
OpenClaw does not call Render	Verify the skill/tool explicitly invokes the HTTPS API and handles non-2xx responses.

8. Security and maintenance

Keep API keys and credentials in protected secret storage. Do not put them in Git, screenshots, logs or documentation. Review Render status, logs, dependencies, environment variable names, API behaviour and OpenClaw-to-Render wiring periodically. After an approved deployment, record the commit, test /health and one symbol, and inspect data quality.

9. Legacy Bedrock instructions

Earlier Bedrock documents described a previous provider path where Nova models returned NOT_AUTHORIZED / Operation not allowed. They are historical, not current recovery steps. Requesty is the current known-good LLM provider.

Revision history: v2.1 — adds Requesty and Render account identifiers, preserves verified deployment evidence and clarifies that OpenClaw-to-Render wiring must be verified separately.

Stock Researcher Agent

Account Directory & Current Development / Runtime Framework

Updated: 11 October 2026 · Companion addendum for the operational documents

1. Account directory

Platform / purpose	Account identifier / notes
Oracle Cloud VM	Account label: ajjw2025 (Root user, as supplied). VM: 129.225.120.74. Existing SSH command uses Linux user ubuntu; this is distinct from the OCI account label.
Render	ajjw2025@gmail.com — deployment dashboard, service settings, logs, and production service.
Requesty API	ajjw2025@gmail.com — model/API account. Base URL: https://router.requesty.ai/v1. Model: google/gemma-4-31b-it.
GitHub / source repository	appurajacool2015@gmail.com — repository owner/account for appurajacool2015/stock-researcher-agent.
ChatGPT setup notes	<link href="https://chatgpt.com/share/6acb63bd-5eb0-83ec-8f20-d573edb9ace1" color="#276FBF">Open shared ChatGPT setup discussion</link> — setup questions and decisions.
Gemini setup notes	<link href="https://gemini.google.com/app/a4890209f82bbe83" color="#276FBF">Open Gemini setup discussion</link> — setup questions and decisions.

Account emails and labels are identifiers, not passwords or API keys. Keep API-key values, passwords, recovery codes, and .env contents out of documentation, Git, screenshots, chat, and logs.

2. Current development framework

Stage	Current workflow
Local development	Use Antigravity as the local development environment to edit and validate the Stock Researcher Agent code.
Source control	Push approved code to the GitHub repository appurajacool2015/stock-researcher-agent using the GitHub account appurajacool2015@gmail.com.
Deployment	Render is connected to the repository/branch and deploys the API from the source code. The documented production service is https://stock-researcher-agent.onrender.com.

3. Current user request and runtime flow

Request path: a user asks for a stock through Telegram or WhatsApp; OpenClaw handles the conversation and uses Requesty for LLM inference. The stock-research skill/tool should call the Render HTTPS API, receive the deterministic ResearchResult payload, and format the response for the user.

Important architecture distinction

GitHub is the code repository and deployment source; it should not be treated as the live market-data endpoint. Based on the existing operational evidence, Render is the live research API. If “github.io” means a separately configured GitHub Pages site or a data-publishing endpoint, that is not evidenced in the supplied operational documents and would need to be documented and verified separately.

4. Current service references

Component	Reference
Render health	https://stock-researcher-agent.onrender.com/health
Render research example	https://stock-researcher-agent.onrender.com/research/TCS
FastAPI interactive docs	https://stock-researcher-agent.onrender.com/docs
Requesty base URL	https://router.requesty.ai/v1
OpenClaw gateway status	systemctl --user status openclaw-gateway --no-pager

Operational guardrail: numerical metrics, status tags, and provenance must come from the deterministic research payload. The LLM must not invent or independently calculate financial indicators.