

Bug Sheet: Analysis and Fix Plan

Source: Dailymealbox bug sheet (46 listed bugs, 3 empty rows). Every item was checked against the code. **No code has been changed.** After you review this PDF I will start with the phases below.

Result	Count	Meaning
VERIFIED	37	Bug confirmed in code, root cause found.
PROBABLE	5	Very likely cause found, needs one quick visual/behaviour check.
NEEDS REPRO	2	Cannot be proven from code; needs device test or exact steps.
LIKELY FIXED	1	Already addressed by an earlier change; re-test after deploy.
BY DESIGN	1	Works as coded on purpose; needs a product decision to change.
NO DETAILS	1	Empty rows in the sheet.

Effort: S = under half a day, M = about a day, L = more than a day. File references are in the Frontend/src and Backend/src folders.

Proposed order of work

Phase 1 - Quick UI fixes (about 1-2 days)

Bugs: 1, 2, 10, 11, 12, 13, 15, 19, 20, 22, 23, 24, 27, 29, 31, 33, 34, 41, 43, 44, 45. Small, isolated frontend edits, low risk.

Phase 2 - Flows and navigation (about 3-4 days)

Bugs: 4, 6, 7, 9, 14, 16, 17, 25, 26, 28, 30, 35, 37, 38, 40, 42. Needs route changes and a test on the real devices.

Phase 3 - Backend work (about 3-4 days)

Bugs: 3, 5, 8, 18, 36, 39 (+ accept-batch race). New endpoints/notifications, session rules and the re-approval rules.

Phase 4 - Needs your decision first

Bugs: 21, 46, 47-49 and the confirmations listed below.

Decisions and information I need from you

- Bug 4: autofill = the fake 'auto-fill documents' feature (we delete it), or browser autofill on inputs?
- Bug 13/14/19: remove only vehicle type, or vehicle name and number as well? Is the Welcome screen the 'login' they mean?
- Bug 39: which fields should still trigger re-approval (suggested: licence/PAN/GST/FSSAI numbers and images, bank details)?
- Bug 44: should a weekly Mon-Fri plan start counting at the first delivery day instead of the chosen start date?
- Bug 46: allow same-day start? If yes, which cut-off rule (slot cut-off hours from the admin settings)?
- Bug 42: should nutrition be mandatory for vendors, or optional and hidden when empty?
- Bug 35, 40, 17, 21: please send screenshots or exact steps (which page, which meal, device and language).
- Bugs 47-49: descriptions are missing.

Extra problems found while checking (not in the sheet)

Vendor OTP screen shows 'Hint: Try 123456'

VendorAuthScreens.jsx line ~183 prints a hard-coded test OTP to every vendor in production. Remove it, or show it only when the server runs in default-OTP mode.

Office onboarding uses a mock email

OnboardingPage.jsx starts onboarding with j.doe@example.com instead of the logged-in account (see bug 4).

Delivery batch accept can double-assign

POST /dmb/driver/accept-batch checks batch.driverId and then saves without an atomic condition, so two drivers tapping together can both pass. Use findOneAndUpdate({_id, driverId: null}). This matters more now that pickup requests are also sent by push.

Mock data seeds the vendor app

Vendor App.jsx starts with INITIAL_ORDERS / INITIAL_TRANSACTIONS from mockData.js, which can flash fake numbers (related to bug 29).

Details per bug

Admin and Office (bugs 1-9, 18, 19, 32, 33)

#1 Login page scrolls	PROBABLE
App: Admin Effort: S	
WHAT I FOUND	
AdminLogin.jsx wraps the page in min-h-screen with py-12 padding, a large logo and a p-12 card. On short or mobile viewports (100vh includes the browser address bar) the content is taller than the screen, so the page scrolls. Needs one visual check in the browser.	
WHAT I WILL DO	
Use h-[100dvh] overflow-hidden on the wrapper, reduce vertical padding and card padding on short screens (py-6, p-8), shrink the logo with a height media query. No outer scroll.	
#2 User-app skeleton shows while loading	VERIFIED
App: Admin, Office Effort: S	
WHAT I FOUND	
Loader.jsx renders AppShellSkeleton (restaurant cards / category chips = the user app). It is the Suspense fallback in AdminRouter, DeliveryV2Router, Food routes, auth routes and AuthInitializer. Office uses PageLoader in app/routes.jsx, which is the same skeleton.	
WHAT I WILL DO	
Create a neutral PanelLoader (logo + spinner, or a plain table skeleton for admin) and use it as the fallback for admin, office, delivery, vendor. Keep AppShellSkeleton only inside the user app. Replace PageLoader and Loader.jsx usages.	
#3 Forgot Password? not clickable	VERIFIED
App: Office Effort: M	
WHAT I FOUND	
LoginPage.jsx line ~280 is . There is no page, no route and no backend endpoint: officeAuth.routes.js only has send-otp, register, login.	
WHAT I WILL DO	
Add /office/forgot-password page (email, OTP, new password) and two endpoints (request reset OTP, reset with OTP) reusing the OfficeOtp model and sendOfficeSignupOtpEmail. Link the button with react-router Link. Rate-limit and use generic responses (no user enumeration).	
#4 Documents & Certificates: remove autofill	VERIFIED
App: Office Effort: S	
WHAT I FOUND	
StepDocuments.jsx has handleAutoFill (lines ~103-113) that fabricates fake documents with random sizes and no url , offered through a confirm() on Next. OnboardingPage.jsx also seeds a mock email j.doe@example.com and calls startOnboardingApi with it.	
WHAT I WILL DO	
Delete handleAutoFill and the confirm(); block Next until every required document is really uploaded. Remove the mock email and use the logged-in account email. Also add autoComplete="off" on text inputs if the sheet means browser autofill. <i>Please confirm which one you meant.</i>	

#5 Admin not notified when office applies	VERIFIED
App: Office / Admin Effort: M	
WHAT I FOUND	
No notification is created when an office completes onboarding (no <code>notifyAdminsSafely</code> / <code>inbox</code> call in the office controllers). The admin bell (<code>useAdminNotifications.js</code>) does not read office requests either.	
WHAT I WILL DO	
On onboarding complete: create a persisted admin notification + FCM push (<code>notifyAdminsSafely</code>). Add an office source (<code>office-companies?status=under_review</code>) to the admin bell and a link to <code>/admin/food/office-approvals</code> . See also bug 18.	
#6 Office Onboarding Requests: refresh should stay on same page	VERIFIED
App: Admin Effort: S	
WHAT I FOUND	
<code>OfficeOnboardingRequests.jsx</code> keeps the opened request in local state (<code>selectedRequest</code>). Refresh resets it, so the detail view is lost and the list shows again.	
WHAT I WILL DO	
Put the id in the URL: <code>/admin/food/office-approvals/:id</code> (or <code>?id=</code>). On mount, load that request and open the detail view. Back button then works too.	
#7 Request view: Documents 'View' not clickable	VERIFIED
App: Admin Effort: S	
WHAT I FOUND	
The View link is <code></code> . Documents created by the autofill (bug 4) have no url, so the link is dead. Real uploads may also fail for PDFs if the storage URL is not public.	
WHAT I WILL DO	
Remove autofill (bug 4). Render View only when <code>doc.url</code> exists, else a disabled 'Not available' state. Confirm the upload endpoint returns a public/raw URL for PDFs.	
#8 Company not notified when approved	VERIFIED
App: Office Effort: S	
WHAT I FOUND	
<code>approveOfficeCompany</code> / <code>rejectOfficeCompany</code> (<code>officeCompanyApproval.controller.js</code>) only update the status. Nothing is sent. Reject also has no reason field.	
WHAT I WILL DO	
On approve/reject send an email (existing office mailer) and an in-app record. Add a rejection reason to the reject API and show it on the company side.	
#9 Under Review page should auto-open dashboard on approval	VERIFIED
App: Office Effort: S	
WHAT I FOUND	
<code>UnderReviewPage.jsx</code> is static: no status check, no polling, no socket. Only a Back to Login button.	
WHAT I WILL DO	
Poll the company status every 15-30 s and on window focus (or emit a socket event on approve). On approved redirect to <code>/office/dashboard</code> ; on rejected show the reason. Also check status when the page loads.	

#18 Admin not showing all approval notifications VERIFIED

App: Admin | Effort: L

WHAT I FOUND

useAdminNotifications.js polls only 6 sources (restaurants, delivery joins, food approvals, 2 support types, FSSAI) every 5 minutes with **Promise.all**: if one call fails the whole list becomes empty. Office requests and most DailyMealBox approvals (home cooks, fleet requests, kitchen photos, agreements, ads) are not included.

WHAT I WILL DO

Short term: Promise.allSettled + add the missing sources. Proper fix: a server-side admin inbox (a record created on every approval request, FCM + socket push, mark as read), and the bell reads that single feed. Poll every 60 s as a fallback.

#19 New Joining Request: remove job type column VERIFIED

App: Admin | Effort: S

WHAT I FOUND

There is no 'job type'. The column is **Vehicle Type** (JoinRequest.jsx lines ~382-384, 448) plus a vehicle filter (lines 33, 62) and detail rows (~813).

WHAT I WILL DO

Remove together with bug 14.

#32 Categories create: add background to the box LIKELY FIXED

App: Admin | Effort: S

WHAT I FOUND

The modal is bg-white inside the admin theme, where CSS forces **.bg-white to var(--ad-card-bg) !important**. That variable was undefined, so the box was transparent (this is the same bug fixed earlier in global.css).

WHAT I WILL DO

Re-test after deploying the earlier global.css change. If still transparent, add an explicit inline background to this modal.

#33 Vendor Commission: shorten vendor id VERIFIED

App: Admin | Effort: S

WHAT I FOUND

RestaurantCommission.jsx lines ~459-463 print the full 24-character id.

WHAT I WILL DO

Show a short form (last 6-8 chars, 'ID ...a1b2c3') with the full id in a tooltip and a copy button; fixed column width with ellipsis.

Delivery app (bugs 10-17, 20-22)

#10 Splash/loading shows user-app skeleton VERIFIED

App: Delivery | Effort: S

WHAT I FOUND

Same cause as bug 2 (Loader.jsx used by DeliveryV2Router and AuthInitializer).

WHAT I WILL DO

Fixed together with bug 2: delivery gets its own splash/loader.

#11 Change language: phone placeholder not translated	VERIFIED
App: Delivery Effort: S	
WHAT I FOUND	
config/countries.js stores raw English placeholder: "Enter 9-digit number" for every country. SignIn.jsx line ~364 passes it to the input without t().	
WHAT I WILL DO	
Build the placeholder at render time with a translated key: t("Enter {{n}}-digit number", {n: phoneLength}); add pl/ru/uk/de translations. Same fix in vendor, customer and auth/Login.jsx which share the list. Optionally localise country names with Intl.DisplayNames.	
#12 Phone field goes out of its box	VERIFIED
App: Delivery Effort: S	
WHAT I FOUND	
SignIn.jsx lines ~357-382: the input is a flex child with flexGrow:1 but no minWidth:0 / width:100% ; the country picker has min-w-[95px] shrink-0. Inputs have an intrinsic width, so on narrow screens the row overflows.	
WHAT I WILL DO	
Add minWidth:0, width:100%, boxSizing:border-box on the input and let the row wrap/shrink. Check at 320px width.	
#13 Login: remove vehicle type	VERIFIED
App: Delivery Effort: S	
WHAT I FOUND	
SignIn.jsx has no vehicle type. The selector is on the Welcome screen (Welcome.jsx lines ~109-125, 252-268): Bicycle / E-bike cards with hard-coded pay rates (18-22 and 28-35 PLN/h). The selection is not used anywhere.	
WHAT I WILL DO	
Remove the vehicle cards and the hard-coded earnings claims. <i>Confirm the Welcome screen is the one meant.</i>	
#14 Registration step 1: remove vehicle type	VERIFIED
App: Delivery Effort: M	
WHAT I FOUND	
SignupStep1.jsx (default 'bike', required star, lines ~53, 480-500) and SignupStep2.jsx (VEHICLES picker, handleSelectVehicle, formData.append vehicleType). Backend vehicleType is optional (zod) but the model/admin screens display it.	
WHAT I WILL DO	
Remove the type field from step 1 and 2, from the payload, from the admin join-request table/filter/detail (see bug 19) and from the profile edit select. Keep vehicle name/number only if still wanted. <i>Decision needed: remove only the type, or name and number too?</i>	
#15 Registration step 2: Support not clickable	VERIFIED
App: Delivery Effort: S	
WHAT I FOUND	
SignupStep2.jsx header shows a help_outline icon inside a plain div (no onClick). A /food/delivery/support page already exists.	
WHAT I WILL DO	
Make it a button/Link to /food/delivery/support (with aria-label) and keep the signup draft so the user can come back.	

#16 After register show 'application pending admin approval'	VERIFIED
App: Delivery Effort: M	
WHAT I FOUND	
SignupStep2.jsx handleSubmit success only toasts 'Registration successful. Please login with OTP.' and navigates to login. The pending message exists only after a later OTP login (OTP.jsx pendingMessage).	
WHAT I WILL DO	
Add a dedicated route /food/delivery/pending (status, what happens next, support link, Check status button) and navigate there right after register. Reuse the same screen for the pending-login case.	
#17 Refresh in step 3 removes uploaded documents	NEEDS REPRO
App: Delivery Effort: M	
WHAT I FOUND	
Files are meant to persist in IndexedDB (getFileFromDB) with flags in sessionStorage; blob URLs are stripped on reload. Weak points: the UI marks a document as uploaded ({file:true}) even if the IndexedDB read fails or is blocked (WebView, private mode); sessionStorage is lost when the WebView restarts; previews depend on an async load.	
WHAT I WILL DO	
On mount, derive the uploaded state from what IndexedDB actually returns; if a file is missing show 'please upload again'. Move the draft details to localStorage. Add error handling/logging around IndexedDB. Needs a test on the real Android WebView.	
#20 Home header should be fixed	VERIFIED
App: Delivery Effort: S	
WHAT I FOUND	
The welcome header card is inside DashboardHome.jsx, which scrolls with the page (main is overflow-y-auto).	
WHAT I WILL DO	
Make the header sticky (top-0, z-30, solid background) or move it into NewDeliveryDashboard above the scroll area.	
#21 Home to Profile: first other language, then correct	NEEDS REPRO
App: Delivery Effort: M	
WHAT I FOUND	
No single cause is provable from code. Candidates: syncAccountPreference() switches to the account's saved language after the first paint (once per login); untranslated strings (bug 22) show English; the profile data loads after render.	
WHAT I WILL DO	
Apply the account language before the first render of the delivery shell (await it in AuthInitializer / splash) and avoid changing language after first paint. Need: which language is selected on the device vs the account.	
#22 Profile shows mostly static text	VERIFIED
App: Delivery Effort: S	
WHAT I FOUND	
10 driver strings used by ProfileView have no pl/ru/uk/de translation (Expired/Expires in, Loading profile, No ID uploaded, No license uploaded, No registration document, Partner Assigned, Reg., Valid until, Verified on file), so English shows. The 'Active' badge (line ~232) and 'Zone Assigned' label (~365) are hard-coded, not tied to real data.	
WHAT I WILL DO	
Add the missing translations (i18n-seed apply). Bind the badge to the real approval/online status and show the zone name from the profile.	

Restaurant / Vendor app (bugs 23-31, 37-40)

#23 Login: remove scroll	VERIFIED
App: Restaurant Effort: S	
WHAT I FOUND	
PhoneScreen (VendorAuthScreens.jsx line 37) uses min-h-screen with a fixed h-56 hero image and extra padding, so the content exceeds the viewport.	
WHAT I WILL DO	
Flex column with h-[100dvh]; hero image gets flex-1 min-h-0 with object-cover so it shrinks instead of causing scroll.	
#24 OTP: Resend code not clickable	VERIFIED
App: Restaurant Effort: S	
WHAT I FOUND	
VendorAuthScreens.jsx line ~194: <button> with no onClick and no prop for resending.	
WHAT I WILL DO	
Pass onResend from App.jsx (calls requestRestaurantOtp(authPhone)), add a 30 s cooldown timer and a toast.	
#25 Continue: 'OTP not found', after many clicks goes to register	PROBABLE
App: Restaurant Effort: M	
WHAT I FOUND	
OTP is single use: otp.service.js verifyOtp deletes the record on success . The Verify button has no in-flight guard, so repeated clicks send more requests that return 'OTP not found', while the first successful one navigates later. The phone is also kept only in React state (authPhone).	
WHAT I WILL DO	
Disable the button and show a spinner while verifying; ignore re-entry. Persist authPhone in sessionStorage. Backend: after a successful verify return a short-lived verification token that the register call uses, instead of re-verifying the OTP. Needs one repro with network logs to confirm.	
#26 Registration step 2: contact number not shown	VERIFIED
App: Restaurant Effort: S	
WHAT I FOUND	
RegisterFormScreen gets phone={authPhone} ; authPhone is plain state (App.jsx line 85, starts as ""). It is empty after a refresh or re-mount, and the disabled field shows nothing.	
WHAT I WILL DO	
Persist the verified phone in sessionStorage / use restaurant_register_phone as fallback; if still empty redirect back to the phone step.	
#27 Registration step 3: Vendor Terms not clickable	VERIFIED
App: Restaurant Effort: S	
WHAT I FOUND	
VendorAuthScreens.jsx line ~947: the Trans component renders , not a link (the login screen correctly uses Link).	
WHAT I WILL DO	
Use Link to /vendor/termsandcondition (state backTo). Because leaving the page loses the form, save the registration draft first or open the terms in a modal.	
#28 Profile does not show phone number	PROBABLE
App: Restaurant Effort: S	
WHAT I FOUND	
ProfileSettings shows primaryContactNumber or ownerPhone. Registration sends ownerPhone: authPhone ; if authPhone was empty (bug 26) an empty phone is saved.	
WHAT I WILL DO	
Fix bug 26. Backend: fall back to the phone from the OTP-verified session when the body phone is empty. Back-fill existing records with empty phone.	

#29 Home shows default Today's earning	VERIFIED
App: Restaurant Effort: S	
WHAT I FOUND	
HomeDashboard.jsx line ~369 is the literal text <code>t("337 PLN")</code> with the label 'Updated live'. App.jsx also seeds state from mockData (INITIAL_ORDERS, INITIAL_TRANSACTIONS).	
WHAT I WILL DO	
Use the earnings API (getEarnings with today's period), show loading and 0 when empty, format with money(). Start orders/transactions empty instead of mock data.	
#31 Add meal: footer menu above the keyboard	VERIFIED
App: Restaurant Effort: S	
WHAT I FOUND	
The bottom nav is fixed bottom-0 (App.jsx line ~878). On Android WebView the viewport shrinks when the keyboard opens, so the nav is pushed up over the form.	
WHAT I WILL DO	
Hide the bottom nav while an input/textarea has focus or when visualViewport.height drops below ~75% of the window. Same for delivery and customer navs.	
#37 Profile > My Subscribers redirects to home	VERIFIED
App: Restaurant Effort: M	
WHAT I FOUND	
Sub-views open through showSubView React state (App.jsx lines 86, 516), not through routes. Refresh or the back button leaves the overlay and lands on the dashboard.	
WHAT I WILL DO	
Give each sub-view a real route (/vendor/subscribers, /vendor/profile/...) so refresh and back work.	
#38 Profile module: mobile back goes to home	VERIFIED
App: Restaurant Effort: M	
WHAT I FOUND	
Same cause as bug 37.	
WHAT I WILL DO	
Fixed together with bug 37 (route-based sub-views, back returns to the previous screen).	
#39 Should go to Under Review only on document upload/change	VERIFIED
App: Restaurant Effort: M	
WHAT I FOUND	
restaurant.service.js (~975-991): any profile update except a zone-only change sets status = 'pending'. App.jsx initAuth (lines ~106-123) then logs the vendor out and shows Under Review.	
WHAT I WILL DO	
Define the list of fields that need re-approval (legal documents: licence, PAN/GST/FSSAI numbers and images, bank details). Apply all other edits immediately. Keep status approved with a 'pending update' flag and an admin 'Update request' queue, and do not log the vendor out. <i>Please confirm the list of fields.</i>	

#40 Menu does not show the created meal	PROBABLE
App: Restaurant Effort: M	
WHAT I FOUND	
Meals are mapped as status === 'active' ? 'Active' : 'Draft' (App.jsx ~255, 405) so pre_order and draft meals become 'Draft', and the menu/schedule sections of MenuManager.jsx (lines ~1424, 1490) list only 'Active'. The backend default status is draft. Create errors (CITY_REQUIRED, cook agreement) appear only as toasts.	
WHAT I WILL DO	
Map statuses correctly (Active / Pre-order / Draft) and show all non-archived meals with a badge; refetch after create; show create errors inline. Need the exact steps/status of the missing meal.	

User app and plans (bugs 34, 35, 41-46)

#34 Welcome screen: logo box tilted	VERIFIED
App: User Effort: S	
WHAT I FOUND	
OnboardingScreens.jsx lines 27 and 30 use rotate-[-2deg] (hover:rotate-0).	
WHAT I WILL DO	
Remove the rotate classes.	

#35 Registration pages: end button overlaps footer	PROBABLE
App: User Effort: S	
WHAT I FOUND	
Registration steps use a fixed Continue footer (OnboardingScreens.jsx line ~269, z-[100]) while content padding is only pb-10 / pb-12 (less than the ~96 px footer) and there is no safe-area inset. The bottom nav is not shown on these routes. Needs screenshots to know which pages.	
WHAT I WILL DO	
Content padding-bottom = footer height + env(safe-area-inset-bottom); or make the CTA sticky inside the page flow. <i>Please list the affected pages.</i>	

#41 Plans > View menu: background should not scroll	VERIFIED
App: User Effort: S	
WHAT I FOUND	
PlansScreen.jsx menu sheet (lines ~55-60) has no body scroll lock.	
WHAT I WILL DO	
Lock body scroll while any sheet is open (shared useScrollLock hook) and add overscroll-behavior: contain to the sheet list. Apply to SubscribeSheet and other sheets.	

#42 Plans: default nutritional info shown	VERIFIED
App: User Effort: S	
WHAT I FOUND	
The vendor app invents nutrition: App.jsx handleAddMeal uses parseInt(calories) 300 (protein 15, carbs 25, fats 10) with isProvided: true; MenuManager sends '300 kcal' / '15g' when empty. The customer therefore sees fake values.	
WHAT I WILL DO	
Send nutrition only when entered (isProvided false otherwise) and hide it in the customer UI when not provided. Decide whether nutrition is mandatory. Clean existing meals that have exactly 300/15/25/10.	

#43 Subscription plan shows default delivery days	VERIFIED
App: User Effort: S	
WHAT I FOUND	
SubscribeSheet.jsx: default days [1..5] and the 'Mon - Fri' / 'Every day' chip come from the plan preset (PRESET_DAYS) and ignore the vendor's real deliveryWeekdays and the weekend switches.	
WHAT I WILL DO	
Default = plan preset intersected with allowedDays; label the chips from real days; disable days the vendor does not deliver.	
#44 Weekly plan (5 days) shows wrong dates (Oct 4 to Oct 11)	VERIFIED
App: User Effort: M	
WHAT I FOUND	
quote.jsx line 99 prints quote.endDate , which is exclusive (pricing.service.js line 346: endDate = start + length). So 7 days from Oct 4 shows Oct 11 (should be Oct 10); the 30-day plan in your screenshot shows Nov 3 (should be Nov 2). Also Oct 4 2026 is a Sunday, so a Mon-Fri plan has no delivery on its first day.	
WHAT I WILL DO	
Show endDate minus 1 day (inclusive) or add lastDeliveryDate to the quote; display 'first delivery - last delivery'. Decide whether a weekly Mon-Fri period should start at the first delivery day.	
#45 Back from checkout goes to Plans instead of previous page	VERIFIED
App: User Effort: S	
WHAT I FOUND	
CustomerAppMain.jsx line ~700: onGoBack is hard-coded navigate('/user/plans') and clears selectedPlanDetails.	
WHAT I WILL DO	
Use navigate(-1) with a fallback to plans when there is no history; keep the draft so the user can return.	
#46 Start date begins tomorrow, not today	BY DESIGN
App: User Effort: M	
WHAT I FOUND	
Intentional today: SubscribeSheet.jsx default and min are tomorrow, and the server rejects earlier dates (pricing.service.js line 176 'must be tomorrow or later').	
WHAT I WILL DO	
Needs a product decision. If same-day start is wanted: server computes the earliest allowed date per slot from its order cut-off (orderCutoffHours / prep window), frontend uses that as min, checkout and quote use the same rule. Orders for today are now created immediately on activation, so vendors would see them.	
#47-49 Plans: three empty rows	NO DETAILS
App: User Effort: -	
WHAT I FOUND	
The sheet has no description for these rows.	
WHAT I WILL DO	
Please send the descriptions and I will add them.	

Cross-app (bugs 30, 36)

#30 All headers should be fixed	VERIFIED
App: Restaurant, User, Delivery Effort: M	
WHAT I FOUND	
Most inner pages are already fixed/sticky. Exceptions: delivery home header (bug 20), customer HomeScreen.jsx line ~445 (relative hero header), vendor dashboard (header hidden on dashboard: App.jsx !isDashboardPage).	
WHAT I WILL DO	
Add a compact sticky top bar on these three screens (title/logo + notifications) while the large hero scrolls underneath. Add scroll padding so content is not hidden.	

#36 App logs out again and again	VERIFIED
App: User, Restaurant, Delivery Effort: L	
WHAT I FOUND	
Client: Vendor initAuth (App.jsx ~158) wipes tokens on any getMe error, including network/5xx. axios.js: any exception in the refresh call (network, 10 s timeout) runs onRefreshFailed and clears the session. Server: access token lives only 15 min (JWT_ACCESS_EXPIRES), so refresh happens often. A changed JWT_REFRESH_SECRET after a deploy/restart would also invalidate everyone.	
WHAT I WILL DO	
Clear the session only when the server says 401/invalid refresh token, never on network errors; retry with backoff. Same rule in initAuth. Extend access TTL (e.g. 1 h) or use sliding refresh. Log the reason for every forced logout. Check pm2 logs for 'Invalid refresh token' and confirm JWT secrets are fixed in the server .env.	