Bug Sheet: Analysis and Fix Plan

Source: Dailymealbox bug sheet (46 listed bugs, 3 empty rows). Every item was checked against the code. **No code has been changed.** After you review this PDF I will start with the phases below.

Result	Count	Meaning
VERIFIED	37	Bug confirmed in code, root cause found.
PROBABLE	5	Very likely cause found, needs one quick visual/behaviour check.
NEEDS REPRO	2	Cannot be proven from code; needs device test or exact steps.
LIKELY FIXED	1	Already addressed by an earlier change; re-test after deploy.
BY DESIGN	1	Works as coded on purpose; needs a product decision to change.
NO DETAILS	1	Empty rows in the sheet.

Effort: S = under half a day, M = about a day, L = more than a day. File references are in the Frontend/src and Backend/src folders.

Proposed order of work

Phase 1 - Quick UI fixes (about 1-2 days)
Bugs: 1, 2, 10, 11, 12, 13, 15, 19, 20, 22, 23, 24, 27, 29, 31, 33, 34, 41, 43, 44, 45. Small, isolated frontend edits, low risk.

Phase 2 - Flows and navigation (about 3-4 days)
Bugs: 4, 6, 7, 9, 14, 16, 17, 25, 26, 28, 30, 35, 37, 38, 40, 42. Needs route changes and a test on the real devices.

Phase 3 - Backend work (about 3-4 days)
Bugs: 3, 5, 8, 18, 36, 39 (+ accept-batch race). New endpoints/notifications, session rules and the re-approval rules.

Phase 4 - Needs your decision first
Bugs: 21, 46, 47-49 and the confirmations listed below.

Decisions and information I need from you

- Bug 4: autofill = the fake 'auto-fill documents' feature (we delete it), or browser autofill on inputs?
- Bug 13/14/19: remove only vehicle type, or vehicle name and number as well? Is the Welcome screen the 'login' they mean?
- Bug 39: which fields should still trigger re-approval (suggested: licence/PAN/GST/FSSAI numbers and images, bank details)?
- Bug 44: should a weekly Mon-Fri plan start counting at the first delivery day instead of the chosen start date?
- Bug 46: allow same-day start? If yes, which cut-off rule (slot cut-off hours from the admin settings)?
- Bug 42: should nutrition be mandatory for vendors, or optional and hidden when empty?
- Bug 35, 40, 17, 21: please send screenshots or exact steps (which page, which meal, device and language).
- Bugs 47-49: descriptions are missing.

Extra problems found while checking (not in the sheet)

Vendor OTP screen shows 'Hint: Try 123456'
VendorAuthScreens.jsx line ~183 prints a hard-coded test OTP to every vendor in production. Remove it, or show it only when the server runs in default-OTP mode.

Office onboarding uses a mock email
OnboardingPage.jsx starts onboarding with j.doe@example.com instead of the logged-in account (see bug 4).

Delivery batch accept can double-assign
POST /dmb/driver/accept-batch checks batch.driverId and then saves without an atomic condition, so two drivers tapping together can both pass. Use findOneAndUpdate({_id, driverId: null}). This matters more now that pickup requests are also sent by push.

Mock data seeds the vendor app
Vendor App.jsx starts with INITIAL_ORDERS / INITIAL_TRANSACTIONS from mockData.js, which can flash fake numbers (related to bug 29).

Details per bug

Admin and Office (bugs 1-9, 18, 19, 32, 33)

#1 Login page scrolls — PROBABLE

App: Admin | Effort: S

WHAT I FOUND

AdminLogin.jsx wraps the page in **min-h-screen** with **py-12** padding, a large logo and a **p-12** card. On short or mobile viewports (100vh includes the browser address bar) the content is taller than the screen, so the page scrolls. Needs one visual check in the browser.

WHAT I WILL DO

Use **h-[100dvh] overflow-hidden** on the wrapper, reduce vertical padding and card padding on short screens (py-6, p-8), shrink the logo with a height media query. No outer scroll.

#2 User-app skeleton shows while loading — VERIFIED

App: Admin, Office | Effort: S

WHAT I FOUND

Loader.jsx renders **AppShellSkeleton** (restaurant cards / category chips = the user app). It is the Suspense fallback in AdminRouter, DeliveryV2Router, Food routes, auth routes and AuthInitializer. Office uses **PageLoader** in app/routes.jsx, which is the same skeleton.

WHAT I WILL DO

Create a neutral **PanelLoader** (logo + spinner, or a plain table skeleton for admin) and use it as the fallback for admin, office, delivery, vendor. Keep AppShellSkeleton only inside the user app. Replace PageLoader and Loader.jsx usages.

#3 Forgot Password? not clickable — VERIFIED

App: Office | Effort: M

WHAT I FOUND

LoginPage.jsx line ~280 is **<a href="#">**. There is no page, no route and no backend endpoint: officeAuth.routes.js only has send-otp, register, login.

WHAT I WILL DO

Add **/office/forgot-password** page (email, OTP, new password) and two endpoints (request reset OTP, reset with OTP) reusing the OfficeOtp model and sendOfficeSignupOtpEmail. Link the button with react-router Link. Rate-limit and use generic responses (no user enumeration).

#4 Documents & Certificates: remove autofill — VERIFIED

App: Office | Effort: S

WHAT I FOUND

StepDocuments.jsx has **handleAutoFill** (lines ~103-113) that fabricates fake documents with random sizes and **no url**, offered through a confirm() on Next. OnboardingPage.jsx also seeds a mock email **j.doe@example.com** and calls startOnboardingApi with it.

WHAT I WILL DO

Delete handleAutoFill and the confirm(); block Next until every required document is really uploaded. Remove the mock email and use the logged-in account email. Also add autoComplete="off" on text inputs if the sheet means browser autofill. *Please confirm which one you meant.*

#5 Admin not notified when office applies — VERIFIED

App: Office / Admin | Effort: M

WHAT I FOUND

No notification is created when an office completes onboarding (no notifyAdminsSafely / inbox call in the office controllers). The admin bell (useAdminNotifications.js) does not read office requests either.

WHAT I WILL DO

On onboarding complete: create a persisted admin notification + FCM push (notifyAdminsSafely). Add an office source (office-companies?status=under_review) to the admin bell and a link to /admin/food/office-approvals. See also bug 18.

#6 Office Onboarding Requests: refresh should stay on same page — VERIFIED

App: Admin | Effort: S

WHAT I FOUND

OfficeOnboardingRequests.jsx keeps the opened request in local state (**selectedRequest**). Refresh resets it, so the detail view is lost and the list shows again.

WHAT I WILL DO

Put the id in the URL: **/admin/food/office-approvals/:id** (or ?id=). On mount, load that request and open the detail view. Back button then works too.

#7 Request view: Documents 'View' not clickable — VERIFIED

App: Admin | Effort: S

WHAT I FOUND

The View link is **<a href={doc.url}>**. Documents created by the autofill (bug 4) have no url, so the link is dead. Real uploads may also fail for PDFs if the storage URL is not public.

WHAT I WILL DO

Remove autofill (bug 4). Render View only when doc.url exists, else a disabled 'Not available' state. Confirm the upload endpoint returns a public/raw URL for PDFs.

#8 Company not notified when approved — VERIFIED

App: Office | Effort: S

WHAT I FOUND

approveOfficeCompany / rejectOfficeCompany (officeCompanyApproval.controller.js) only update the status. Nothing is sent. Reject also has no reason field.

WHAT I WILL DO

On approve/reject send an email (existing office mailer) and an in-app record. Add a rejection reason to the reject API and show it on the company side.

#9 Under Review page should auto-open dashboard on approval — VERIFIED

App: Office | Effort: S

WHAT I FOUND

UnderReviewPage.jsx is static: no status check, no polling, no socket. Only a Back to Login button.

WHAT I WILL DO

Poll the company status every 15-30 s and on window focus (or emit a socket event on approve). On approved redirect to /office/dashboard; on rejected show the reason. Also check status when the page loads.

#18 Admin not showing all approval notifications — VERIFIED

App: Admin | Effort: L

WHAT I FOUND

useAdminNotifications.js polls only 6 sources (restaurants, delivery joins, food approvals, 2 support types, FSSAI) every 5 minutes with **Promise.all**: if one call fails the whole list becomes empty. Office requests and most DailyMealBox approvals (home cooks, fleet requests, kitchen photos, agreements, ads) are not included.

WHAT I WILL DO

Short term: Promise.allSettled + add the missing sources. Proper fix: a server-side admin inbox (a record created on every approval request, FCM + socket push, mark as read), and the bell reads that single feed. Poll every 60 s as a fallback.

#19 New Joining Request: remove job type column — VERIFIED

App: Admin | Effort: S

WHAT I FOUND

There is no 'job type'. The column is **Vehicle Type** (JoinRequest.jsx lines ~382-384, 448) plus a vehicle filter (lines 33, 62) and detail rows (~813).

WHAT I WILL DO

Remove together with bug 14.

#32 Categories create: add background to the box — LIKELY FIXED

App: Admin | Effort: S

WHAT I FOUND

The modal is bg-white inside the admin theme, where CSS forces **.bg-white to var(--ad-card-bg) !important**. That variable was undefined, so the box was transparent (this is the same bug fixed earlier in global.css).

WHAT I WILL DO

Re-test after deploying the earlier global.css change. If still transparent, add an explicit inline background to this modal.

#33 Vendor Commission: shorten vendor id — VERIFIED

App: Admin | Effort: S

WHAT I FOUND

RestaurantCommission.jsx lines ~459-463 print the full 24-character id.

WHAT I WILL DO

Show a short form (last 6-8 chars, 'ID ...a1b2c3') with the full id in a tooltip and a copy button; fixed column width with ellipsis.

Delivery app (bugs 10-17, 20-22)

#10 Splash/loading shows user-app skeleton — VERIFIED

App: Delivery | Effort: S

WHAT I FOUND

Same cause as bug 2 (Loader.jsx used by DeliveryV2Router and AuthInitializer).

WHAT I WILL DO

Fixed together with bug 2: delivery gets its own splash/loader.

#11 Change language: phone placeholder not translated — VERIFIED

App: Delivery | Effort: S

WHAT I FOUND

config/countries.js stores raw English **placeholder: "Enter 9-digit number"** for every country. SignIn.jsx line ~364 passes it to the input without t().

WHAT I WILL DO

Build the placeholder at render time with a translated key: t("Enter {{n}}-digit number", {n: phoneLength}); add pl/ru/uk/de translations. Same fix in vendor, customer and auth/Login.jsx which share the list. Optionally localise country names with Intl.DisplayNames.

#12 Phone field goes out of its box — VERIFIED

App: Delivery | Effort: S

WHAT I FOUND

SignIn.jsx lines ~357-382: the input is a flex child with **flexGrow:1** but no **minWidth:0 / width:100%**; the country picker has min-w-[95px] shrink-0. Inputs have an intrinsic width, so on narrow screens the row overflows.

WHAT I WILL DO

Add minWidth:0, width:100%, boxSizing:border-box on the input and let the row wrap/shrink. Check at 320px width.

#13 Login: remove vehicle type — VERIFIED

App: Delivery | Effort: S

WHAT I FOUND

SignIn.jsx has no vehicle type. The selector is on the **Welcome** screen (Welcome.jsx lines ~109-125, 252-268): Bicycle / E-bike cards with hard-coded pay rates (18-22 and 28-35 PLN/h). The selection is not used anywhere.

WHAT I WILL DO

Remove the vehicle cards and the hard-coded earnings claims. *Confirm the Welcome screen is the one meant.*

#14 Registration step 1: remove vehicle type — VERIFIED

App: Delivery | Effort: M

WHAT I FOUND

SignupStep1.jsx (default 'bike', required star, lines ~53, 480-500) and SignupStep2.jsx (VEHICLES picker, handleSelectVehicle, formData.append vehicleType). Backend vehicleType is optional (zod) but the model/admin screens display it.

WHAT I WILL DO

Remove the type field from step 1 and 2, from the payload, from the admin join-request table/filter/detail (see bug 19) and from the profile edit select. Keep vehicle name/number only if still wanted. *Decision needed: remove only the type, or name and number too?*

#15 Registration step 2: Support not clickable — VERIFIED

App: Delivery | Effort: S

WHAT I FOUND

SignupStep2.jsx header shows a **help_outline** icon inside a plain div (no onClick). A /food/delivery/support page already exists.

WHAT I WILL DO

Make it a button/Link to /food/delivery/support (with aria-label) and keep the signup draft so the user can come back.

#16 After register show 'application pending admin approval' — VERIFIED

App: Delivery | Effort: M

WHAT I FOUND

SignupStep2.jsx handleSubmit success only toasts 'Registration successful. Please login with OTP.' and navigates to login. The pending message exists only after a later OTP login (OTP.jsx pendingMessage).

WHAT I WILL DO

Add a dedicated route /food/delivery/pending (status, what happens next, support link, Check status button) and navigate there right after register. Reuse the same screen for the pending-login case.

#17 Refresh in step 3 removes uploaded documents — NEEDS REPRO

App: Delivery | Effort: M

WHAT I FOUND

Files are meant to persist in IndexedDB (getFileFromDB) with flags in sessionStorage; blob URLs are stripped on reload. Weak points: the UI marks a document as uploaded ({file:true}) even if the IndexedDB read fails or is blocked (WebView, private mode); sessionStorage is lost when the WebView restarts; previews depend on an async load.

WHAT I WILL DO

On mount, derive the uploaded state from what IndexedDB actually returns; if a file is missing show 'please upload again'. Move the draft details to localStorage. Add error handling/logging around IndexedDB. Needs a test on the real Android WebView.

#20 Home header should be fixed — VERIFIED

App: Delivery | Effort: S

WHAT I FOUND

The welcome header card is inside DashboardHome.jsx, which scrolls with the page (main is overflow-y-auto).

WHAT I WILL DO

Make the header sticky (top-0, z-30, solid background) or move it into NewDeliveryDashboard above the scroll area.

#21 Home to Profile: first other language, then correct — NEEDS REPRO

App: Delivery | Effort: M

WHAT I FOUND

No single cause is provable from code. Candidates: syncAccountPreference() switches to the account's saved language after the first paint (once per login); untranslated strings (bug 22) show English; the profile data loads after render.

WHAT I WILL DO

Apply the account language before the first render of the delivery shell (await it in AuthInitializer / splash) and avoid changing language after first paint. Need: which language is selected on the device vs the account.

#22 Profile shows mostly static text — VERIFIED

App: Delivery | Effort: S

WHAT I FOUND

10 driver strings used by ProfileView have **no pl/ru/uk/de translation** (Expired/Expires in, Loading profile, No ID uploaded, No license uploaded, No registration document, Partner Assigned, Reg:, Valid until, Verified on file), so English shows. The 'Active' badge (line ~232) and 'Zone Assigned' label (~365) are hard-coded, not tied to real data.

WHAT I WILL DO

Add the missing translations (i18n-seed apply). Bind the badge to the real approval/online status and show the zone name from the profile.

Restaurant / Vendor app (bugs 23-31, 37-40)

#23 Login: remove scroll — VERIFIED

App: Restaurant | Effort: S

WHAT I FOUND

PhoneScreen (VendorAuthScreens.jsx line 37) uses min-h-screen with a fixed h-56 hero image and extra padding, so the content exceeds the viewport.

WHAT I WILL DO

Flex column with h-[100dvh]; hero image gets flex-1 min-h-0 with object-cover so it shrinks instead of causing scroll.

#24 OTP: Resend code not clickable — VERIFIED

App: Restaurant | Effort: S

WHAT I FOUND

VendorAuthScreens.jsx line ~194: **<button>** with no onClick and no prop for resending.

WHAT I WILL DO

Pass onResend from App.jsx (calls requestRestaurantOtp(authPhone)), add a 30 s cooldown timer and a toast.

#25 Continue: 'OTP not found', after many clicks goes to register — PROBABLE

App: Restaurant | Effort: M

WHAT I FOUND

OTP is single use: otp.service.js verifyOtp **deletes the record on success**. The Verify button has no in-flight guard, so repeated clicks send more requests that return 'OTP not found', while the first successful one navigates later. The phone is also kept only in React state (authPhone).

WHAT I WILL DO

Disable the button and show a spinner while verifying; ignore re-entry. Persist authPhone in sessionStorage. Backend: after a successful verify return a short-lived verification token that the register call uses, instead of re-verifying the OTP. Needs one repro with network logs to confirm.

#26 Registration step 2: contact number not shown — VERIFIED

App: Restaurant | Effort: S

WHAT I FOUND

RegisterFormScreen gets **phone={authPhone}**; authPhone is plain state (App.jsx line 85, starts as ''). It is empty after a refresh or re-mount, and the disabled field shows nothing.

WHAT I WILL DO

Persist the verified phone in sessionStorage / use restaurant_register_phone as fallback; if still empty redirect back to the phone step.

#27 Registration step 3: Vendor Terms not clickable — VERIFIED

App: Restaurant | Effort: S

WHAT I FOUND

VendorAuthScreens.jsx line ~947: the Trans component renders ****, not a link (the login screen correctly uses Link).

WHAT I WILL DO

Use Link to /vendor/termsandcondition (state backTo). Because leaving the page loses the form, save the registration draft first or open the terms in a modal.

#28 Profile does not show phone number — PROBABLE

App: Restaurant | Effort: S

WHAT I FOUND

ProfileSettings shows primaryContactNumber or ownerPhone. Registration sends **ownerPhone: authPhone**; if authPhone was empty (bug 26) an empty phone is saved.

WHAT I WILL DO

Fix bug 26. Backend: fall back to the phone from the OTP-verified session when the body phone is empty. Back-fill existing records with empty phone.

#29 Home shows default Today's earning — VERIFIED

App: Restaurant | Effort: S

WHAT I FOUND

HomeDashboard.jsx line ~369 is the literal text **t("337 PLN")** with the label 'Updated live'. App.jsx also seeds state from mockData (INITIAL_ORDERS, INITIAL_TRANSACTIONS).

WHAT I WILL DO

Use the earnings API (getEarnings with today's period), show loading and 0 when empty, format with money(). Start orders/transactions empty instead of mock data.

#31 Add meal: footer menu above the keyboard — VERIFIED

App: Restaurant | Effort: S

WHAT I FOUND

The bottom nav is **fixed bottom-0** (App.jsx line ~878). On Android WebView the viewport shrinks when the keyboard opens, so the nav is pushed up over the form.

WHAT I WILL DO

Hide the bottom nav while an input/textarea has focus or when visualViewport.height drops below ~75% of the window. Same for delivery and customer navs.

#37 Profile > My Subscribers redirects to home — VERIFIED

App: Restaurant | Effort: M

WHAT I FOUND

Sub-views open through **showSubView** React state (App.jsx lines 86, 516), not through routes. Refresh or the back button leaves the overlay and lands on the dashboard.

WHAT I WILL DO

Give each sub-view a real route (/vendor/subscribers, /vendor/profile/...) so refresh and back work.

#38 Profile module: mobile back goes to home — VERIFIED

App: Restaurant | Effort: M

WHAT I FOUND

Same cause as bug 37.

WHAT I WILL DO

Fixed together with bug 37 (route-based sub-views, back returns to the previous screen).

#39 Should go to Under Review only on document upload/change — VERIFIED

App: Restaurant | Effort: M

WHAT I FOUND

restaurant.service.js (~975-991): **any** profile update except a zone-only change sets status = 'pending'. App.jsx initAuth (lines ~106-123) then logs the vendor out and shows Under Review.

WHAT I WILL DO

Define the list of fields that need re-approval (legal documents: licence, PAN/GST/FSSAI numbers and images, bank details). Apply all other edits immediately. Keep status approved with a 'pending update' flag and an admin 'Update request' queue, and do not log the vendor out. *Please confirm the list of fields.*

#40 Menu does not show the created meal — PROBABLE

App: Restaurant | Effort: M

WHAT I FOUND

Meals are mapped as **status === 'active' ? 'Active' : 'Draft'** (App.jsx ~255, 405) so pre_order and draft meals become 'Draft', and the menu/schedule sections of MenuManager.jsx (lines ~1424, 1490) list only 'Active'. The backend default status is draft. Create errors (CITY_REQUIRED, cook agreement) appear only as toasts.

WHAT I WILL DO

Map statuses correctly (Active / Pre-order / Draft) and show all non-archived meals with a badge; refetch after create; show create errors inline. Need the exact steps/status of the missing meal.

User app and plans (bugs 34, 35, 41-46)

#34 Welcome screen: logo box tilted — VERIFIED

App: User | Effort: S

WHAT I FOUND

OnboardingScreens.jsx lines 27 and 30 use **rotate-[-2deg]** (hover:rotate-0).

WHAT I WILL DO

Remove the rotate classes.

#35 Registration pages: end button overlaps footer — PROBABLE

App: User | Effort: S

WHAT I FOUND

Registration steps use a fixed Continue footer (OnboardingScreens.jsx line ~269, z-[100]) while content padding is only pb-10 / pb-12 (less than the ~96 px footer) and there is no safe-area inset. The bottom nav is not shown on these routes. Needs screenshots to know which pages.

WHAT I WILL DO

Content padding-bottom = footer height + env(safe-area-inset-bottom); or make the CTA sticky inside the page flow. *Please list the affected pages.*

#41 Plans > View menu: background should not scroll — VERIFIED

App: User | Effort: S

WHAT I FOUND

PlansScreen.jsx menu sheet (lines ~55-60) has no body scroll lock.

WHAT I WILL DO

Lock body scroll while any sheet is open (shared useScrollLock hook) and add overscroll-behavior: contain to the sheet list. Apply to SubscribeSheet and other sheets.

#42 Plans: default nutritional info shown — VERIFIED

App: User | Effort: S

WHAT I FOUND

The vendor app invents nutrition: App.jsx handleAddMeal uses **parseInt(calories) || 300** (protein 15, carbs 25, fats 10) with isProvided: true; MenuManager sends '300 kcal' / '15g' when empty. The customer therefore sees fake values.

WHAT I WILL DO

Send nutrition only when entered (isProvided false otherwise) and hide it in the customer UI when not provided. Decide whether nutrition is mandatory. Clean existing meals that have exactly 300/15/25/10.

#43 Subscription plan shows default delivery days — VERIFIED

App: User | Effort: S

WHAT I FOUND

SubscribeSheet.jsx: default days [1..5] and the 'Mon - Fri' / 'Every day' chip come from the plan preset (PRESET_DAYS) and ignore the vendor's real deliveryWeekdays and the weekend switches.

WHAT I WILL DO

Default = plan preset intersected with allowedDays; label the chips from real days; disable days the vendor does not deliver.

#44 Weekly plan (5 days) shows wrong dates (Oct 4 to Oct 11) — VERIFIED

App: User | Effort: M

WHAT I FOUND

quote.jsx line 99 prints **quote.endDate**, which is **exclusive** (pricing.service.js line 346: endDate = start + length). So 7 days from Oct 4 shows Oct 11 (should be Oct 10); the 30-day plan in your screenshot shows Nov 3 (should be Nov 2). Also Oct 4 2026 is a Sunday, so a Mon-Fri plan has no delivery on its first day.

WHAT I WILL DO

Show endDate minus 1 day (inclusive) or add lastDeliveryDate to the quote; display 'first delivery - last delivery'. Decide whether a weekly Mon-Fri period should start at the first delivery day.

#45 Back from checkout goes to Plans instead of previous page — VERIFIED

App: User | Effort: S

WHAT I FOUND

CustomerAppMain.jsx line ~700: onGoBack is hard-coded **navigate('/user/plans')** and clears selectedPlanDetails.

WHAT I WILL DO

Use navigate(-1) with a fallback to plans when there is no history; keep the draft so the user can return.

#46 Start date begins tomorrow, not today — BY DESIGN

App: User | Effort: M

WHAT I FOUND

Intentional today: SubscribeSheet.jsx default and min are tomorrow, and the server rejects earlier dates (pricing.service.js line 176 'must be tomorrow or later').

WHAT I WILL DO

Needs a product decision. If same-day start is wanted: server computes the earliest allowed date per slot from its order cut-off (orderCutoffHours / prep window), frontend uses that as min, checkout and quote use the same rule. Orders for today are now created immediately on activation, so vendors would see them.

#47-49 Plans: three empty rows — NO DETAILS

App: User | Effort: -

WHAT I FOUND

The sheet has no description for these rows.

WHAT I WILL DO

Please send the descriptions and I will add them.

Cross-app (bugs 30, 36)

#30 All headers should be fixed — VERIFIED

App: Restaurant, User, Delivery | Effort: M

WHAT I FOUND

Most inner pages are already fixed/sticky. Exceptions: delivery home header (bug 20), customer HomeScreen.jsx line ~445 (relative hero header), vendor dashboard (header hidden on dashboard: App.jsx **!isDashboardPage**).

WHAT I WILL DO

Add a compact sticky top bar on these three screens (title/logo + notifications) while the large hero scrolls underneath. Add scroll padding so content is not hidden.

#36 App logs out again and again — VERIFIED

App: User, Restaurant, Delivery | Effort: L

WHAT I FOUND

Client: Vendor initAuth (App.jsx ~158) wipes tokens on **any** getMe error, including network/5xx. axios.js: any exception in the refresh call (network, 10 s timeout) runs onRefreshFailed and clears the session. Server: access token lives only 15 min (JWT_ACCESS_EXPIRES), so refresh happens often. A changed JWT_REFRESH_SECRET after a deploy/restart would also invalidate everyone.

WHAT I WILL DO

Clear the session only when the server says 401/invalid refresh token, never on network errors; retry with backoff. Same rule in initAuth. Extend access TTL (e.g. 1 h) or use sliding refresh. Log the reason for every forced logout. Check pm2 logs for 'Invalid refresh token' and confirm JWT secrets are fixed in the server .env.