

# A weakly structured stem for human origins in Africa

Aaron P. Ragsdale<sup>1</sup>, Timothy D. Weaver<sup>2</sup>, Elizabeth G. Atkinson<sup>3</sup>, Eileen Hoal<sup>4</sup>, Marlo Möller<sup>5</sup>, Brenna M. Henn<sup>2,6,\*</sup>, and Simon Gravel<sup>7,\*\*</sup>

<sup>1</sup>FIXME: UW Madison

<sup>2</sup>Department of Anthropology, University of California, Davis, Davis, CA 95616, USA

<sup>3</sup>FIXME: DSI-NRF Centre of Excellence for Biomedical Tuberculosis Research; South African Medical Research Council Centre for Tuberculosis Research; Division of Molecular Biology and Human Genetics, Faculty of Medicine and Health Sciences, Stellenbosch University, Cape Town, South Africa

<sup>4</sup>FIXME

<sup>5</sup>FIXME

<sup>6</sup>UC Davis Genome Center, University of California, Davis, Davis, CA 95616, USA

<sup>7</sup>FIXME: McGill

\*bmhenn@ucdavis.edu

\*\*simon.gravel@mcgill.ca

January 1, 2022

## Abstract

A very simple template for an article class document.

## Introduction

## Results

A Late Middle Stone Age common ancestry for contemporary humans

Deep population structure but not archaic admixture within Africa

Reconciling multiple lines of genetic evidence

## Discussion

The Middle Stone Age in Africa

Contrasting archaic admixture and a weakly structured stem

## Methods

Kelleher et al. (2016)

## Acknowledgements




Figure 1: **The first figure.** The geographic and genetic diversity of populations across Africa.

Figure 2: **The second main figure.** A placeholder - best fit model(s).

## References

Jerome Kelleher, Alison M Etheridge, and Gilean McVean. Efficient coalescent simulation and genealogical analysis for large sample sizes. *PLoS Comput. Biol.*, 12(5):e1004842, May 2016.

Figure 3: **The third main figure.** A placeholder - validation (Relate and cSFS).

Figure 4: **The fourth main figure.** A placeholder - predictions (FST and/or f4).