Folio Test Paper

Title page without a page number

Preface

This front matter is numbered with roman numerals.

The second page of front matter.

1 Introduction

Early work on the subject is reviewed in the survey [1], and the classic results are due to two groups [2, 3]. Several later papers extend this [4–6]. The data are collected in Table 2, and the setup is drawn in Figure 1. The main result is Theorem 1.2, and the key estimate is Lemma 3.1.

1.1 Motivation

Every field of physics has its "quoted" folklore – and its exceptions—like this one. The word renormaliza-
tion is broken across two lines on purpose. Details are in Section 2. More is available at `https://example.org/folio` and in the local notes.

Theorem 1.1. *Every bounded sequence has a convergent subsequence.*

Theorem 1.2. *The main estimate holds for all inputs.*



Figure 1: The experimental setup.

2 Results

The basic relation is

$$E = mc^2 \tag{2.1}$$

and a second relation follows:

$$F = ma. \tag{2.2}$$

Combining Eq. (2.1) with the second one gives the claim, and the relation (2.1) is used again below.

Table 1: A first table.

a	b
c	d

Table 2: Measured data.

1	2
3	4

3 Proofs

Lemma 3.1. *The key estimate is sharp.*

Proof. Use Theorem 1.1 and the relation in Eq. (2.2). □

References

[1] A. Alpha, A survey of the field, J. Tests 1 (2020).

[2] B. Beta, Classic results, J. Tests 2 (2021).

[3] C. Gamma, More classic results, J. Tests 3 (2021).

[4] D. Delta, An extension, J. Tests 4 (2022).

[5] E. Epsilon, Another extension, J. Tests 5 (2023).

[6] Z. Zeta, The last extension, J. Tests 6 (2024).