

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
Subjects with at least one TEAE	420 (92.7)	46 (10.2)	169 (37.3)	164 (36.2)	41 (9.1)
GENERAL DISORDERS AND ADMINISTRATION SITE CONDITIONS	259 (57.2)	89 (19.6)	121 (26.7)	48 (10.6)	1 (0.2)
FATIGUE	125 (27.6)	37 (8.2)	66 (14.6)	22 (4.9)	0 (0.0)
ASTHENIA	80 (17.7)	25 (5.5)	41 (9.1)	13 (2.9)	1 (0.2)
OEDEMA PERIPHERAL	54 (11.9)	34 (7.5)	15 (3.3)	5 (1.1)	0 (0.0)
PYREXIA	43 (9.5)	30 (6.6)	13 (2.9)	0 (0.0)	0 (0.0)
NON-CARDIAC CHEST PAIN	26 (5.7)	11 (2.4)	9 (2.0)	6 (1.3)	0 (0.0)
PAIN	11 (2.4)	7 (1.5)	3 (0.7)	1 (0.2)	0 (0.0)
INFLUENZA LIKE ILLNESS	8 (1.8)	7 (1.5)	1 (0.2)	0 (0.0)	0 (0.0)
CHEST DISCOMFORT	6 (1.3)	6 (1.3)	0 (0.0)	0 (0.0)	0 (0.0)
DISEASE PROGRESSION	5 (1.1)	0 (0.0)	0 (0.0)	5 (1.1)	0 (0.0)
FACE OEDEMA	5 (1.1)	3 (0.7)	2 (0.4)	0 (0.0)	0 (0.0)
OEDEMA	5 (1.1)	3 (0.7)	1 (0.2)	1 (0.2)	0 (0.0)
CHILLS	4 (0.9)	3 (0.7)	1 (0.2)	0 (0.0)	0 (0.0)
INFUSION SITE EXTRAVASATION	4 (0.9)	1 (0.2)	3 (0.7)	0 (0.0)	0 (0.0)
MALaise	4 (0.9)	3 (0.7)	0 (0.0)	1 (0.2)	0 (0.0)
CHEST PAIN	3 (0.7)	3 (0.7)	0 (0.0)	0 (0.0)	0 (0.0)
INJECTION SITE REACTION	3 (0.7)	1 (0.2)	2 (0.4)	0 (0.0)	0 (0.0)
GENERALISED OEDEMA	2 (0.4)	0 (0.0)	1 (0.2)	1 (0.2)	0 (0.0)
LOCALISED OEDEMA	2 (0.4)	0 (0.0)	2 (0.4)	0 (0.0)	0 (0.0)
CATHETER SITE ERYTHEMA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
DEVICE OCCLUSION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
GAIT DISTURBANCE	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
GRANULOMA	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
GRAVITATIONAL OEDEMA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
INFUSION RELATED REACTION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
INJECTION SITE EXTRAVASATION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
INJECTION SITE PHLEBITIS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
TENDERNESS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
THROMBOSIS IN DEVICE	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
GASTROINTESTINAL DISORDERS	220 (48.6)	102 (22.5)	88 (19.4)	29 (6.4)	1 (0.2)
DIARRHOEA	105 (23.2)	62 (13.7)	32 (7.1)	11 (2.4)	0 (0.0)
NAUSEA	89 (19.6)	58 (12.8)	25 (5.5)	6 (1.3)	0 (0.0)
STOMATITIS	67 (14.8)	39 (8.6)	25 (5.5)	3 (0.7)	0 (0.0)
VOMITING	55 (12.1)	32 (7.1)	20 (4.4)	3 (0.7)	0 (0.0)
CONSTIPATION	54 (11.9)	34 (7.5)	16 (3.5)	3 (0.7)	1 (0.2)
ABDOMINAL PAIN	26 (5.7)	12 (2.6)	11 (2.4)	3 (0.7)	0 (0.0)
DRY MOUTH	11 (2.4)	5 (1.1)	4 (0.9)	2 (0.4)	0 (0.0)
ABDOMINAL PAIN UPPER	7 (1.5)	4 (0.9)	3 (0.7)	0 (0.0)	0 (0.0)
DYSPEPSIA	7 (1.5)	5 (1.1)	2 (0.4)	0 (0.0)	0 (0.0)
DYSPHAGIA	6 (1.3)	5 (1.1)	1 (0.2)	0 (0.0)	0 (0.0)
ODYNOPHAGIA	4 (0.9)	4 (0.9)	0 (0.0)	0 (0.0)	0 (0.0)
OESOPHAGITIS	4 (0.9)	3 (0.7)	1 (0.2)	0 (0.0)	0 (0.0)
ABDOMINAL DISCOMFORT	3 (0.7)	3 (0.7)	0 (0.0)	0 (0.0)	0 (0.0)
ABDOMINAL DISTENSION	3 (0.7)	2 (0.4)	1 (0.2)	0 (0.0)	0 (0.0)
CHEILITIS	3 (0.7)	1 (0.2)	2 (0.4)	0 (0.0)	0 (0.0)
ABDOMINAL PAIN LOWER	2 (0.4)	0 (0.0)	1 (0.2)	1 (0.2)	0 (0.0)
ASCITES	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
FLATULENCE	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
GASTRITIS	2 (0.4)	0 (0.0)	2 (0.4)	0 (0.0)	0 (0.0)
GASTROOESOPHAGEAL REFLUX DISEASE	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
ORAL PAIN	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
PERIODONTITIS	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
RECTAL HAEMORRHAGE	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
TOOTHACHE	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
ABDOMINAL HERNIA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
ABDOMINAL TENDERNESS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
APHTHOUS STOMATITIS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
CHAPPED LIPS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
DUODENAL ULCER HAEMORRHAGE	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
FAECAL INCONTINENCE	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
GASTROINTESTINAL HYPOMOTILITY	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
GINGIVAL BLEEDING	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
HAEMORRHOIDAL HAEMORRHAGE	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
HAEMORRHOIDS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
IMPAIRED GASTRIC EMPTYING	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
LARGE INTESTINE PERFORATION	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
LIP DRY	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
MELAENA	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
OESOPHAGITIS ULCERATIVE	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
PANCREATIC CYST	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
RESPIRATORY, THORACIC AND MEDIASTINAL DISORDERS	209 (46.1)	71 (15.7)	90 (19.9)	37 (8.2)	11 (2.4)
DYSPNOEA	89 (19.6)	18 (4.0)	50 (11.0)	20 (4.4)	1 (0.2)
COUGH	84 (18.5)	38 (8.4)	42 (9.3)	4 (0.9)	0 (0.0)
HAEMOPTYSIS	25 (5.5)	21 (4.6)	3 (0.7)	1 (0.2)	0 (0.0)
EPISTAXIS	24 (5.3)	23 (5.1)	1 (0.2)	0 (0.0)	0 (0.0)
DYSPHONIA	16 (3.5)	9 (2.0)	5 (1.1)	2 (0.4)	0 (0.0)
OROPHARYNGEAL PAIN	11 (2.4)	9 (2.0)	2 (0.4)	0 (0.0)	0 (0.0)
PRODUCTIVE COUGH	10 (2.2)	5 (1.1)	4 (0.9)	1 (0.2)	0 (0.0)
CHRONIC OBSTRUCTIVE PULMONARY DISEASE	9 (2.0)	2 (0.4)	1 (0.2)	5 (1.1)	1 (0.2)
DYSPNOEA EXERTIONAL	9 (2.0)	5 (1.1)	4 (0.9)	0 (0.0)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
PLEURAL EFFUSION	8 (1.8)	0 (0.0)	4 (0.9)	4 (0.9)	0 (0.0)
PULMONARY EMBOLISM	8 (1.8)	0 (0.0)	0 (0.0)	0 (0.0)	8 (1.8)
HICCUPS	4 (0.9)	3 (0.7)	1 (0.2)	0 (0.0)	0 (0.0)
PNEUMOTHORAX	4 (0.9)	2 (0.4)	1 (0.2)	0 (0.0)	1 (0.2)
RHINORRHOEA	4 (0.9)	4 (0.9)	0 (0.0)	0 (0.0)	0 (0.0)
PNEUMONITIS	3 (0.7)	1 (0.2)	1 (0.2)	1 (0.2)	0 (0.0)
WHEEZING	3 (0.7)	1 (0.2)	2 (0.4)	0 (0.0)	0 (0.0)
ACUTE RESPIRATORY FAILURE	2 (0.4)	0 (0.0)	0 (0.0)	1 (0.2)	1 (0.2)
BRONCHOSPASM	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
NASAL CONGESTION	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
BRONCHOSTENOSIS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
DIAPHRAGMALGIA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
HAEMOTHORAX	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
HYPOXIA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
LUNG INFILTRATION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
NASAL DISCOMFORT	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
OBSTRUCTIVE AIRWAYS DISORDER	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
PHARYNGEAL INFLAMMATION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
PLEURITIC PAIN	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
PULMONARY FIBROSIS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
PULMONARY OEDEMA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
RESPIRATORY FAILURE	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
SINUS CONGESTION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
STRIDOR	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
TACHYPNOEA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
UPPER RESPIRATORY TRACT INFLAMMATION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
UPPER-AIRWAY COUGH SYNDROME	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
SKIN AND SUBCUTANEOUS TISSUE DISORDERS	196 (43.3)	101 (22.3)	88 (19.4)	7 (1.5)	0 (0.0)
ALOPECIA	141 (31.1)	75 (16.6)	66 (14.6)	0 (0.0)	0 (0.0)
NAIL DISORDER	32 (7.1)	22 (4.9)	7 (1.5)	3 (0.7)	0 (0.0)
RASH	25 (5.5)	18 (4.0)	7 (1.5)	0 (0.0)	0 (0.0)
PRURITUS	12 (2.6)	8 (1.8)	4 (0.9)	0 (0.0)	0 (0.0)
DRY SKIN	9 (2.0)	5 (1.1)	3 (0.7)	1 (0.2)	0 (0.0)
ONYCHOLYSIS	8 (1.8)	5 (1.1)	2 (0.4)	1 (0.2)	0 (0.0)
HYPERHIDROSIS	7 (1.5)	4 (0.9)	3 (0.7)	0 (0.0)	0 (0.0)
PALMAR-PLANTAR ERYTHRODYSAESTHESIA SYNDROME	6 (1.3)	5 (1.1)	0 (0.0)	1 (0.2)	0 (0.0)
NAIL TOXICITY	5 (1.1)	1 (0.2)	4 (0.9)	0 (0.0)	0 (0.0)
SKIN EXFOLIATION	5 (1.1)	3 (0.7)	2 (0.4)	0 (0.0)	0 (0.0)
ERYTHEMA	4 (0.9)	3 (0.7)	1 (0.2)	0 (0.0)	0 (0.0)
NIGHT SWEATS	4 (0.9)	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)
DERMATITIS	3 (0.7)	2 (0.4)	1 (0.2)	0 (0.0)	0 (0.0)
ACNE	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
DERMATITIS ACNEIFORM	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
ECZEMA	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
NAIL BED DISORDER	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
NAIL DYSTROPHY	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
ONYCHOCLASIS	2 (0.4)	0 (0.0)	1 (0.2)	1 (0.2)	0 (0.0)
RASH ERYTHEMATOUS	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
RASH MACULAR	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
RASH PAPULAR	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
DECUBITUS ULCER	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
DERMATITIS CONTACT	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
ECCHYMOSIS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
ERYTHROSIS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
HAIR GROWTH ABNORMAL	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
INTERTRIGO	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
MACULE	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
MADAROSIS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
NAIL DISCOLOURATION	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
PIGMENTATION DISORDER	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
PRURITUS ALLERGIC	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
PRURITUS GENERALISED	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
PSORIASIS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
SKIN HYPERPIGMENTATION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
SKIN IRRITATION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
SUBCUTANEOUS EMPHYSEMA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
SWELLING FACE	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
URTICARIA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
NERVOUS SYSTEM DISORDERS	159 (35.1)	72 (15.9)	66 (14.6)	20 (4.4)	1 (0.2)
PERIPHERAL SENSORY NEUROPATHY	65 (14.3)	34 (7.5)	26 (5.7)	5 (1.1)	0 (0.0)
HEADACHE	24 (5.3)	12 (2.6)	10 (2.2)	2 (0.4)	0 (0.0)
PARAESTHESIA	24 (5.3)	11 (2.4)	8 (1.8)	5 (1.1)	0 (0.0)
DYSGEUSIA	15 (3.3)	11 (2.4)	4 (0.9)	0 (0.0)	0 (0.0)
DIZZINESS	13 (2.9)	10 (2.2)	3 (0.7)	0 (0.0)	0 (0.0)
POLYNEUROPATHY	10 (2.2)	6 (1.3)	3 (0.7)	1 (0.2)	0 (0.0)
AGEUSIA	5 (1.1)	4 (0.9)	1 (0.2)	0 (0.0)	0 (0.0)
PERIPHERAL SENSORIMOTOR NEUROPATHY	5 (1.1)	2 (0.4)	3 (0.7)	0 (0.0)	0 (0.0)
DYSAESTHESIA	4 (0.9)	3 (0.7)	1 (0.2)	0 (0.0)	0 (0.0)
LETHARGY	4 (0.9)	0 (0.0)	3 (0.7)	1 (0.2)	0 (0.0)
PERIPHERAL MOTOR NEUROPATHY	4 (0.9)	1 (0.2)	2 (0.4)	1 (0.2)	0 (0.0)
PRESYNCOPE	3 (0.7)	0 (0.0)	2 (0.4)	1 (0.2)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
ATAXIA	2 (0.4)	0 (0.0)	2 (0.4)	0 (0.0)	0 (0.0)
BALANCE DISORDER	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
HYPOAESTHESIA	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
NEURALGIA	2 (0.4)	0 (0.0)	2 (0.4)	0 (0.0)	0 (0.0)
SCIATICA	2 (0.4)	0 (0.0)	2 (0.4)	0 (0.0)	0 (0.0)
SOMNOLENCE	2 (0.4)	0 (0.0)	2 (0.4)	0 (0.0)	0 (0.0)
TREMOR	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
APHONIA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
COGNITIVE DISORDER	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
CONVULSION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
DYSARTHRIA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
DYSSTASIA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
HEMIPLEGIA	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.2)
HYPOTONIA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
INTRACRANIAL PRESSURE INCREASED	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
ISCHAEMIC STROKE	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
NEUROTOXICITY	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
RADIAL NERVE PALSY	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
SPINAL CORD COMPRESSION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
SYNCOPE	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
TRANSIENT ISCHAEMIC ATTACK	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
MUSCULOSKELETAL AND CONNECTIVE TISSUE DISORDERS	154 (34.0)	75 (16.6)	66 (14.6)	13 (2.9)	0 (0.0)
ARTHRALGIA	36 (7.9)	24 (5.3)	10 (2.2)	2 (0.4)	0 (0.0)
MYALGIA	31 (6.8)	16 (3.5)	15 (3.3)	0 (0.0)	0 (0.0)
BACK PAIN	28 (6.2)	17 (3.8)	9 (2.0)	2 (0.4)	0 (0.0)
MUSCULOSKELETAL PAIN	24 (5.3)	12 (2.6)	9 (2.0)	3 (0.7)	0 (0.0)
PAIN IN EXTREMITY	23 (5.1)	14 (3.1)	9 (2.0)	0 (0.0)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
BONE PAIN	19 (4.2)	6 (1.3)	12 (2.6)	1 (0.2)	0 (0.0)
MUSCULOSKELETAL CHEST PAIN	13 (2.9)	6 (1.3)	6 (1.3)	1 (0.2)	0 (0.0)
MUSCLE SPASMS	8 (1.8)	5 (1.1)	1 (0.2)	2 (0.4)	0 (0.0)
MUSCULAR WEAKNESS	7 (1.5)	1 (0.2)	6 (1.3)	0 (0.0)	0 (0.0)
NECK PAIN	5 (1.1)	1 (0.2)	2 (0.4)	2 (0.4)	0 (0.0)
ARTHRITIS	4 (0.9)	3 (0.7)	1 (0.2)	0 (0.0)	0 (0.0)
CLUBBING	3 (0.7)	2 (0.4)	1 (0.2)	0 (0.0)	0 (0.0)
JOINT SWELLING	3 (0.7)	3 (0.7)	0 (0.0)	0 (0.0)	0 (0.0)
FLANK PAIN	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
HYPERCREATINAEMIA	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
MYOSITIS	2 (0.4)	0 (0.0)	1 (0.2)	1 (0.2)	0 (0.0)
OSTEOPOROSIS	2 (0.4)	0 (0.0)	2 (0.4)	0 (0.0)	0 (0.0)
MUSCULOSKELETAL DISCOMFORT	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
MUSCULOSKELETAL STIFFNESS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
MYOPATHY	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
OSTEONECROSIS OF JAW	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
PAIN IN JAW	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
INFECTIONS AND INFESTATIONS	149 (32.9)	36 (7.9)	60 (13.2)	43 (9.5)	10 (2.2)
PNEUMONIA	22 (4.9)	1 (0.2)	2 (0.4)	16 (3.5)	3 (0.7)
URINARY TRACT INFECTION	19 (4.2)	3 (0.7)	14 (3.1)	2 (0.4)	0 (0.0)
BRONCHITIS	17 (3.8)	6 (1.3)	10 (2.2)	1 (0.2)	0 (0.0)
RESPIRATORY TRACT INFECTION	14 (3.1)	2 (0.4)	7 (1.5)	3 (0.7)	2 (0.4)
NEUTROPENIC INFECTION	12 (2.6)	0 (0.0)	1 (0.2)	7 (1.5)	4 (0.9)
UPPER RESPIRATORY TRACT INFECTION	12 (2.6)	3 (0.7)	9 (2.0)	0 (0.0)	0 (0.0)
LOWER RESPIRATORY TRACT INFECTION	8 (1.8)	2 (0.4)	3 (0.7)	3 (0.7)	0 (0.0)
NASOPHARYNGITIS	8 (1.8)	7 (1.5)	1 (0.2)	0 (0.0)	0 (0.0)
ORAL CANDIDIASIS	8 (1.8)	5 (1.1)	3 (0.7)	0 (0.0)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
LUNG INFECTION	7 (1.5)	2 (0.4)	4 (0.9)	1 (0.2)	0 (0.0)
RHINITIS	6 (1.3)	6 (1.3)	0 (0.0)	0 (0.0)	0 (0.0)
CYSTITIS	5 (1.1)	2 (0.4)	3 (0.7)	0 (0.0)	0 (0.0)
INFLUENZA	5 (1.1)	1 (0.2)	3 (0.7)	1 (0.2)	0 (0.0)
NEUTROPENIC SEPSIS	3 (0.7)	0 (0.0)	0 (0.0)	2 (0.4)	1 (0.2)
PARONYCHIA	3 (0.7)	1 (0.2)	2 (0.4)	0 (0.0)	0 (0.0)
PHARYNGITIS	3 (0.7)	2 (0.4)	1 (0.2)	0 (0.0)	0 (0.0)
GASTROENTERITIS	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
HEPATITIS C	2 (0.4)	0 (0.0)	1 (0.2)	1 (0.2)	0 (0.0)
HERPES ZOSTER	2 (0.4)	0 (0.0)	2 (0.4)	0 (0.0)	0 (0.0)
HORDEOLUM	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
LARYNGITIS	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
ONYCHOMYCOSIS	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
SINUSITIS	2 (0.4)	0 (0.0)	2 (0.4)	0 (0.0)	0 (0.0)
VIRAL INFECTION	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
VULVOVAGINAL CANDIDIASIS	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
ABSCESS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
BRONCHIECTASIS	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
BRONCHOPNEUMONIA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
CELLULITIS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
EAR INFECTION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
EMPYEMA	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
ESCHERICHIA URINARY TRACT INFECTION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
FOLLICULITIS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
FUNGAL INFECTION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
FUNGAL SKIN INFECTION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
H1N1 INFLUENZA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
LOBAR PNEUMONIA	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
LOWER RESPIRATORY TRACT INFECTION BACTERIAL	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
NAIL BED INFECTION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
NAIL INFECTION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
ORAL HERPES	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
ORCHITIS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
OROPHARYNGEAL CANDIDIASIS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
PILONIDAL CYST	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
PNEUMONIA MORAXELLA	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
PULMONARY TUBERCULOSIS	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
SEPSIS	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.2)
SPUTUM PURULENT	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
STAPHYLOCOCCAL BACTERAEMIA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
TINEA CAPITIS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
TINEA CRURIS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
TINEA PEDIS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
TONSILLITIS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
TOOTH INFECTION	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
TOXOPLASMOSIS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
VULVOVAGINAL MYCOTIC INFECTION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
METABOLISM AND NUTRITION DISORDERS	104 (23.0)	59 (13.0)	33 (7.3)	11 (2.4)	1 (0.2)
DECREASED APPETITE	90 (19.9)	56 (12.4)	29 (6.4)	4 (0.9)	1 (0.2)
DEHYDRATION	11 (2.4)	3 (0.7)	5 (1.1)	3 (0.7)	0 (0.0)
DIABETES MELLITUS	3 (0.7)	0 (0.0)	1 (0.2)	2 (0.4)	0 (0.0)
FLUID RETENTION	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
CACHEXIA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
DIABETES MELLITUS INADEQUATE CONTROL	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
GOUT	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
HYPERGLYCAEMIA	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
HYPERPHOSPHATASAEMIA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
HYPOKALAEMIA	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
HYPOVOLAEMIA	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
MALNUTRITION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
STARVATION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
VASCULAR DISORDERS	60 (13.2)	14 (3.1)	31 (6.8)	14 (3.1)	1 (0.2)
HYPERTENSION	23 (5.1)	4 (0.9)	15 (3.3)	4 (0.9)	0 (0.0)
HYPOTENSION	10 (2.2)	6 (1.3)	4 (0.9)	0 (0.0)	0 (0.0)
DEEP VEIN THROMBOSIS	8 (1.8)	0 (0.0)	0 (0.0)	8 (1.8)	0 (0.0)
PHLEBITIS SUPERFICIAL	8 (1.8)	0 (0.0)	8 (1.8)	0 (0.0)	0 (0.0)
FLUSHING	4 (0.9)	4 (0.9)	0 (0.0)	0 (0.0)	0 (0.0)
HOT FLUSH	4 (0.9)	3 (0.7)	1 (0.2)	0 (0.0)	0 (0.0)
SUBCLAVIAN VEIN THROMBOSIS	3 (0.7)	0 (0.0)	0 (0.0)	3 (0.7)	0 (0.0)
THROMBOPHLEBITIS SUPERFICIAL	2 (0.4)	0 (0.0)	2 (0.4)	0 (0.0)	0 (0.0)
ARTERIAL STENOSIS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
EMBOLISM VENOUS	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.2)
HYPERAEMIA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
INTERMITTENT CLAUDICATION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
PALLOR	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
SUPERIOR VENA CAVAL OCCLUSION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
VENOUS INSUFFICIENCY	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
BLOOD AND LYMPHATIC SYSTEM DISORDERS	47 (10.4)	1 (0.2)	8 (1.8)	21 (4.6)	17 (3.8)
FEBRILE NEUTROPENIA	19 (4.2)	0 (0.0)	0 (0.0)	15 (3.3)	4 (0.9)
NEUTROPENIA	16 (3.5)	0 (0.0)	2 (0.4)	3 (0.7)	11 (2.4)
ANAEMIA	8 (1.8)	0 (0.0)	5 (1.1)	3 (0.7)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
GRANULOCYTOPENIA	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.2)
LEUKOCYTOSIS	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
LEUKOPENIA	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)	1 (0.2)
LYMPH NODE PAIN	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
LYMPHADENOPATHY	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
INVESTIGATIONS	46 (10.2)	23 (5.1)	17 (3.8)	6 (1.3)	0 (0.0)
WEIGHT DECREASED	32 (7.1)	19 (4.2)	11 (2.4)	2 (0.4)	0 (0.0)
WEIGHT INCREASED	8 (1.8)	4 (0.9)	3 (0.7)	1 (0.2)	0 (0.0)
INTERNATIONAL NORMALISED RATIO INCREASED	2 (0.4)	0 (0.0)	0 (0.0)	2 (0.4)	0 (0.0)
ALANINE AMINOTRANSFERASE INCREASED	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
HAEMOGLOBIN DECREASED	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
TRANSAMINASES INCREASED	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
URINE OUTPUT DECREASED	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
URINE PROTEIN/CREATININE RATIO INCREASED	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
EYE DISORDERS	38 (8.4)	26 (5.7)	12 (2.6)	0 (0.0)	0 (0.0)
LACRIMATION INCREASED	17 (3.8)	14 (3.1)	3 (0.7)	0 (0.0)	0 (0.0)
CONJUNCTIVITIS	10 (2.2)	5 (1.1)	5 (1.1)	0 (0.0)	0 (0.0)
VISION BLURRED	7 (1.5)	5 (1.1)	2 (0.4)	0 (0.0)	0 (0.0)
CONJUNCTIVAL HAEMORRHAGE	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
DRY EYE	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)	0 (0.0)
EYE PRURITUS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
EYELID OEDEMA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
KERATITIS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
VISUAL IMPAIRMENT	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
VITREOUS FLOATERS	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
XEROPHTHALMIA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
PSYCHIATRIC DISORDERS	37 (8.2)	20 (4.4)	14 (3.1)	3 (0.7)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
INSOMNIA	18 (4.0)	12 (2.6)	6 (1.3)	0 (0.0)	0 (0.0)
ANXIETY	5 (1.1)	3 (0.7)	2 (0.4)	0 (0.0)	0 (0.0)
DEPRESSION	5 (1.1)	2 (0.4)	2 (0.4)	1 (0.2)	0 (0.0)
CONFUSIONAL STATE	4 (0.9)	3 (0.7)	1 (0.2)	0 (0.0)	0 (0.0)
SLEEP DISORDER	3 (0.7)	3 (0.7)	0 (0.0)	0 (0.0)	0 (0.0)
AGITATION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
DELIRIUM	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
DEPRESSED MOOD	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
DISORIENTATION	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
DRUG DEPENDENCE	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
MENTAL STATUS CHANGES	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
MOOD ALTERED	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
CARDIAC DISORDERS	25 (5.5)	11 (2.4)	11 (2.4)	3 (0.7)	0 (0.0)
TACHYCARDIA	10 (2.2)	6 (1.3)	4 (0.9)	0 (0.0)	0 (0.0)
PALPITATIONS	4 (0.9)	2 (0.4)	2 (0.4)	0 (0.0)	0 (0.0)
ATRIAL FIBRILLATION	3 (0.7)	0 (0.0)	1 (0.2)	2 (0.4)	0 (0.0)
ANGINA PECTORIS	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
ARRHYTHMIA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
CARDIAC FAILURE	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
CARDIOVASCULAR DISORDER	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
EXTRASYSTOLES	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
PERICARDIAL EFFUSION	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
SINUS TACHYCARDIA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
SUPRAVENTRICULAR TACHYCARDIA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
VENTRICULAR TACHYCARDIA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
RENAL AND URINARY DISORDERS	19 (4.2)	7 (1.5)	10 (2.2)	2 (0.4)	0 (0.0)
URINARY RETENTION	5 (1.1)	1 (0.2)	3 (0.7)	1 (0.2)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
PROTEINURIA	4 (0.9)	1 (0.2)	3 (0.7)	0 (0.0)	0 (0.0)
HAEMATURIA	3 (0.7)	2 (0.4)	1 (0.2)	0 (0.0)	0 (0.0)
DYSURIA	2 (0.4)	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)
GLYCOSURIA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
NEPHROLITHIASIS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
OLIGURIA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
POLAKIURIA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
POLYURIA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
RENAL FAILURE ACUTE	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
EAR AND LABYRINTH DISORDERS	17 (3.8)	9 (2.0)	6 (1.3)	2 (0.4)	0 (0.0)
VERTIGO	8 (1.8)	8 (1.8)	0 (0.0)	0 (0.0)	0 (0.0)
TINNITUS	6 (1.3)	0 (0.0)	4 (0.9)	2 (0.4)	0 (0.0)
AURICULAR PERICHONDritis	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
EAR PAIN	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
MENIERE'S DISEASE	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
INJURY, POISONING AND PROCEDURAL COMPLICATIONS	16 (3.5)	8 (1.8)	6 (1.3)	2 (0.4)	0 (0.0)
FALL	5 (1.1)	3 (0.7)	1 (0.2)	1 (0.2)	0 (0.0)
BACK INJURY	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
CHEST INJURY	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
CONTRAST MEDIA REACTION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
CONTUSION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
DRUG TOXICITY	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
ESCHAR	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
FACIAL BONES FRACTURE	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
JOINT INJURY	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
POST-TRAUMATIC PAIN	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
PROCEDURAL PAIN	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
ROAD TRAFFIC ACCIDENT	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
TRANSFUSION REACTION	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
WOUND	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
NEOPLASMS BENIGN, MALIGNANT AND UNSPECIFIED (INCL CYSTS AND POLYPS)	15 (3.3)	5 (1.1)	2 (0.4)	8 (1.8)	0 (0.0)
TUMOUR PAIN	8 (1.8)	2 (0.4)	2 (0.4)	4 (0.9)	0 (0.0)
CANCER PAIN	3 (0.7)	1 (0.2)	0 (0.0)	2 (0.4)	0 (0.0)
MALIGNANT PLEURAL EFFUSION	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
METASTASES TO CENTRAL NERVOUS SYSTEM	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
METASTATIC NEOPLASM	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
METASTATIC PAIN	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
IMMUNE SYSTEM DISORDERS	10 (2.2)	5 (1.1)	2 (0.4)	3 (0.7)	0 (0.0)
HYPERSENSITIVITY	6 (1.3)	2 (0.4)	2 (0.4)	2 (0.4)	0 (0.0)
DRUG HYPERSENSITIVITY	3 (0.7)	2 (0.4)	0 (0.0)	1 (0.2)	0 (0.0)
CYTOKINE RELEASE SYNDROME	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
REPRODUCTIVE SYSTEM AND BREAST DISORDERS	8 (1.8)	4 (0.9)	3 (0.7)	1 (0.2)	0 (0.0)
ERECTILE DYSFUNCTION	2 (0.4)	0 (0.0)	2 (0.4)	0 (0.0)	0 (0.0)
BREAST PAIN	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
ENDOMETRIAL DISORDER	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
GENITAL ERYTHEMA	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)	0 (0.0)
METRORRHAGIA	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
NIPPLE PAIN	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
VAGINAL HAEMORRHAGE	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
VAGINAL ULCERATION	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
HEPATOBIILIARY DISORDERS	2 (0.4)	1 (0.2)	0 (0.0)	1 (0.2)	0 (0.0)
CYTOLYTIC HEPATITIS	1 (0.2)	0 (0.0)	0 (0.0)	1 (0.2)	0 (0.0)
HEPATOSPLENOMEGALY	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)

Values are n (%).

Each subject is counted once at the maximum observed toxicity grade within each category.

Percentages are based on the safety population (N=453).

EFC10261
Treatment-Emergent Adverse Events
Maximum Toxicity Grade by System Organ Class and Preferred Term

<i>System Organ Class Preferred Term</i>	<i>Any Grade</i>	<i>Grade 1</i>	<i>Grade 2</i>	<i>Grade 3</i>	<i>Grade 4</i>
ENDOCRINE DISORDERS	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)
HYPERTHYROIDISM	1 (0.2)	1 (0.2)	0 (0.0)	0 (0.0)	0 (0.0)

Values are n (%).
Each subject is counted once at the maximum observed toxicity grade within each category.
Percentages are based on the safety population (N=453).