

REPLIT PROMPT — YachtWorth: Yacht Proposal PDF (Minimal Template)

CONTEXT

Replace the existing Yacht Proposal PDF generator with a new implementation based on the attached HTML template `yacht_proposal_minimal.html` . Do NOT change any screens or navigation. Only replace the PDF generation logic.

CRITICAL RULES — READ BEFORE CODING

These are mistakes that MUST be avoided. Each one was a real bug:

NEVER do these:

1. **NO** `min-height: 297mm` on any page div — causes blank pages after short content
2. **NO** `position: absolute` on footer — pushes it outside flow and creates blank pages
3. **NO** `height: 297mm` on cover — unless it has a real full-page photo filling it
4. **NO external fonts** (Google Fonts etc.) — they fail to load in PDF generation
5. **NO page-break-after on inner pages** — use `page-break-before` instead or only on cover
6. **NO fixed** `width: 210mm` on cover without matching page setup
7. **NO empty** `<div>` **page separators** — they create blank pages in PDF
8. **NEVER show zero values** (Berths: 0, Heads: 0) — filter them out
9. **NEVER show “—”** for missing optional data — hide the entire field
10. **NEVER render equipment page** if no equipment data exists

ALWAYS do these:

1. Add `@page { size: A4; margin: 0; }` in CSS

2. Add `-webkit-print-color-adjust: exact` and `print-color-adjust: exact` to body
 3. Use system fonts only: `'Helvetica Neue', Helvetica, Arial, sans-serif`
 4. Use `page-break-after: always` only on cover page
 5. Use `page-break-before: always` on all other pages (page 2, 3, 4)
 6. Generate PDF with `expo-print` using `width: 595, height: 842` (A4 points)
 7. Fetch equipment from Supabase BEFORE building HTML
 8. Filter out null/undefined/zero values before rendering any field
 9. Only include a page if it has content to show
-

PDF GENERATION CODE

```
import * as Print from 'expo-print';
import * as Sharing from 'expo-sharing';

export async function generateProposalPDF(yacht, equipment, settings) {
  // Step 1: fetch all data BEFORE building HTML
  const photoUrls = yacht.photo_urls || [];
  const hasPhotos = photoUrls.length >= 1;
  const hasEquipment = equipment && equipment.length > 0;
  const hasContact = settings.brokerName || settings.email || settings.phone;

  // Step 2: build HTML
  const html = buildProposalHTML(yacht, equipment, settings, {
    hasPhotos,
    hasEquipment,
    hasContact,
  });

  // Step 3: generate PDF
  const { uri } = await Print.printToFileAsync({
    html,
    base64: false,
    width: 595,
    height: 842,
  });

  // Step 4: share
  const yachtName = yacht.name.replace(/\s+/g, '_');
```

```

const date = new Date().toISOString().split('T')[0];

await Sharing.shareAsync(uri, {
  mimeType: 'application/pdf',
  dialogTitle: `${yacht.name} - Vessel Proposal`,
  UTI: 'com.adobe.pdf',
});
}

```

HTML BUILDER FUNCTION

```

function buildProposalHTML(yacht, equipment, settings, flags) {

  // — HELPERS —
  const fmt = (n) => {
    if (!n && n !== 0) return null;
    return '€\u2009' + Number(n).toLocaleString('en-GB', { maximumFractionDigits:
  };

  const row = (label, value) => {
    if (!value && value !== 0) return '';
    if (value === 0) return '';
    return `<div class="spec-row">
      <span class="spec-label">${label}</span>
      <span class="spec-value">${value}</span>
    </div>`;
  };

  const accentRow = (label, value) => {
    if (!value) return '';
    return `<div class="spec-row">
      <span class="spec-label">${label}</span>
      <span class="spec-value accent">${value}</span>
    </div>`;
  };

  // — COVER PHOTO —
  const photoUrls = yacht.photo_urls || [];
  const coverPhotoHTML = photoUrls.length > 0
    ? `No phot
    : `<div class="cover-photo-placeholder">No photo available</div>`;

```

```

// — COVER PRICE —
const coverPriceHTML = settings.proposalType === 'charter'
  ? `<div>
    <div class="cover-price-label">Charter from</div>
    <div class="cover-price">${settings.charterRateHigh ? fmt(settings.charter
  </div>`
  : `<div>
    <div class="cover-price-label">Asking Price</div>
    <div class="cover-price">${settings.askingPrice && !settings.priceOnAppli
      ? fmt(settings.askingPrice)
      : 'Price on application'}</div>
    </div>`;

// — PROPOSAL TYPE LABEL —
const typeLabel = {
  sale: 'For Sale',
  charter: 'For Charter',
  both: 'For Sale & Charter',
}[settings.proposalType] || 'Vessel Proposal';

// — SPECS —
const specsHTML = `
  <div class="specs-two">
    <div class="specs-list">
      ${row('Builder', yacht.builder)}
      ${row('Model', yacht.model)}
      ${row('Year built', yacht.year_built)}
      ${row('Type', yacht.yacht_type)}
      ${row('LOA', yacht.length_m ? yacht.length_m + ' m' : null)}
      ${row('Beam', yacht.beam_m ? yacht.beam_m + ' m' : null)}
      ${row('Draft', yacht.draft_m ? yacht.draft_m + ' m' : null)}
      ${row('Hull material', yacht.hull_material)}
    </div>
    <div class="specs-list">
      ${row('Engines', yacht.engine_count && yacht.engine_maker
        ? yacht.engine_count + ' × ' + yacht.engine_maker + (yacht.engine_mod
        : null)}
      ${row('Total power', yacht.total_hp ? yacht.total_hp + ' HP' : null)}
      ${row('Engine hours', yacht.engine_hours_current ? yacht.engine_hours_cur
      ${row('Max speed', yacht.max_speed ? yacht.max_speed + ' knots' : null)}
      ${row('Cruise speed', yacht.cruise_speed ? yacht.cruise_speed + ' knots'
      ${row('Range', yacht.range_nm ? yacht.range_nm + ' nm' : null)}
      ${row('Fuel capacity', yacht.fuel_capacity_l ? yacht.fuel_capacity_l + '
      ${row('Flag', yacht.flag)}
      ${row('Home base', yacht.home_port)}
      ${row('Reg. number', yacht.registration_number)}
      ${row('IMO number', yacht.imo_number)}

```

```

        ${accentRow('VAT status', yacht.vat_status)}
    </div>
</div>`;

// — ACCOMMODATION —
// Only show rows with real values > 0
const accomRows = [
    { label: 'Max guests',    value: yacht.berths },
    { label: 'Guest cabins', value: yacht.guest_cabins },
    { label: 'Heads / WC',   value: yacht.heads },
    { label: 'Crew cabins',  value: yacht.crew_cabins },
].filter(r => r.value && r.value > 0);

const accomHTML = accomRows.length > 0
    ? accomRows.map(r => row(r.label, r.value)).join('')
    : '';

// — EQUIPMENT —
const CATEGORY_LABELS = {
    power_electrical:    'Power & Electrical',
    navigation:          'Navigation & Communication',
    water_systems:       'Water Systems',
    comfort_climate:     'Comfort & Climate',
    safety:              'Safety',
    water_toys_tenders:  'Tenders & Water Toys',
    deck_anchoring:      'Deck & Anchoring',
    sailing:             'Sailing Equipment',
};

const NOTABLE = ['generator', 'stabilizer', 'starlink', 'watermaker', 'tender', 'jet

function formatEquipmentItem(item) {
    let label = '';
    if (item.quantity > 1) label += item.quantity + ' × ';
    if (item.brand) label += item.brand + ' ';
    if (item.model) label += item.model + ' ';
    label += item.equipment_type.replace(/_/g, ' ');
    if (item.power_kw) label += ' (' + item.power_kw + ' kW)';
    if (item.capacity_liters) label += ' (' + item.capacity_liters + ' L/hr)';
    if (item.hours) label += ' - ' + item.hours + ' hrs';
    return label.trim();
}

let equipmentHTML = '';
if (flags.hasEquipment) {
    const groups = {};
    for (const item of equipment) {

```

```

    if (!groups[item.category]) groups[item.category] = [];
    groups[item.category].push(item);
  }

const groupsHTML = Object.entries(groups).map(([cat, items]) => {
  const itemsHTML = items.map(item => {
    const label = formatEquipmentItem(item);
    const isNotable = NOTABLE.some(n => item.equipment_type.includes(n));
    return `${label}</span>`;
  }).join('');
  return `
```

```

        <div><div class="footer-brand">YachtWorth</div><div class="footer-powered
    </div>
</div>` : '';

// — PRICING —
const saleHTML = (settings.proposalType === 'sale' || settings.proposalType ===
    <div class="price-group">
        <div class="price-main">
            <div class="price-main-label">For Sale</div>
            <div class="price-main-value">${settings.priceOnApplication ? 'Price on a
        </div>
        ${row('VAT status', yacht.vat_status)}
        ${row('Delivery', settings.delivery || 'Immediate')}
        ${row('Sea trial', settings.seaTrial || 'On request')}
        ${row('Survey', 'Available on request')}
    </div>` : '';

const charterHTML = (settings.proposalType === 'charter' || settings.proposalTy
    <div class="price-group">
        <div class="price-main">
            <div class="price-main-label">For Charter</div>
            <div class="price-main-value">${settings.charterOnApplication ? 'Price on
                : (fmt(settings.charterRateHigh) + ' <span style="font-size:12pt;font-w
            </div>
            ${settings.charterRateLow ? row('Low season', fmt(settings.charterRateLow)
            ${settings.apaPercent ? row('APA', settings.apaPercent + '% of base rate')}
            ${row('Charter area', settings.charterArea)}
            ${row('Contract', settings.mybaContract ? 'MYBA standard' : null)}
    </div>` : '';

// — CONTACT —
const contactHTML = flags.hasContact ? `
    <div class="contact">
        <div class="contact-left">
            <div class="broker-name">${settings.brokerName || ''}</div>
            ${settings.brokerageName ? `<div class="broker-co">${settings.brokerageNa
        </div>
        <div class="contact-right">
            ${settings.email ? `<div class="contact-item"><span class="ci-label">Emai
            ${settings.phone ? `<div class="contact-item"><span class="ci-label">Phon
            ${settings.website ? `<div class="contact-item"><span class="ci-label">We
        </div>
    </div>` : '';

// — NOTES —
const notesHTML = settings.notes ? `
    <div class="notes">

```

```

        <div class="notes-label">Notes</div>
        <div class="notes-text">${settings.notes}</div>
    </div>` : `';

// — ASSEMBLE FULL HTML —
// Photo page number shifts if no photos
const pricingPageNum = flags.hasPhotos ? '04' : '03';

return `<!DOCTYPE html>
<html lang="en">
<head>
<meta charset="UTF-8">
<style>
/* — COPY ALL CSS FROM yacht_proposal_minimal.html EXACTLY — */
/* See attached template file */
</style>
</head>
<body>
<div style="background:#e0e0e0;padding:20px 0;">

<!-- PAGE 1: COVER -->
<div class="cover">
    ${coverPhotoHTML}
    <div class="cover-content">
        <div class="cover-line"></div>
        <div class="cover-meta-row">
            <div class="cover-doc-type">Vessel Proposal &nbsp;·&nbsp;&nbsp; ${typeLabel}</div>
            <div class="cover-doc-date">${new Date().toLocaleDateString('en-GB', {month
        </div>
        <div class="cover-yacht-name">${yacht.name}</div>
        <div class="cover-specs-row">
            ${yacht.builder ? `<div><div class="csi-label">Builder</div><div class="csi
            ${yacht.year_built ? `<div><div class="csi-label">Year</div><div class="csi
            ${yacht.length_m ? `<div><div class="csi-label">Length</div><div class="csi
            ${yacht.flag ? `<div><div class="csi-label">Flag</div><div class="csi-value
            ${yacht.home_port ? `<div><div class="csi-label">Base</div><div class="csi-
        </div>
        <div class="cover-price-row">
            ${coverPriceHTML}
            <div class="cover-brand">YachtWorth</div>
        </div>
    </div>
</div>

<!-- PAGE 2: SPECIFICATIONS + ACCOMMODATION + EQUIPMENT -->
<div class="ipage" style="page-break-before:always;">
    <div class="ih">

```



```

        <div class="ih-brand">YachtWorth</div>
        <div class="ih-right">
            <div class="ih-yacht">${yacht.name}</div>
            <div class="ih-page">02</div>
        </div>
    </div>
    <div class="ib">
        <div class="sec">
            <div class="sec-title">Specifications</div>
            ${specsHTML}
        </div>
        ${accomHTML ? `
        <div class="sec">
            <div class="sec-title">Accommodation</div>
            <div class="specs-list">${accomHTML}</div>
        </div>` : ''}
        ${equipmentHTML}
    </div>
    <div class="ifooter">
        <div class="footer-disclaimer">All specifications believed correct. Buyer mus
        <div><div class="footer-brand">YachtWorth</div><div class="footer-powered">Po
    </div>
</div>

<!-- PAGE 3: PHOTOS (only if photos exist) -->
${photosPageHTML}

<!-- PAGE 4 (or 3): PRICING & CONTACT -->
<div class="ipage" style="page-break-before:always;">
    <div class="ih">
        <div class="ih-brand">YachtWorth</div>
        <div class="ih-right">
            <div class="ih-yacht">${yacht.name}</div>
            <div class="ih-page">${pricingPageNum}</div>
        </div>
    </div>
    <div class="ib">
        <div class="sec">
            <div class="sec-title">Pricing</div>
            <div class="pricing-grid">
                ${saleHTML}
                ${charterHTML}
            </div>
        </div>
        ${notesHTML}
        ${contactHTML}
    </div>

```

```

    <div class="ifooter">
      <div class="footer-disclaimer">All details believed correct but not guarantee
      <div><div class="footer-brand">YachtWorth</div><div class="footer-powered">Po
    </div>
  </div>
</body>
</html>`;
}

```

CSS

Copy ALL CSS exactly from the attached file `yacht_proposal_minimal.html`.

Critical CSS rules that MUST be present:

```

@page {
  size: A4;
  margin: 0;
}

@media print {
  body > div { background: none !important; padding: 0 !important; }
  .cover, .ipage { margin: 0 !important; box-shadow: none !important; }
}

body {
  font-family: 'Helvetica Neue', Helvetica, Arial, sans-serif;
  -webkit-print-color-adjust: exact;
  print-color-adjust: exact;
}

/* Cover: NO fixed height except for the photo */
.cover {
  width: 210mm;
  background: #ffffff;
  page-break-after: always;
  /* NO height: 297mm – causes blank pages */
}

.cover-photo {
  width: 100%;
  height: 170mm; /* fixed photo height only */
}

```

```
    object-fit: cover;
    display: block;
}

/* Inner pages: NO min-height */
.ipage {
    width: 210mm;
    background: #ffffff;
    /* NO min-height: 297mm - causes blank pages */
}

/* Footer: normal flow, NOT absolute */
.footer {
    display: flex;
    justify-content: space-between;
    align-items: flex-end;
    border-top: 1px solid #f0f0f0;
    padding-top: 10px;
    margin: 24px 48px 28px;
    /* NO position: absolute */
}
```

DATA SOURCES

```
// Fetch before generating PDF:

// 1. Yacht profile
const { data: yacht } = await supabase
    .from('yachts')
    .select('*')
    .eq('id', yachtId)
    .single();

// 2. Equipment
const { data: equipment } = await supabase
    .from('yacht_equipment')
    .select('*')
    .eq('yacht_id', yachtId);

// 3. Settings from ProposalSettingsScreen form state
```

PAGES LOGIC

Always: Page 1 (Cover) + Page 2 (Specs) + Last page (Pricing)
Optional: Page 3 (Photos) – only if `yacht.photo_urls.length >= 1`
Optional: Equipment section – only if equipment table has rows for this yacht
Optional: Contact box – only if brokerName or email provided
Optional: Notes box – only if settings.notes is non-empty
Optional: Sale section in pricing – only if proposalType is 'sale' or 'both'
Optional: Charter section in pricing – only if proposalType is 'charter' or 'both'

FILE STRUCTURE

```
/utils/  
  proposalBuilder.js    ← buildProposalHTML() function  
  proposalPDF.js        ← generateProposalPDF() with expo-print  
  
/templates/  
  yacht_proposal_minimal.html ← attached visual template
```

ATTACHED FILE

`yacht_proposal_minimal.html` — copy CSS from this file exactly into `proposalBuilder.js`

YachtWorth — Yacht Proposal PDF System fonts only. No external resources. No fixed page heights. No absolute footers. expo-print with width:595 height:842 (A4 points)