Users & Groups

Local vs AD in Powershell

TABLE OF CONTENTS

1. AD USERS VS LOCAL USERS
   Similarities and Differences

2. ACTIVE DIRECTORY USERS
   Adding, Removing, and Changing Users

3. ACTIVE DIRECTORY GROUPS
   Adding, Removing, and Changing Groups

4. ACTIVE DIRECTORY COMPUTERS
   Adding, Removing, and Changing Computers

1

AD USERS vs LOCAL USERS

Similarities and Differences

SIMILARITIES

Both manage Users and user profiles. They can change and set specific information such as password, enabled state, full name, description, etc.



DIFFERENCES



ACTIVE DIRECTORY

AD Users are stored as Objects and can be assigned to numerous computers on a network. They can also be given more specific privileges then Local users



LOCAL

Can only be assigned to the Local computer and are stored as a User. Cannot be transferred to another computer on a network, unless the user is using a Microsoft account.

2

ACTIVE DIRECTORY USERS

Adding, Removing, and Configuring AD Users

ADUser



Get-ADUser

Retrieves an Active Directory User



New-ADUser

Creates a new Active Directory User



Remove-ADUser

Removes an Active Directory User



Set-ADUser

Sets and Active Directory User setting



Enable-ADUser

Enables an Active Directory User



Disable-ADUser

Disable an Active Directory User

Set-ADUser

```
PS C:\> $User = Get-ADUser -Identity GlenJohn -Properties mail,department
PS C:\> $User.mail = "glen@fabrikam.com"
PS C:\> $User.department = "Accounting"
PS C:\> Set-ADUser -Instance $User
```

Changing a User by setting parameters manually and updating an Instance

Changing a User by modifying Parameters

```
PS C:\> $Manager = Get-ADUser -Identity GlenJohn -Server Corp-DC01
PS C:\> Set-ADUser -Identity ChewDavid -Manager $Manager -Server Branch-DC02
```

The usual ways to change users through Set-LocalUser still apply to Set-ADUser

3

ACTIVE DIRECTORY GROUPS

Adding, Removing, and Configuring AD Groups

ACTIVE DIRECTORY GROUPS




Similar to how ADUsers are stored as Objects and not as Users, ADGroups are stored as Containers and not as Groups. This means we need to change the way we handle with them in Powershell since they are also handled differently. ADGroups can be assigned to different organizational units and computers

ADGroup

Get-ADGroup
Gets Active Directory Group

New-ADGroup & Remove-ADGroup
Creates and removes an Active Directory Group



Set-ADGroup
Modifies Active Directory Settings

Add-ADGroupMember
Adds an ADUser to an Active Directory Group

Remove-ADGroupMember
Removes an ADUser to an Active Directory Group

4

ACTIVE DIRECTORY COMPUTERS

Adding, Removing, and Configuring AD Computers

COMPUTER

A Computer on the network stored as an Object in Active Directory.



ADComputer

Get-ADComputer

Gets an Active Directory Computer Object

New-ADComputer

Creates an Active Directory Computer Object

Set-ADComputer

Sets an Active Directory Computer Objects' settings

Remove-ADComputer

Removes an Active Directory Computer Object

THANKS!

DO YOU HAVE ANY QUESTIONS?