NAME

Locale::RecodeData::ISO_8859_1 - Conversion routines for ISO-8859-1

SYNOPSIS

This module is internal to libintl. Do not use directly!

DESCRIPTION

This module contains the conversion tables and routines for ISO-8859-1.

CHARACTER TABLE

The following table is sorted in the same order as the original charmap. All character codes are in hexadecimal. Please read 'ISO-10646' as 'ISO-10646-UCS4'.

Local	ISO-10646	Description
00	00000000	NULL (NUL)
01	00000001	
	00000002	
	00000003	
	00000004	END OF TRANSMISSION (EOT)
	00000005	ENQUIRY (ENQ)
	00000006	ACKNOWLEDGE (ACK)
	00000007	BELL (BEL)
	00000008	BACKSPACE (BS)
	00000009	CHARACTER TABULATION (HT)
0A		LINE FEED (LF)
0B		LINE TABULATION (VT)
0C		FORM FEED (FF)
0D		CARRIAGE RETURN (CR)
0E		SHIFT OUT (SO)
0F		SHIFT IN (SI)
10	!	DATALINK ESCAPE (DLE)
11	!	DEVICE CONTROL ONE (DC1)
12		DEVICE CONTROL TWO (DC2)
	00000013	DEVICE CONTROL THREE (DC3)
14		DEVICE CONTROL FOUR (DC4)
15		NEGATIVE ACKNOWLEDGE (NAK)
16	00000016	SYNCHRONOUS IDLE (SYN)
17	00000017	
18	00000018	CANCEL (CAN)
19	00000019	END OF MEDIUM (EM)
1A	0000001A	SUBSTITUTE (SUB)
1B	0000001B	ESCAPE (ESC)
1C	0000001C	FILE SEPARATOR (IS4)
1D	0000001D	GROUP SEPARATOR (IS3)
1E	0000001E	RECORD SEPARATOR (IS2)
1F	0000001F	UNIT SEPARATOR (IS1)
20	00000020	SPACE
21	00000021	EXCLAMATION MARK
22	00000022	QUOTATION MARK
23	00000023	NUMBER SIGN
24	00000024	DOLLAR SIGN
25	00000025	PERCENT SIGN
26	00000026	AMPERSAND
27	00000027	APOSTROPHE
28	00000028	LEFT PARENTHESIS
29	00000029	RIGHT PARENTHESIS

```
0000002A | ASTERISK
     0000002B | PLUS SIGN
2C |
     0000002C | COMMA
     0000002D | HYPHEN-MINUS
2D |
     0000002E | FULL STOP
2E
2F
     0000002F | SOLIDUS
30
     00000030 | DIGIT ZERO
31 | 00000031 | DIGIT ONE
32 | 00000032 | DIGIT TWO
     00000033 | DIGIT THREE
33
34
     00000034 | DIGIT FOUR
     00000035 | DIGIT FIVE
35
36
     00000036 | DIGIT SIX
37 | 00000037 | DIGIT SEVEN
38 | 00000038 | DIGIT EIGHT
39 | 00000039 | DIGIT NINE
3A | 0000003A | COLON
3B | 0000003B | SEMICOLON
3C | 0000003C | LESS-THAN SIGN
     0000003D | EQUALS SIGN
3 D
3E | 0000003E | GREATER-THAN SIGN
3F | 0000003F | QUESTION MARK
40 | 00000040 | COMMERCIAL AT
41
     00000041 | LATIN CAPITAL LETTER A
     00000042 | LATIN CAPITAL LETTER B
42 |
     00000043 | LATIN CAPITAL LETTER C
43
     00000044 | LATIN CAPITAL LETTER D
44
45
     00000045 | LATIN CAPITAL LETTER E
46 | 00000046 | LATIN CAPITAL LETTER F
47 | 00000047 | LATIN CAPITAL LETTER G
48 | 00000048 | LATIN CAPITAL LETTER H
49 | 00000049 | LATIN CAPITAL LETTER I
4A | 0000004A | LATIN CAPITAL LETTER J
     0000004B | LATIN CAPITAL LETTER K
4B
     0000004C | LATIN CAPITAL LETTER L
4C
     0000004D | LATIN CAPITAL LETTER M
4D |
4E | 0000004E | LATIN CAPITAL LETTER N
4F | 0000004F | LATIN CAPITAL LETTER O
50 | 00000050 | LATIN CAPITAL LETTER P
     00000051 | LATIN CAPITAL LETTER Q
51 l
     00000052 | LATIN CAPITAL LETTER R
52
53
     00000053 | LATIN CAPITAL LETTER S
54 | 00000054 | LATIN CAPITAL LETTER T
55 | 00000055 | LATIN CAPITAL LETTER U
56 | 00000056 | LATIN CAPITAL LETTER V
57 | 00000057 | LATIN CAPITAL LETTER W
58 | 00000058 | LATIN CAPITAL LETTER X
     00000059 | LATIN CAPITAL LETTER Y
59
5A
     0000005A | LATIN CAPITAL LETTER Z
5B |
     0000005B | LEFT SQUARE BRACKET
5C | 0000005C | REVERSE SOLIDUS
5D | 0000005D | RIGHT SQUARE BRACKET
5E | 0000005E | CIRCUMFLEX ACCENT
5F | 0000005F | LOW LINE
```

```
60
     00000060 | GRAVE ACCENT
     00000061 | LATIN SMALL LETTER A
     00000062 | LATIN SMALL LETTER B
     00000063 | LATIN SMALL LETTER C
63 l
     00000064 | LATIN SMALL LETTER D
64
65
     00000065 | LATIN SMALL LETTER E
66 | 00000066 | LATIN SMALL LETTER F
67 | 00000067 | LATIN SMALL LETTER G
68 | 00000068 | LATIN SMALL LETTER H
69 | 00000069 | LATIN SMALL LETTER I
6A | 0000006A | LATIN SMALL LETTER J
     0000006B | LATIN SMALL LETTER K
     0000006C | LATIN SMALL LETTER L
6D | 0000006D | LATIN SMALL LETTER M
6E | 0000006E | LATIN SMALL LETTER N
6F | 0000006F | LATIN SMALL LETTER O
70 | 00000070 | LATIN SMALL LETTER P
71 | 00000071 | LATIN SMALL LETTER Q
72 | 00000072 | LATIN SMALL LETTER R
   00000073 | LATIN SMALL LETTER S
73
74 | 00000074 | LATIN SMALL LETTER T
75 | 00000075 | LATIN SMALL LETTER U
76 | 00000076 | LATIN SMALL LETTER V
77 | 00000077 | LATIN SMALL LETTER W
78 | 00000078 | LATIN SMALL LETTER X
   00000079 | LATIN SMALL LETTER Y
79
     0000007A | LATIN SMALL LETTER Z
7B | 0000007B | LEFT CURLY BRACKET
7C | 0000007C | VERTICAL LINE
7D | 0000007D | RIGHT CURLY BRACKET
7E | 0000007E | TILDE
7F | 0000007F | DELETE (DEL)
80 | 00000080 | PADDING CHARACTER (PAD)
     00000081 | HIGH OCTET PRESET (HOP)
81
   | 00000082 | BREAK PERMITTED HERE (BPH)
82
83 | 00000083 | NO BREAK HERE (NBH)
84 | 00000084 | INDEX (IND)
85 | 00000085 | NEXT LINE (NEL)
86 | 00000086 | START OF SELECTED AREA (SSA)
87 | 00000087 | END OF SELECTED AREA (ESA)
     00000088 | CHARACTER TABULATION SET (HTS)
88
   00000089 | CHARACTER TABULATION WITH JUSTIFICATION (HTJ)
8A | 0000008A | LINE TABULATION SET (VTS)
8B | 0000008B | PARTIAL LINE FORWARD (PLD)
8C | 0000008C | PARTIAL LINE BACKWARD (PLU)
8D | 0000008D | REVERSE LINE FEED (RI)
8E | 0000008E | SINGLE-SHIFT TWO (SS2)
     0000008F | SINGLE-SHIFT THREE (SS3)
8F
   | 00000090 | DEVICE CONTROL STRING (DCS)
90
91 | 00000091 | PRIVATE USE ONE (PU1)
92 | 00000092 | PRIVATE USE TWO (PU2)
93 | 00000093 | SET TRANSMIT STATE (STS)
94 | 00000094 | CANCEL CHARACTER (CCH)
95 | 00000095 | MESSAGE WAITING (MW)
```

```
96
     00000096 | START OF GUARDED AREA (SPA)
     00000097 | END OF GUARDED AREA (EPA)
98 | 00000098 | START OF STRING (SOS)
99 | 00000099 | SINGLE GRAPHIC CHARACTER INTRODUCER (SGCI)
     0000009A | SINGLE CHARACTER INTRODUCER (SCI)
9 A
9в |
     0000009B | CONTROL SEQUENCE INTRODUCER (CSI)
9C | 0000009C | STRING TERMINATOR (ST)
9D | 0000009D | OPERATING SYSTEM COMMAND (OSC)
9E | 0000009E | PRIVACY MESSAGE (PM)
9F | 0000009F | APPLICATION PROGRAM COMMAND (APC)
A0 | 000000A0 | NO-BREAK SPACE
     000000A1 | INVERTED EXCLAMATION MARK
A1
Α2
     000000A2 | CENT SIGN
A3 | 000000A3 | POUND SIGN
A4 | 000000A4 | CURRENCY SIGN
A5 | 000000A5 | YEN SIGN
A6 | 000000A6 | BROKEN BAR
A7 | 000000A7 | SECTION SIGN
A8 | 000000A8 | DIAERESIS
     000000A9 | COPYRIGHT SIGN
Α9
AA | 000000AA | FEMININE ORDINAL INDICATOR
AB | 000000AB | LEFT-POINTING DOUBLE ANGLE QUOTATION MARK
AC | 000000AC | NOT SIGN
AD | 000000AD | SOFT HYPHEN
AE | 000000AE | REGISTERED SIGN
     000000AF | MACRON
AF |
     000000B0 | DEGREE SIGN
В0
B1 | 000000B1 | PLUS-MINUS SIGN
B2 | 000000B2 | SUPERSCRIPT TWO
B3 | 000000B3 | SUPERSCRIPT THREE
B4 | 000000B4 | ACUTE ACCENT
B5 | 000000B5 | MICRO SIGN
B6 | 000000B6 | PILCROW SIGN
     000000B7 | MIDDLE DOT
В7
     000000B8 | CEDILLA
В8
B9 | 000000B9 | SUPERSCRIPT ONE
BA | 000000BA | MASCULINE ORDINAL INDICATOR
BB | 000000BB | RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK
BC | 000000BC | VULGAR FRACTION ONE QUARTER
BD | 000000BD | VULGAR FRACTION ONE HALF
     000000BE | VULGAR FRACTION THREE QUARTERS
BE.
     000000BF | INVERTED QUESTION MARK
CO | 000000CO | LATIN CAPITAL LETTER A WITH GRAVE
C1 | 000000C1 | LATIN CAPITAL LETTER A WITH ACUTE
C2 | 000000C2 | LATIN CAPITAL LETTER A WITH CIRCUMFLEX
C3 | 000000C3 | LATIN CAPITAL LETTER A WITH TILDE
C4 | 000000C4 | LATIN CAPITAL LETTER A WITH DIAERESIS
     000000C5 | LATIN CAPITAL LETTER A WITH RING ABOVE
C5
     000000C6 | LATIN CAPITAL LETTER AE
C6
C7 |
     000000C7 | LATIN CAPITAL LETTER C WITH CEDILLA
C8 | 000000C8 | LATIN CAPITAL LETTER E WITH GRAVE
C9 | 000000C9 | LATIN CAPITAL LETTER E WITH ACUTE
CA | 000000CA | LATIN CAPITAL LETTER E WITH CIRCUMFLEX
CB | 000000CB | LATIN CAPITAL LETTER E WITH DIAERESIS
```

```
CC |
     000000CC | LATIN CAPITAL LETTER I WITH GRAVE
     000000CD | LATIN CAPITAL LETTER I WITH ACUTE
CE |
     000000CE | LATIN CAPITAL LETTER I WITH CIRCUMFLEX
     000000CF | LATIN CAPITAL LETTER I WITH DIAERESIS
CF
     000000D0 | LATIN CAPITAL LETTER ETH
D0
D1
     000000D1 | LATIN CAPITAL LETTER N WITH TILDE
D2 |
     000000D2 | LATIN CAPITAL LETTER O WITH GRAVE
D3 |
     000000D3 | LATIN CAPITAL LETTER O WITH ACUTE
     000000D4 | LATIN CAPITAL LETTER O WITH CIRCUMFLEX
     000000D5 | LATIN CAPITAL LETTER O WITH TILDE
D5 |
     000000D6 | LATIN CAPITAL LETTER O WITH DIAERESIS
D6 |
     000000D7 | MULTIPLICATION SIGN
D7
D8
     000000D8 | LATIN CAPITAL LETTER O WITH STROKE
     000000D9 | LATIN CAPITAL LETTER U WITH GRAVE
D9
     000000DA | LATIN CAPITAL LETTER U WITH ACUTE
DA
     000000DB | LATIN CAPITAL LETTER U WITH CIRCUMFLEX
DB |
DC |
     000000DC | LATIN CAPITAL LETTER U WITH DIAERESIS
ן ממ
     000000DD | LATIN CAPITAL LETTER Y WITH ACUTE
     000000DE | LATIN CAPITAL LETTER THORN
DE
     000000DF | LATIN SMALL LETTER SHARP S
DF
EO I
     000000E0 | LATIN SMALL LETTER A WITH GRAVE
     000000E1 | LATIN SMALL LETTER A WITH ACUTE
E1 |
E2 |
     000000E2 | LATIN SMALL LETTER A WITH CIRCUMFLEX
     000000E3 | LATIN SMALL LETTER A WITH TILDE
F:3
     000000E4 | LATIN SMALL LETTER A WITH DIAERESIS
E4
     000000E5 | LATIN SMALL LETTER A WITH RING ABOVE
E5
     000000E6 | LATIN SMALL LETTER AE
E6
E7
     000000E7 | LATIN SMALL LETTER C WITH CEDILLA
E8
     000000E8 | LATIN SMALL LETTER E WITH GRAVE
E9 | 000000E9 | LATIN SMALL LETTER E WITH ACUTE
EA | 000000EA | LATIN SMALL LETTER E WITH CIRCUMFLEX
EB | 000000EB | LATIN SMALL LETTER E WITH DIAERESIS
     000000EC | LATIN SMALL LETTER I WITH GRAVE
EC |
     000000ED | LATIN SMALL LETTER I WITH ACUTE
ED
     000000EE | LATIN SMALL LETTER I WITH CIRCUMFLEX
EE
     000000EF | LATIN SMALL LETTER I WITH DIAERESIS
EF L
FO |
     000000F0 | LATIN SMALL LETTER ETH
     000000F1 | LATIN SMALL LETTER N WITH TILDE
F1 |
F2 |
     000000F2 | LATIN SMALL LETTER O WITH GRAVE
     000000F3 | LATIN SMALL LETTER O WITH ACUTE
F3
     000000F4 | LATIN SMALL LETTER O WITH CIRCUMFLEX
F4
F5
     000000F5 | LATIN SMALL LETTER O WITH TILDE
F6
     000000F6 | LATIN SMALL LETTER O WITH DIAERESIS
F7 |
     000000F7 | DIVISION SIGN
F8 | 000000F8 | LATIN SMALL LETTER O WITH STROKE
F9 |
     000000F9 | LATIN SMALL LETTER U WITH GRAVE
     000000FA | LATIN SMALL LETTER U WITH ACUTE
FA
     000000FB | LATIN SMALL LETTER U WITH CIRCUMFLEX
FΒ
FC
     000000FC | LATIN SMALL LETTER U WITH DIAERESIS
FD
     000000FD | LATIN SMALL LETTER Y WITH ACUTE
FE | 000000FE | LATIN SMALL LETTER THORN
FF | 000000FF | LATIN SMALL LETTER Y WITH DIAERESIS
```

Locale::RecodeData::ISO_8859_1(3pm)Jser Contributed Perl DocumentationLocale::RecodeData::ISO_8859_1(3pm)

AUTHOR

Copyright (C) 2002–2016 Guido Flohr http://www.guido-flohr.net/ (<mailto:guido.flohr@cantanea.com>), all rights reserved. See the source code for details!code for details!

SEE ALSO

 $\textbf{Locale::RecodeData} \, (3), \, \textbf{Locale::Recode} \, (3), \, \textbf{perl} \, (1)$