NAME

pam_issue - PAM module to add issue file to user prompt

SYNOPSIS

```
pam_issue.so [noesc] [issue=issue-file-name]
```

DESCRIPTION

pam_issue is a PAM module to prepend an issue file to the username prompt. It also by default parses escape codes in the issue file similar to some common getty's (using \x format).

```
Recognized escapes:
```

```
current day
\l
     name of this tty
\m
     machine architecture (uname -m)
\n
     machine's network node hostname (uname -n)
\o
     domain name of this system
\r
     release number of operating system (uname -r)
\t
     current time
\s
     operating system name (uname -s)
\u
     number of users currently logged in
١U
     same as \u except it is suffixed with "user" or "users" (eg. "1 user" or "10 users")
\mathbf{v}
```

OPTIONS

noesc

Turns off escape code parsing.

issue=*issue*-*file*-*name*

The file to output if not using the default.

operating system version and build date (uname -v)

MODULE TYPES PROVIDED

Only the auth module type is provided.

RETURN VALUES

```
PAM_BUF_ERR
```

Memory buffer error.

PAM IGNORE

The prompt was already changed.

PAM_SERVICE_ERR

A service module error occurred.

PAM_SUCCESS

The new prompt was set successfully.

EXAMPLES

Add the following line to /etc/pam.d/login to set the user specific issue at login:

auth optional pam_issue.so issue=/etc/issue

SEE ALSO

 $\boldsymbol{pam.conf}(5),\,\boldsymbol{pam.d}(5),\,\boldsymbol{pam}(7)$

AUTHOR

pam_issue was written by Ben Collins <bcollins@debian.org>.