NAME

Locale::RecodeData::IBM256 - Conversion routines for IBM256

SYNOPSIS

This module is internal to libintl. Do not use directly!

DESCRIPTION

This module is generated and contains the conversion tables and routines for IBM256.

COMMENTS

The following comments have been extracted from the original charmap:

```
version: 1.0
  source: IBM Registry C-H 3-3220-050
alias EBCDIC-INT1
```

Please note that aliases listed above are not necessarily valid!

CHARACTER TABLE

The following table is sorted in the same order as the original charmap. All character codes are in hexadecimal. Please read 'ISO-10646' as 'ISO-10646-UCS4'.

Local	ISO-10646	Description
00	0000000	NULL (NUL)
01	00000001	START OF HEADING (SOH)
02	00000002	START OF TEXT (STX)
03	0000003	END OF TEXT (ETX)
04	0000009C	STRING TERMINATOR (ST)
05	00000009	CHARACTER TABULATION (HT)
06	00000086	START OF SELECTED AREA (SSA)
07	0000007F	DELETE (DEL)
80	00000097	END OF GUARDED AREA (EPA)
09	D8000000	REVERSE LINE FEED (RI)
0A	0000008E	SINGLE-SHIFT TWO (SS2)
0B	0000000B	LINE TABULATION (VT)
0C	000000C	FORM FEED (FF)
0D	000000D	CARRIAGE RETURN (CR)
0E	000000E	SHIFT OUT (SO)
0F	000000F	SHIFT IN (SI)
10	00000010	DATALINK ESCAPE (DLE)
11	00000011	DEVICE CONTROL ONE (DC1)
12	00000012	DEVICE CONTROL TWO (DC2)
13	00000013	DEVICE CONTROL THREE (DC3)
14	0000009D	OPERATING SYSTEM COMMAND (OSC)
15	00000085	NEXT LINE (NEL)
16	8000000	BACKSPACE (BS)
17	00000087	END OF SELECTED AREA (ESA)
18	00000018	CANCEL (CAN)
19	00000019	END OF MEDIUM (EM)
1A	00000092	PRIVATE USE TWO (PU2)
1B	0000008F	SINGLE-SHIFT THREE (SS3)
1C	0000001C	FILE SEPARATOR (IS4)
1D	0000001D	GROUP SEPARATOR (IS3)
1E	0000001E	RECORD SEPARATOR (IS2)
1F	0000001F	UNIT SEPARATOR (IS1)
20	00000080	PADDING CHARACTER (PAD)
21	00000081	HIGH OCTET PRESET (HOP)
22	00000082	BREAK PERMITTED HERE (BPH)

```
23 | 00000083 | NO BREAK HERE (NBH)
     00000084 | INDEX (IND)
25 | 0000000A | LINE FEED (LF)
26 | 00000017 | END OF TRANSMISSION BLOCK (ETB)
     0000001B | ESCAPE (ESC)
27
28 | 00000088 | CHARACTER TABULATION SET (HTS)
29 | 00000089 | CHARACTER TABULATION WITH JUSTIFICATION (HTJ)
2A | 0000008A | LINE TABULATION SET (VTS)
2B | 0000008B | PARTIAL LINE FORWARD (PLD)
2C | 0000008C | PARTIAL LINE BACKWARD (PLU)
2D | 00000005 | ENQUIRY (ENQ)
     00000006 | ACKNOWLEDGE (ACK)
2E
2F | 00000007 | BELL (BEL)
30 | 00000090 | DEVICE CONTROL STRING (DCS)
31 | 00000091 | PRIVATE USE ONE (PU1)
32 | 00000016 | SYNCHRONOUS IDLE (SYN)
33 | 00000093 | SET TRANSMIT STATE (STS)
34 | 00000094 | CANCEL CHARACTER (CCH)
35 | 00000095 | MESSAGE WAITING (MW)
36 | 00000096 | START OF GUARDED AREA (SPA)
37 | 00000004 | END OF TRANSMISSION (EOT)
38 | 00000098 | START OF STRING (SOS)
39 | 00000099 | SINGLE GRAPHIC CHARACTER INTRODUCER (SGCI)
3A | 0000009A | SINGLE CHARACTER INTRODUCER (SCI)
3B | 0000009B | CONTROL SEQUENCE INTRODUCER (CSI)
3C | 00000014 | DEVICE CONTROL FOUR (DC4)
     00000015 | NEGATIVE ACKNOWLEDGE (NAK)
3D |
3E | 0000009E | PRIVACY MESSAGE (PM)
3F | 0000001A | SUBSTITUTE (SUB)
40 | 00000020 | SPACE
41 | 000000A0 | NO-BREAK SPACE
42 | 000000E2 | LATIN SMALL LETTER A WITH CIRCUMFLEX
43 | 000000E4 | LATIN SMALL LETTER A WITH DIAERESIS
     000000E0 | LATIN SMALL LETTER A WITH GRAVE
44
   | 000000E1 | LATIN SMALL LETTER A WITH ACUTE
45
46 | 000000E3 | LATIN SMALL LETTER A WITH TILDE
47 | 000000E5 | LATIN SMALL LETTER A WITH RING ABOVE
48 | 000000E7 | LATIN SMALL LETTER C WITH CEDILLA
49 | 000000F1 | LATIN SMALL LETTER N WITH TILDE
     0000005B | LEFT SQUARE BRACKET
4A
     0000002E | FULL STOP
4B
     0000003C | LESS-THAN SIGN
4C
4D | 00000028 | LEFT PARENTHESIS
4E | 0000002B | PLUS SIGN
4F | 00000021 | EXCLAMATION MARK
50 | 00000026 | AMPERSAND
51 | 000000E9 | LATIN SMALL LETTER E WITH ACUTE
52 | 000000EA | LATIN SMALL LETTER E WITH CIRCUMFLEX
53 | 000000EB | LATIN SMALL LETTER E WITH DIAERESIS
54 | 000000E8 | LATIN SMALL LETTER E WITH GRAVE
55 | 000000ED | LATIN SMALL LETTER I WITH ACUTE
56 | 000000EE | LATIN SMALL LETTER I WITH CIRCUMFLEX
57 | 000000EF | LATIN SMALL LETTER I WITH DIAERESIS
58 | 000000EC | LATIN SMALL LETTER I WITH GRAVE
```

```
000000DF | LATIN SMALL LETTER SHARP S (German)
59
     0000005D | RIGHT SQUARE BRACKET
5B |
     00000024 | DOLLAR SIGN
     0000002A | ASTERISK
5C |
     00000029 | RIGHT PARENTHESIS
5D
     0000003B | SEMICOLON
5E
5F | 0000005E | CIRCUMFLEX ACCENT
60 | 0000002D | HYPHEN-MINUS
61 | 0000002F | SOLIDUS
62 | 000000C2 | LATIN CAPITAL LETTER A WITH CIRCUMFLEX
63 | 000000C4 | LATIN CAPITAL LETTER A WITH DIAERESIS
     000000C0 | LATIN CAPITAL LETTER A WITH GRAVE
64
     000000C1 | LATIN CAPITAL LETTER A WITH ACUTE
66 | 000000C3 | LATIN CAPITAL LETTER A WITH TILDE
67 | 000000C5 | LATIN CAPITAL LETTER A WITH RING ABOVE
68 | 000000C7 | LATIN CAPITAL LETTER C WITH CEDILLA
69 | 000000D1 | LATIN CAPITAL LETTER N WITH TILDE
6A | 000000A6 | BROKEN BAR
6B | 0000002C | COMMA
     00000025 | PERCENT SIGN
6C
6D | 0000005F | LOW LINE
6E | 0000003E | GREATER-THAN SIGN
6F | 0000003F | QUESTION MARK
70 | 000000F8 | LATIN SMALL LETTER O WITH STROKE
71 | 000000C9 | LATIN CAPITAL LETTER E WITH ACUTE
     000000CA | LATIN CAPITAL LETTER E WITH CIRCUMFLEX
72
     000000CB | LATIN CAPITAL LETTER E WITH DIAERESIS
73
74 | 000000C8 | LATIN CAPITAL LETTER E WITH GRAVE
75 | 000000CD | LATIN CAPITAL LETTER I WITH ACUTE
76 | 000000CE | LATIN CAPITAL LETTER I WITH CIRCUMFLEX
77 | 000000CF | LATIN CAPITAL LETTER I WITH DIAERESIS
78 | 000000CC | LATIN CAPITAL LETTER I WITH GRAVE
79 | 00000060 | GRAVE ACCENT
     0000003A | COLON
7A |
     00000023 | NUMBER SIGN
7B |
7C | 00000040 | COMMERCIAL AT
7D | 00000027 | APOSTROPHE
7E | 0000003D | EQUALS SIGN
7F |
     00000022 | QUOTATION MARK
     000000D8 | LATIN CAPITAL LETTER O WITH STROKE
80 l
     00000061 | LATIN SMALL LETTER A
81
     00000062 | LATIN SMALL LETTER B
83 | 00000063 | LATIN SMALL LETTER C
84 | 00000064 | LATIN SMALL LETTER D
85 | 00000065 | LATIN SMALL LETTER E
86 | 00000066 | LATIN SMALL LETTER F
87 | 00000067 | LATIN SMALL LETTER G
     00000068 | LATIN SMALL LETTER H
88
     00000069 | LATIN SMALL LETTER I
89
     000000AB | LEFT-POINTING DOUBLE ANGLE QUOTATION MARK
8A |
8B | 000000BB | RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK
8C | 000000F0 | LATIN SMALL LETTER ETH (Icelandic)
8D | 000000FD | LATIN SMALL LETTER Y WITH ACUTE
8E | 000000FE | LATIN SMALL LETTER THORN (Icelandic)
```

```
000000B1 | PLUS-MINUS SIGN
90 | 000000B0 | DEGREE SIGN
91 | 0000006A | LATIN SMALL LETTER J
92 | 0000006B | LATIN SMALL LETTER K
     0000006C | LATIN SMALL LETTER L
93
   | 0000006D | LATIN SMALL LETTER M
94
95 | 0000006E | LATIN SMALL LETTER N
96 | 0000006F | LATIN SMALL LETTER O
97 | 00000070 | LATIN SMALL LETTER P
98 | 00000071 | LATIN SMALL LETTER Q
99 | 00000072 | LATIN SMALL LETTER R
     000000AA | FEMININE ORDINAL INDICATOR
9A
     000000BA | MASCULINE ORDINAL INDICATOR
9C | 000000E6 | LATIN SMALL LETTER AE
9D | 000000B8 | CEDILLA
9E | 000000C6 | LATIN CAPITAL LETTER AE
9F | 000000A4 | CURRENCY SIGN
A0 | 000000B5 | MICRO SIGN
A1 | 0000007E | TILDE
     00000073 | LATIN SMALL LETTER S
A2
A3 | 00000074 | LATIN SMALL LETTER T
A4 | 00000075 | LATIN SMALL LETTER U
A5 | 00000076 | LATIN SMALL LETTER V
A6 | 00000077 | LATIN SMALL LETTER W
A7 | 00000078 | LATIN SMALL LETTER X
     00000079 | LATIN SMALL LETTER Y
A8 |
     0000007A | LATIN SMALL LETTER Z
Α9
AA | 000000A1 | INVERTED EXCLAMATION MARK
AB | 000000BF | INVERTED QUESTION MARK
AC | 000000D0 | LATIN CAPITAL LETTER ETH (Icelandic)
AD | 000000DD | LATIN CAPITAL LETTER Y WITH ACUTE
AE | 000000DE | LATIN CAPITAL LETTER THORN (Icelandic)
AF | 000000AE | REGISTERED SIGN
     000000A2 | CENT SIGN
В0
     000000A3 | POUND SIGN
в1
B2 | 000000A5 | YEN SIGN
B3 | 000020A7 | PESETA SIGN
B4 | 00000192 | LATIN SMALL LETTER F WITH HOOK
B5 | 000000A7 | SECTION SIGN
B6 | 000000B6 | PILCROW SIGN
     000000BC | VULGAR FRACTION ONE QUARTER
в7
   | 000000BD | VULGAR FRACTION ONE HALF
B9 | 000000BE | VULGAR FRACTION THREE QUARTERS
BA | 000000AC | NOT SIGN
BB | 0000007C | VERTICAL LINE
BC | 0000203E | OVERLINE
BD | 000000A8 | DIAERESIS
     000000B4 | ACUTE ACCENT
BE
     00002017 | DOUBLE LOW LINE
BF
CO | 0000007B | LEFT CURLY BRACKET
C1 | 00000041 | LATIN CAPITAL LETTER A
C2 | 00000042 | LATIN CAPITAL LETTER B
C3 | 00000043 | LATIN CAPITAL LETTER C
C4 | 00000044 | LATIN CAPITAL LETTER D
```

```
C5 |
     00000045 | LATIN CAPITAL LETTER E
     00000046 | LATIN CAPITAL LETTER F
C7 |
     00000047 | LATIN CAPITAL LETTER G
C8
     00000048 | LATIN CAPITAL LETTER H
     00000049 | LATIN CAPITAL LETTER I
C9
     000000AD | SOFT HYPHEN
CA
CB |
     000000F4 | LATIN SMALL LETTER O WITH CIRCUMFLEX
     000000F6 | LATIN SMALL LETTER O WITH DIAERESIS
CC
     000000F2 | LATIN SMALL LETTER O WITH GRAVE
     000000F3 | LATIN SMALL LETTER O WITH ACUTE
CE
     000000F5 | LATIN SMALL LETTER O WITH TILDE
CF
     0000007D | RIGHT CURLY BRACKET
D0
D1
     0000004A | LATIN CAPITAL LETTER J
     0000004B | LATIN CAPITAL LETTER K
D2 |
D3 | 0000004C | LATIN CAPITAL LETTER L
D4 | 0000004D | LATIN CAPITAL LETTER M
D5 | 0000004E | LATIN CAPITAL LETTER N
D6 | 0000004F | LATIN CAPITAL LETTER O
     00000050 | LATIN CAPITAL LETTER P
D7
     00000051 | LATIN CAPITAL LETTER Q
D8
D9 |
     00000052 | LATIN CAPITAL LETTER R
DA
     000000B9 | SUPERSCRIPT ONE
     000000FB | LATIN SMALL LETTER U WITH CIRCUMFLEX
     000000FC | LATIN SMALL LETTER U WITH DIAERESIS
     000000F9 | LATIN SMALL LETTER U WITH GRAVE
ן ממ
     000000FA | LATIN SMALL LETTER U WITH ACUTE
DE |
     000000FF | LATIN SMALL LETTER Y WITH DIAERESIS
DF
E0
     0000005C | REVERSE SOLIDUS
E1 | 00002003 | EM SPACE
E2 | 00000053 | LATIN CAPITAL LETTER S
E3 | 00000054 | LATIN CAPITAL LETTER T
E4 | 00000055 | LATIN CAPITAL LETTER U
E5 | 00000056 | LATIN CAPITAL LETTER V
     00000057 | LATIN CAPITAL LETTER W
Εб
     00000058 | LATIN CAPITAL LETTER X
E7
     00000059 | LATIN CAPITAL LETTER Y
E.S.
E9 | 0000005A | LATIN CAPITAL LETTER Z
     000000B2 | SUPERSCRIPT TWO
     000000D4 | LATIN CAPITAL LETTER O WITH CIRCUMFLEX
EB |
     000000D6 | LATIN CAPITAL LETTER O WITH DIAERESIS
EC
     000000D2 | LATIN CAPITAL LETTER O WITH GRAVE
ED
     000000D3 | LATIN CAPITAL LETTER O WITH ACUTE
EF |
     000000D5 | LATIN CAPITAL LETTER O WITH TILDE
F0 | 00000030 | DIGIT ZERO
F1 | 00000031 | DIGIT ONE
F2 | 00000032 | DIGIT TWO
F3 | 00000033 | DIGIT THREE
     00000034 | DIGIT FOUR
F4
F5
     00000035 | DIGIT FIVE
F6
     00000036 | DIGIT SIX
F7 | 00000037 | DIGIT SEVEN
F8 | 00000038 | DIGIT EIGHT
F9 | 00000039 | DIGIT NINE
FA | 000000B3 | SUPERSCRIPT THREE
```

perl v5.34.0 2022-02-06 5

Locale::RecodeData::IBM256(3pm) User Contributed Perl Documentation Locale::RecodeData::IBM256(3pm)

FB	000000DB	LATIN CAPITAL LETTER U WITH CIRCUMFLEX
FC	00000DC	LATIN CAPITAL LETTER U WITH DIAERESIS
FD	000000D9	LATIN CAPITAL LETTER U WITH GRAVE
FE	AD00000	LATIN CAPITAL LETTER U WITH ACUTE
पन	0000009F	APPLICATION PROGRAM COMMAND (APC)

AUTHOR

Copyright (C) 2002–2016 Guido Flohr http://www.guido-flohr.net/ (<mailto:guido.flohr@cantanea.com>), all rights reserved. See the source code for details!code for details!

SEE ALSO

Locale::RecodeData(3), Locale::Recode(3), perl(1)