### **NAME**

Mail::Box::Mbox::Message - one message in a Mbox folder

#### **INHERITANCE**

```
Mail::Box::Mbox::Message
  is a Mail::Box::File::Message
  is a Mail::Box::Message
  is a Mail::Message
  is a Mail::Reporter
```

#### **SYNOPSIS**

```
my $folder = new Mail::Box::Mbox folder => $ENV{MAIL}, ...;
my $message = $folder->message(0);
```

## **DESCRIPTION**

Maintain one message in an Mail::Box::Mbox folder.

Extends "DESCRIPTION" in Mail::Box::File::Message.

#### **METHODS**

Extends "METHODS" in Mail::Box::File::Message.

### **DETAILS**

Extends "DETAILS" in Mail::Box::File::Message.

# **DIAGNOSTICS**

Error: Cannot coerce a \$class object into a \$class object

Error: Cannot include forward source as \$include.

Unknown alternative for the forward(include). Valid choices are NO, INLINE, ATTACH, and ENCAPSULATE.

Error: Cannot include reply source as \$include.

Unknown alternative for the include option of **reply()**. Valid choices are NO, INLINE, and ATTACH.

Error: Method bounce requires To, Cc, or Bcc

The message **bounce**() method forwards a received message off to someone else without modification; you must specified it's new destination. If you have the urge not to specify any destination, you probably are looking for **reply**(). When you wish to modify the content, use **forward**().

Error: Method forwardAttach requires a preamble

Error: Method forwardEncapsulate requires a preamble

Error: No address to create forwarded to.

If a forward message is created, a destination address must be specified.

Error: No default mailer found to send message.

The message **send()** mechanism had not enough information to automatically find a mail transfer agent to sent this message. Specify a mailer explicitly using the via options.

Error: No rebuild rule \$name defined.

Error: Only build() Mail::Message's; they are not in a folder yet

You may wish to construct a message to be stored in a some kind of folder, but you need to do that in two steps. First, create a normal Mail::Message, and then add it to the folder. During this Mail::Box::addMessage() process, the message will get coerce()—d into the right message type, adding storage information and the like.

Error: Package \$package does not implement \$method.

Fatal error: the specific package (or one of its superclasses) does not implement this method where it should. This message means that some other related classes do implement this method however the class at hand does not. Probably you should investigate this and probably inform the author of the package.

Error: Unable to read delayed body. Error: coercion starts with some object

## **SEE ALSO**

This module is part of Mail-Box distribution version 3.009, built on August 18, 2020. Website: http://perl.overmeer.net/CPAN/

# **LICENSE**

Copyrights 2001–2020 by [Mark Overmeer]. For other contributors see ChangeLog.

This program is free software; you can redistribute it and/or modify it under the same terms as Perl itself. See <a href="http://dev.perl.org/licenses/">http://dev.perl.org/licenses/</a>