NAME

Locale::RecodeData::ISO_8859_15 - Conversion routines for ISO-8859-15

SYNOPSIS

This module is internal to libintl. Do not use directly!

DESCRIPTION

This module is generated and contains the conversion tables and routines for ISO-8859-15.

COMMENTS

The following comments have been extracted from the original charmap:

automatically generated from the charDB

Please note that aliases listed above are not necessarily valid!

CHARACTER TABLE

The following table is sorted in the same order as the original charmap. All character codes are in hexadecimal. Please read 'ISO-10646' as 'ISO-10646-UCS4'.

Local	ISO-10646	Description					
00	+ 00000000	+					
01	00000001	START OF HEADING					
02	00000002	START OF TEXT					
03	00000003	END OF TEXT					
04	00000004	END OF TRANSMISSION					
05	00000005	ENOUIRY					
06	00000006	ACKNOWLEDGE					
07	00000007	BELL					
08	0000008	BACKSPACE					
09	00000009	HORIZONTAL TABULATION					
0A	0000000A	LINE FEED					
0B	0000000В	VERTICAL TABULATION					
0C	0000000C	FORM FEED					
0D	000000D	CARRIAGE RETURN					
0E	0000000E	SHIFT OUT					
0F	0000000F	 SHIFT IN					
10	00000010	DATA LINK ESCAPE					
11	00000011	DEVICE CONTROL ONE					
12	00000012	DEVICE CONTROL TWO					
13	00000013	DEVICE CONTROL THREE					
14	00000014	DEVICE CONTROL FOUR					
15	00000015	NEGATIVE ACKNOWLEDGE					
16	00000016	SYNCHRONOUS IDLE					
17	00000017	END OF TRANSMISSION BLOCK					
18	00000018	CANCEL					
19	00000019	END OF MEDIUM					
1A	000001A	SUBSTITUTE					
1B	0000001B	ESCAPE					
1C	0000001C	FILE SEPARATOR					
1D	0000001D	GROUP SEPARATOR					
1E	0000001E	RECORD SEPARATOR					
1F	0000001F	UNIT SEPARATOR					
20	00000020	SPACE					
21	00000021	EXCLAMATION MARK					
22	00000022	QUOTATION MARK					
23	00000023	NUMBER SIGN					
24	00000024	DOLLAR SIGN					

```
25
     00000025 | PERCENT SIGN
     00000026 | AMPERSAND
27
     00000027 | APOSTROPHE
     00000028 | LEFT PARENTHESIS
28 l
     00000029 | RIGHT PARENTHESIS
29
2A
     0000002A | ASTERISK
2B | 0000002B | PLUS SIGN
2C | 0000002C | COMMA
     0000002D | HYPHEN-MINUS
2D |
     0000002E | FULL STOP
2E
     0000002F | SOLIDUS
2F |
     00000030 | DIGIT ZERO
30
31
     00000031 | DIGIT ONE
32 | 00000032 | DIGIT TWO
33 | 00000033 | DIGIT THREE
34 | 00000034 | DIGIT FOUR
35 | 00000035 | DIGIT FIVE
36 | 00000036 | DIGIT SIX
   | 00000037 | DIGIT SEVEN
37
     00000038 | DIGIT EIGHT
38
39 | 00000039 | DIGIT NINE
3A | 0000003A | COLON
3B | 0000003B | SEMICOLON
3C | 0000003C | LESS-THAN SIGN
     0000003D | EQUALS SIGN
3D |
     0000003E | GREATER-THAN SIGN
3 F.
     0000003F | QUESTION MARK
3F
40
     00000040 | COMMERCIAL AT
41 | 00000041 | LATIN CAPITAL LETTER A
42 | 00000042 | LATIN CAPITAL LETTER B
43 | 00000043 | LATIN CAPITAL LETTER C
44 | 00000044 | LATIN CAPITAL LETTER D
45 | 00000045 | LATIN CAPITAL LETTER E
     00000046 | LATIN CAPITAL LETTER F
46
     00000047 | LATIN CAPITAL LETTER G
47
48 | 00000048 | LATIN CAPITAL LETTER H
49 | 00000049 | LATIN CAPITAL LETTER I
4A | 0000004A | LATIN CAPITAL LETTER J
     0000004B | LATIN CAPITAL LETTER K
4B
     0000004C | LATIN CAPITAL LETTER L
4C
     0000004D | LATIN CAPITAL LETTER M
4D
4 F.
     0000004E | LATIN CAPITAL LETTER N
4F | 0000004F | LATIN CAPITAL LETTER O
50 | 00000050 | LATIN CAPITAL LETTER P
51 | 00000051 | LATIN CAPITAL LETTER O
52 | 00000052 | LATIN CAPITAL LETTER R
53 | 00000053 | LATIN CAPITAL LETTER S
     00000054 | LATIN CAPITAL LETTER T
54
55
     00000055 | LATIN CAPITAL LETTER U
56 | 00000056 | LATIN CAPITAL LETTER V
57 | 00000057 | LATIN CAPITAL LETTER W
58 | 00000058 | LATIN CAPITAL LETTER X
59 | 00000059 | LATIN CAPITAL LETTER Y
5A | 0000005A | LATIN CAPITAL LETTER Z
```

```
0000005B | LEFT SQUARE BRACKET
     0000005C | REVERSE SOLIDUS
     0000005D | RIGHT SQUARE BRACKET
5D |
     0000005E | CIRCUMFLEX ACCENT
5E
     0000005F | LOW LINE
5F
60
     00000060 | GRAVE ACCENT
61 | 00000061 | LATIN SMALL LETTER A
62 | 00000062 | LATIN SMALL LETTER B
63 | 00000063 | LATIN SMALL LETTER C
64 | 00000064 | LATIN SMALL LETTER D
65 | 00000065 | LATIN SMALL LETTER E
     00000066 | LATIN SMALL LETTER F
66
67
     00000067 | LATIN SMALL LETTER G
68 | 00000068 | LATIN SMALL LETTER H
69 | 00000069 | LATIN SMALL LETTER I
6A | 0000006A | LATIN SMALL LETTER J
6B | 0000006B | LATIN SMALL LETTER K
6C | 0000006C | LATIN SMALL LETTER L
6D | 0000006D | LATIN SMALL LETTER M
     0000006E | LATIN SMALL LETTER N
6E
6F | 0000006F | LATIN SMALL LETTER O
70 | 00000070 | LATIN SMALL LETTER P
71 | 00000071 | LATIN SMALL LETTER Q
72 | 00000072 | LATIN SMALL LETTER R
     00000073 | LATIN SMALL LETTER S
73 l
     00000074 | LATIN SMALL LETTER T
74 l
     00000075 | LATIN SMALL LETTER U
75
76
   00000076 | LATIN SMALL LETTER V
77 | 00000077 | LATIN SMALL LETTER W
78 | 00000078 | LATIN SMALL LETTER X
79 | 00000079 | LATIN SMALL LETTER Y
7A | 0000007A | LATIN SMALL LETTER Z
7B | 0000007B | LEFT CURLY BRACKET
     0000007C | VERTICAL LINE
7C |
     0000007D | RIGHT CURLY BRACKET
7D |
7E | 0000007E | TILDE
7F | 0000007F | DELETE
80 | 00000080 | PADDING CHARACTER (PAD)
81 | 00000081 | HIGH OCTET PRESET (HOP)
82 | 00000082 | BREAK PERMITTED HERE (BPH)
     00000083 | NO BREAK HERE (NBH)
83
     00000084 | INDEX (IND)
85 | 00000085 | NEXT LINE (NEL)
86 | 00000086 | START OF SELECTED AREA (SSA)
87 | 00000087 | END OF SELECTED AREA (ESA)
88 | 00000088 | CHARACTER TABULATION SET (HTS)
89 | 00000089 | CHARACTER TABULATION WITH JUSTIFICATION (HTJ)
     0000008A | LINE TABULATION SET (VTS)
8A
8B
     0000008B | PARTIAL LINE FORWARD (PLD)
8C |
     0000008C | PARTIAL LINE BACKWARD (PLU)
8D | 0000008D | REVERSE LINE FEED (RI)
8E | 0000008E | SINGLE-SHIFT TWO (SS2)
8F | 0000008F | SINGLE-SHIFT THREE (SS3)
90 | 00000090 | DEVICE CONTROL STRING (DCS)
```

```
00000091 | PRIVATE USE ONE (PU1)
92 | 00000092 | PRIVATE USE TWO (PU2)
93 | 00000093 | SET TRANSMIT STATE (STS)
94 | 00000094 | CANCEL CHARACTER (CCH)
     00000095 | MESSAGE WAITING (MW)
95
   | 00000096 | START OF GUARDED AREA (SPA)
96
97 | 00000097 | END OF GUARDED AREA (EPA)
98 | 00000098 | START OF STRING (SOS)
99 | 00000099 | SINGLE GRAPHIC CHARACTER INTRODUCER (SGCI)
9A | 0000009A | SINGLE CHARACTER INTRODUCER (SCI)
9B | 0000009B | CONTROL SEQUENCE INTRODUCER (CSI)
     0000009C | STRING TERMINATOR (ST)
9C |
   | 0000009D | OPERATING SYSTEM COMMAND (OSC)
9E | 0000009E | PRIVACY MESSAGE (PM)
9F | 0000009F | APPLICATION PROGRAM COMMAND (APC)
A0 | 000000A0 | NO-BREAK SPACE
A1 | 000000A1 | INVERTED EXCLAMATION MARK
A2 | 000000A2 | CENT SIGN
A3 | 000000A3 | POUND SIGN
     000020AC | EURO SIGN
Δ4
A5 | 000000A5 | YEN SIGN
A6 | 00000160 | LATIN CAPITAL LETTER S WITH CARON
A7 | 000000A7 | SECTION SIGN
A8 | 00000161 | LATIN SMALL LETTER S WITH CARON
A9 | 000000A9 | COPYRIGHT SIGN
AA | 000000AA | FEMININE ORDINAL INDICATOR
     000000AB | LEFT-POINTING DOUBLE ANGLE QUOTATION MARK
AB
AC | 000000AC | NOT SIGN
AD | 000000AD | SOFT HYPHEN
AE | 000000AE | REGISTERED SIGN
AF | 000000AF | MACRON
B0 | 000000B0 | DEGREE SIGN
B1 | 000000B1 | PLUS-MINUS SIGN
     000000B2 | SUPERSCRIPT TWO
В2
   | 000000B3 | SUPERSCRIPT THREE
В3
B4 | 0000017D | LATIN CAPITAL LETTER Z WITH CARON
B5 | 000000B5 | MICRO SIGN
B6 | 000000B6 | PILCROW SIGN
B7 | 000000B7 | MIDDLE DOT
B8 | 0000017E | LATIN SMALL LETTER Z WITH CARON
     000000B9 | SUPERSCRIPT ONE
В9
     000000BA | MASCULINE ORDINAL INDICATOR
BB | 000000BB | RIGHT-POINTING DOUBLE ANGLE QUOTATION MARK
BC | 00000152 | LATIN CAPITAL LIGATURE OE
BD | 00000153 | LATIN SMALL LIGATURE OE
BE | 00000178 | LATIN CAPITAL LETTER Y WITH DIAERESIS
BF | 000000BF | INVERTED QUESTION MARK
     000000C0 | LATIN CAPITAL LETTER A WITH GRAVE
C0
C1
     000000C1 | LATIN CAPITAL LETTER A WITH ACUTE
C2 | 000000C2 | LATIN CAPITAL LETTER A WITH CIRCUMFLEX
C3 | 000000C3 | LATIN CAPITAL LETTER A WITH TILDE
C4 | 000000C4 | LATIN CAPITAL LETTER A WITH DIAERESIS
C5 | 000000C5 | LATIN CAPITAL LETTER A WITH RING ABOVE
C6 | 000000C6 | LATIN CAPITAL LETTER AE
```

```
C7 |
     000000C7 | LATIN CAPITAL LETTER C WITH CEDILLA
     000000C8 | LATIN CAPITAL LETTER E WITH GRAVE
C9
     000000C9 | LATIN CAPITAL LETTER E WITH ACUTE
     000000CA | LATIN CAPITAL LETTER E WITH CIRCUMFLEX
CA
     000000CB | LATIN CAPITAL LETTER E WITH DIAERESIS
CB
     000000CC | LATIN CAPITAL LETTER I WITH GRAVE
CC
     000000CD | LATIN CAPITAL LETTER I WITH ACUTE
CD |
     000000CE | LATIN CAPITAL LETTER I WITH CIRCUMFLEX
CE
     000000CF | LATIN CAPITAL LETTER I WITH DIAERESIS
CF
     000000D0 | LATIN CAPITAL LETTER ETH
D0 |
     000000D1 | LATIN CAPITAL LETTER N WITH TILDE
D1 |
     000000D2 | LATIN CAPITAL LETTER O WITH GRAVE
D2
D3
     000000D3 | LATIN CAPITAL LETTER O WITH ACUTE
     000000D4 | LATIN CAPITAL LETTER O WITH CIRCUMFLEX
D4
     000000D5 | LATIN CAPITAL LETTER O WITH TILDE
D5 |
     000000D6 | LATIN CAPITAL LETTER O WITH DIAERESIS
D7 |
     000000D7 | MULTIPLICATION SIGN
D8 I
     000000D8 | LATIN CAPITAL LETTER O WITH STROKE
     000000D9 | LATIN CAPITAL LETTER U WITH GRAVE
D9
     000000DA | LATIN CAPITAL LETTER U WITH ACUTE
DΑ
DB |
     000000DB | LATIN CAPITAL LETTER U WITH CIRCUMFLEX
     000000DC | LATIN CAPITAL LETTER U WITH DIAERESIS
DC |
DD
     000000DD | LATIN CAPITAL LETTER Y WITH ACUTE
     000000DE | LATIN CAPITAL LETTER THORN
DE |
     000000DF | LATIN SMALL LETTER SHARP S
DF |
     000000E0 | LATIN SMALL LETTER A WITH GRAVE
EO
     000000E1 | LATIN SMALL LETTER A WITH ACUTE
E1
E2
     000000E2 | LATIN SMALL LETTER A WITH CIRCUMFLEX
E3 |
     000000E3 | LATIN SMALL LETTER A WITH TILDE
E4 | 000000E4 | LATIN SMALL LETTER A WITH DIAERESIS
E5 | 000000E5 | LATIN SMALL LETTER A WITH RING ABOVE
E6 | 000000E6 | LATIN SMALL LETTER AE
     000000E7 | LATIN SMALL LETTER C WITH CEDILLA
E7
     000000E8 | LATIN SMALL LETTER E WITH GRAVE
E8
     000000E9 | LATIN SMALL LETTER E WITH ACUTE
E9
     000000EA | LATIN SMALL LETTER E WITH CIRCUMFLEX
EA
EB
     000000EB | LATIN SMALL LETTER E WITH DIAERESIS
     000000EC | LATIN SMALL LETTER I WITH GRAVE
EC
ED |
     000000ED | LATIN SMALL LETTER I WITH ACUTE
     000000EE | LATIN SMALL LETTER I WITH CIRCUMFLEX
EE |
     000000EF | LATIN SMALL LETTER I WITH DIAERESIS
EF
FΟ
     000000F0 | LATIN SMALL LETTER ETH
F1 |
     000000F1 | LATIN SMALL LETTER N WITH TILDE
F2 |
     000000F2 | LATIN SMALL LETTER O WITH GRAVE
F3 |
     000000F3 | LATIN SMALL LETTER O WITH ACUTE
     000000F4 | LATIN SMALL LETTER O WITH CIRCUMFLEX
     000000F5 | LATIN SMALL LETTER O WITH TILDE
F5
     000000F6 | LATIN SMALL LETTER O WITH DIAERESIS
Fб
     000000F7 | DIVISION SIGN
F7
     000000F8 | LATIN SMALL LETTER O WITH STROKE
F8
F9 |
     000000F9 | LATIN SMALL LETTER U WITH GRAVE
FA | 000000FA | LATIN SMALL LETTER U WITH ACUTE
FB | 000000FB | LATIN SMALL LETTER U WITH CIRCUMFLEX
FC | 000000FC | LATIN SMALL LETTER U WITH DIAERESIS
```

Locale::RecodeData::ISO_8859_15(3pm) ser Contributed Perl Documentationcale::RecodeData::ISO_8859_15(3pm)

FD	000000FD	LATIN	SMALL	LETTER	Y	\mathtt{WITH}	ACUTE
FE	000000FE	LATIN	${\tt SMALL}$	LETTER	THORN		
FF	000000FF	LATIN	${\tt SMALL}$	LETTER	Y	WITH	DIAERESIS

AUTHOR

Copyright (C) 2002–2016 Guido Flohr http://www.guido-flohr.net/ (<mailto:guido.flohr@cantanea.com), all rights reserved. See the source code for details!code for details!

SEE ALSO

Locale::RecodeData(3), Locale::Recode(3), perl(1)