NAME

lb_clean - Clean build directory

SYNOPSIS

lb clean [OPTIONS]

DESCRIPTION

lb clean is a high–level command (porcelain) of *live–build*(7), the Debian Live tool suite.

lb clean is responsible for cleaning up after a system is built. It removes the build directories, and removes some other files including stage files, and any detritus left behind by other live—build commands.

OPTIONS

In addition to its specific options **lb clean** understands all generic live–build options. See *live–build*(7) for a complete list of all generic live–build options.

--all

removes chroot, binary, stage, and source. The cache directory is kept. This is the default operation and will be performed if no argument is given.

--cache

removes the cache directories.

--chroot

unmounts and removes the chroot directory.

--binary

removes all binary related caches, files, directories, and stages files.

--purge

removes everything, including all caches. The config directory is kept.

--remove

removes everything, including package cache but not stage cache. The config directory is kept.

--stage

removes all stage files.

--source

removes all source related caches, files, directories, and stage files.

FILES

auto/clean

SEE ALSO

live-build(7)

This program is a part of live-build.

HOMEPAGE

More information about live-build and the Debian Live project can be found on the homepage at https://wiki.debian.org/DebianLive.

BUGS

Bugs can be reported by submitting a bug report for the live-build package in the Bug Tracking System at http://bugs.debian.org/ or by writing a mail to the Debian Live mailing list at debian.org/ or by writing a mail to the Debian Live mailing list at debian.org/.

AUTHOR

live—build was originally written by Daniel Baumann <mail@daniel-baumann.ch>. Since 2016 development has been continued by the Debian Live team.