NAME

Locale::RecodeData::ISO_8859_3 - Conversion routines for ISO-8859-3

SYNOPSIS

This module is internal to libintl. Do not use directly!

DESCRIPTION

This module is generated and contains the conversion tables and routines for ISO-8859-3.

COMMENTS

The following comments have been extracted from the original charmap:

```
version: 1.0
source: ECMA registry
alias ISO-IR-109
alias ISO_8859-3:1988
alias ISO_8859-3
alias LATIN3
alias L3
```

Please note that aliases listed above are not necessarily valid!

CHARACTER TABLE

The following table is sorted in the same order as the original charmap. All character codes are in hexadecimal. Please read 'ISO-10646' as 'ISO-10646-UCS4'.

Local	ISO-10646	Description
00	00000000	NULL (NUL)
01	00000001	START OF HEADING (SOH)
02	00000002	START OF TEXT (STX)
03	0000003	END OF TEXT (ETX)
04	00000004	END OF TRANSMISSION (EOT)
05	00000005	ENQUIRY (ENQ)
06	00000006	ACKNOWLEDGE (ACK)
07	00000007	BELL (BEL)
08	00000008	BACKSPACE (BS)
09	00000009	CHARACTER TABULATION (HT)
0A	A000000	LINE FEED (LF)
0B	0000000B	LINE TABULATION (VT)
0C	000000C	FORM FEED (FF)
0D	000000D	CARRIAGE RETURN (CR)
ΟE	000000E	SHIFT OUT (SO)
OF	000000F	SHIFT IN (SI)
10	00000010	DATALINK ESCAPE (DLE)
11	00000011	DEVICE CONTROL ONE (DC1)
12	00000012	DEVICE CONTROL TWO (DC2)
13	00000013	DEVICE CONTROL THREE (DC3)
14	00000014	DEVICE CONTROL FOUR (DC4)
15	00000015	NEGATIVE ACKNOWLEDGE (NAK)
16	00000016	SYNCHRONOUS IDLE (SYN)
17	00000017	END OF TRANSMISSION BLOCK (ETB)
18	00000018	CANCEL (CAN)
19	00000019	END OF MEDIUM (EM)
1A	0000001A	SUBSTITUTE (SUB)
1B	0000001B	ESCAPE (ESC)
1C	0000001C	FILE SEPARATOR (IS4)
1D	0000001D	GROUP SEPARATOR (IS3)
1E	0000001E	RECORD SEPARATOR (IS2)

```
0000001F | UNIT SEPARATOR (IS1)
     00000020 | SPACE
     00000021 | EXCLAMATION MARK
21 l
     00000022 | QUOTATION MARK
22
     00000023 | NUMBER SIGN
23
24
     00000024 | DOLLAR SIGN
25 | 00000025 | PERCENT SIGN
26 | 00000026 | AMPERSAND
27 | 00000027 | APOSTROPHE
28 | 00000028 | LEFT PARENTHESIS
     00000029 | RIGHT PARENTHESIS
29
     0000002A | ASTERISK
2A |
2B
     0000002B | PLUS SIGN
2C | 0000002C | COMMA
2D | 0000002D | HYPHEN-MINUS
2E | 0000002E | FULL STOP
2F | 0000002F | SOLIDUS
30 | 00000030 | DIGIT ZERO
31 | 00000031 | DIGIT ONE
     00000032 | DIGIT TWO
32
33 | 00000033 | DIGIT THREE
34 | 00000034 | DIGIT FOUR
35 | 00000035 | DIGIT FIVE
36 | 00000036 | DIGIT SIX
37 | 00000037 | DIGIT SEVEN
     00000038 | DIGIT EIGHT
38
     00000039 | DIGIT NINE
39
3A | 0000003A | COLON
3B | 0000003B | SEMICOLON
3C | 0000003C | LESS-THAN SIGN
3D | 0000003D | EQUALS SIGN
3E | 0000003E | GREATER-THAN SIGN
3F | 0000003F | QUESTION MARK
     00000040 | COMMERCIAL AT
40
     00000041 | LATIN CAPITAL LETTER A
41
42 | 00000042 | LATIN CAPITAL LETTER B
43 | 00000043 | LATIN CAPITAL LETTER C
44 | 00000044 | LATIN CAPITAL LETTER D
45 | 00000045 | LATIN CAPITAL LETTER E
46 | 00000046 | LATIN CAPITAL LETTER F
     00000047 | LATIN CAPITAL LETTER G
47
48
     00000048 | LATIN CAPITAL LETTER H
49 | 00000049 | LATIN CAPITAL LETTER I
4A | 0000004A | LATIN CAPITAL LETTER J
4B | 0000004B | LATIN CAPITAL LETTER K
4C | 0000004C | LATIN CAPITAL LETTER L
4D | 0000004D | LATIN CAPITAL LETTER M
     0000004E | LATIN CAPITAL LETTER N
4E
4F
     0000004F | LATIN CAPITAL LETTER O
50 | 00000050 | LATIN CAPITAL LETTER P
51 | 00000051 | LATIN CAPITAL LETTER Q
52 | 00000052 | LATIN CAPITAL LETTER R
53 | 00000053 | LATIN CAPITAL LETTER S
54 | 00000054 | LATIN CAPITAL LETTER T
```

```
00000055 | LATIN CAPITAL LETTER U
     00000056 | LATIN CAPITAL LETTER V
57 l
     00000057 | LATIN CAPITAL LETTER W
58 | 00000058 | LATIN CAPITAL LETTER X
     00000059 | LATIN CAPITAL LETTER Y
59
5A |
     0000005A | LATIN CAPITAL LETTER Z
5B | 0000005B | LEFT SQUARE BRACKET
5C | 0000005C | REVERSE SOLIDUS
5D | 0000005D | RIGHT SQUARE BRACKET
     0000005E | CIRCUMFLEX ACCENT
5 E
     0000005F | LOW LINE
5F |
     00000060 | GRAVE ACCENT
60
61
     00000061 | LATIN SMALL LETTER A
62 | 00000062 | LATIN SMALL LETTER B
63 | 00000063 | LATIN SMALL LETTER C
64 | 00000064 | LATIN SMALL LETTER D
65 | 00000065 | LATIN SMALL LETTER E
66 | 00000066 | LATIN SMALL LETTER F
   | 00000067 | LATIN SMALL LETTER G
67
     00000068 | LATIN SMALL LETTER H
68
69 | 00000069 | LATIN SMALL LETTER I
6A | 0000006A | LATIN SMALL LETTER J
6B | 0000006B | LATIN SMALL LETTER K
6C | 0000006C | LATIN SMALL LETTER L
     0000006D | LATIN SMALL LETTER M
6D |
     0000006E | LATIN SMALL LETTER N
6E.
     0000006F | LATIN SMALL LETTER O
6F
70
     00000070 | LATIN SMALL LETTER P
71 | 00000071 | LATIN SMALL LETTER Q
72 | 00000072 | LATIN SMALL LETTER R
73 | 00000073 | LATIN SMALL LETTER S
74 | 00000074 | LATIN SMALL LETTER T
75 | 00000075 | LATIN SMALL LETTER U
     00000076 | LATIN SMALL LETTER V
76
     00000077 | LATIN SMALL LETTER W
77
78 | 00000078 | LATIN SMALL LETTER X
79 | 00000079 | LATIN SMALL LETTER Y
7A | 0000007A | LATIN SMALL LETTER Z
7B | 0000007B | LEFT CURLY BRACKET
     0000007C | VERTICAL LINE
7C |
     0000007D | RIGHT CURLY BRACKET
7D |
     0000007E | TILDE
7 E
7F | 0000007F | DELETE (DEL)
80 | 00000080 | PADDING CHARACTER (PAD)
81 | 00000081 | HIGH OCTET PRESET (HOP)
82 | 00000082 | BREAK PERMITTED HERE (BPH)
83 | 00000083 | NO BREAK HERE (NBH)
     00000084 | INDEX (IND)
84
     00000085 | NEXT LINE (NEL)
85
86 | 00000086 | START OF SELECTED AREA (SSA)
87 | 00000087 | END OF SELECTED AREA (ESA)
88 | 00000088 | CHARACTER TABULATION SET (HTS)
89 | 00000089 | CHARACTER TABULATION WITH JUSTIFICATION (HTJ)
8A | 0000008A | LINE TABULATION SET (VTS)
```

```
0000008B | PARTIAL LINE FORWARD (PLD)
     0000008C | PARTIAL LINE BACKWARD (PLU)
8D | 0000008D | REVERSE LINE FEED (RI)
8E | 0000008E | SINGLE-SHIFT TWO (SS2)
     0000008F | SINGLE-SHIFT THREE (SS3)
8F
90 | 00000090 | DEVICE CONTROL STRING (DCS)
91 | 00000091 | PRIVATE USE ONE (PU1)
92 | 00000092 | PRIVATE USE TWO (PU2)
93 | 00000093 | SET TRANSMIT STATE (STS)
94 | 00000094 | CANCEL CHARACTER (CCH)
95 | 00000095 | MESSAGE WAITING (MW)
     00000096 | START OF GUARDED AREA (SPA)
96
   00000097 | END OF GUARDED AREA (EPA)
97
98 | 00000098 | START OF STRING (SOS)
99 | 00000099 | SINGLE GRAPHIC CHARACTER INTRODUCER (SGCI)
9A | 0000009A | SINGLE CHARACTER INTRODUCER (SCI)
9B | 0000009B | CONTROL SEQUENCE INTRODUCER (CSI)
9C | 0000009C | STRING TERMINATOR (ST)
9D | 0000009D | OPERATING SYSTEM COMMAND (OSC)
   | 0000009E | PRIVACY MESSAGE (PM)
9 F.
9F | 0000009F | APPLICATION PROGRAM COMMAND (APC)
A0 | 000000A0 | NO-BREAK SPACE
A1 | 00000126 | LATIN CAPITAL LETTER H WITH STROKE
A2 | 000002D8 | BREVE
A3 | 000000A3 | POUND SIGN
A4 | 000000A4 | CURRENCY SIGN
     00000124 | LATIN CAPITAL LETTER H WITH CIRCUMFLEX
Аб
Α7
   | 000000A7 | SECTION SIGN
A8 | 000000A8 | DIAERESIS
A9 | 00000130 | LATIN CAPITAL LETTER I WITH DOT ABOVE
AA | 0000015E | LATIN CAPITAL LETTER S WITH CEDILLA
AB | 0000011E | LATIN CAPITAL LETTER G WITH BREVE
AC | 00000134 | LATIN CAPITAL LETTER J WITH CIRCUMFLEX
     000000AD | SOFT HYPHEN
AD
     0000017B | LATIN CAPITAL LETTER Z WITH DOT ABOVE
AF
B0 | 000000B0 | DEGREE SIGN
B1 | 00000127 | LATIN SMALL LETTER H WITH STROKE
B2 | 000000B2 | SUPERSCRIPT TWO
B3 | 000000B3 | SUPERSCRIPT THREE
B4 | 000000B4 | ACUTE ACCENT
     000000B5 | MICRO SIGN
B5
     00000125 | LATIN SMALL LETTER H WITH CIRCUMFLEX
B7 | 000000B7 | MIDDLE DOT
B8 | 000000B8 | CEDILLA
B9 | 00000131 | LATIN SMALL LETTER DOTLESS I
BA | 0000015F | LATIN SMALL LETTER S WITH CEDILLA
BB | 0000011F | LATIN SMALL LETTER G WITH BREVE
     00000135 | LATIN SMALL LETTER J WITH CIRCUMFLEX
ВC
     000000BD | VULGAR FRACTION ONE HALF
BD
BF | 0000017C | LATIN SMALL LETTER Z WITH DOT ABOVE
CO | 000000CO | LATIN CAPITAL LETTER A WITH GRAVE
C1 | 000000C1 | LATIN CAPITAL LETTER A WITH ACUTE
C2 | 000000C2 | LATIN CAPITAL LETTER A WITH CIRCUMFLEX
C4 | 000000C4 | LATIN CAPITAL LETTER A WITH DIAERESIS
```

```
C5 |
     0000010A | LATIN CAPITAL LETTER C WITH DOT ABOVE
     00000108 | LATIN CAPITAL LETTER C WITH CIRCUMFLEX
C7 |
     000000C7 | LATIN CAPITAL LETTER C WITH CEDILLA
     000000C8 | LATIN CAPITAL LETTER E WITH GRAVE
C8
     000000C9 | LATIN CAPITAL LETTER E WITH ACUTE
C9
     000000CA | LATIN CAPITAL LETTER E WITH CIRCUMFLEX
CA
     000000CB | LATIN CAPITAL LETTER E WITH DIAERESIS
CB |
     000000CC | LATIN CAPITAL LETTER I WITH GRAVE
CC
     00000CD | LATIN CAPITAL LETTER I WITH ACUTE
CD
     000000CE | LATIN CAPITAL LETTER I WITH CIRCUMFLEX
CE
     000000CF | LATIN CAPITAL LETTER I WITH DIAERESIS
CF
     000000D1 | LATIN CAPITAL LETTER N WITH TILDE
D1
     000000D2 | LATIN CAPITAL LETTER O WITH GRAVE
     000000D3 | LATIN CAPITAL LETTER O WITH ACUTE
D3 |
     000000D4 | LATIN CAPITAL LETTER O WITH CIRCUMFLEX
D4 |
D5 |
     00000120 | LATIN CAPITAL LETTER G WITH DOT ABOVE
D6 |
     000000D6 | LATIN CAPITAL LETTER O WITH DIAERESIS
D7 |
     000000D7 | MULTIPLICATION SIGN
     0000011C | LATIN CAPITAL LETTER G WITH CIRCUMFLEX
D8
     000000D9 | LATIN CAPITAL LETTER U WITH GRAVE
D9
DA I
     00000DA | LATIN CAPITAL LETTER U WITH ACUTE
     000000DB | LATIN CAPITAL LETTER U WITH CIRCUMFLEX
DB |
DC |
     00000DC | LATIN CAPITAL LETTER U WITH DIAERESIS
     0000016C | LATIN CAPITAL LETTER U WITH BREVE
     0000015C | LATIN CAPITAL LETTER S WITH CIRCUMFLEX
DE |
     000000DF | LATIN SMALL LETTER SHARP S (German)
DF
     000000E0 | LATIN SMALL LETTER A WITH GRAVE
E0
E1
     000000E1 | LATIN SMALL LETTER A WITH ACUTE
E2 |
     000000E2 | LATIN SMALL LETTER A WITH CIRCUMFLEX
E4 | 000000E4 | LATIN SMALL LETTER A WITH DIAERESIS
E5 | 0000010B | LATIN SMALL LETTER C WITH DOT ABOVE
E6 | 00000109 | LATIN SMALL LETTER C WITH CIRCUMFLEX
     000000E7 | LATIN SMALL LETTER C WITH CEDILLA
E7
     000000E8 | LATIN SMALL LETTER E WITH GRAVE
E8
     000000E9 | LATIN SMALL LETTER E WITH ACUTE
E9
     000000EA | LATIN SMALL LETTER E WITH CIRCUMFLEX
EA
EB
     000000EB | LATIN SMALL LETTER E WITH DIAERESIS
     000000EC | LATIN SMALL LETTER I WITH GRAVE
EC
ED
     000000ED | LATIN SMALL LETTER I WITH ACUTE
     000000EE | LATIN SMALL LETTER I WITH CIRCUMFLEX
EE |
     000000EF | LATIN SMALL LETTER I WITH DIAERESIS
EF
F1
     000000F1 | LATIN SMALL LETTER N WITH TILDE
F2 |
     000000F2 | LATIN SMALL LETTER O WITH GRAVE
F3 |
     000000F3 | LATIN SMALL LETTER O WITH ACUTE
F4 |
     000000F4 | LATIN SMALL LETTER O WITH CIRCUMFLEX
F5 | 00000121 | LATIN SMALL LETTER G WITH DOT ABOVE
     000000F6 | LATIN SMALL LETTER O WITH DIAERESIS
F6 |
     000000F7 | DIVISION SIGN
F7
F8
     0000011D | LATIN SMALL LETTER G WITH CIRCUMFLEX
F9
     000000F9 | LATIN SMALL LETTER U WITH GRAVE
FA
     000000FA | LATIN SMALL LETTER U WITH ACUTE
FB | 000000FB | LATIN SMALL LETTER U WITH CIRCUMFLEX
FC | 000000FC | LATIN SMALL LETTER U WITH DIAERESIS
FD | 0000016D | LATIN SMALL LETTER U WITH BREVE
```

Locale::RecodeData::ISO_8859_3(3pm)Jser Contributed Perl DocumentationLocale::RecodeData::ISO_8859_3(3pm)

FE | 0000015D | LATIN SMALL LETTER S WITH CIRCUMFLEX
FF | 000002D9 | DOT ABOVE (Mandarin Chinese light tone)

AUTHOR

Copyright (C) 2002–2016 Guido Flohr http://www.guido-flohr.net/ (<mailto:guido.flohr@cantanea.com>), all rights reserved. See the source code for details!code for details!

SEE ALSO

Locale::RecodeData(3), Locale::Recode(3), perl(1)